


PRODUCT FAMILY DATA SHEET

Cree[®] XLamp[®] MK-R LEDs



PRODUCT DESCRIPTION

Built on Cree's revolutionary SC³ Technology[™] platform, the XLamp MK-R LED brings new levels of price performance to directional and LED arrays, enabling lighting manufacturers to create the next generation of high-lumen indoor and outdoor LED lighting systems. In single-LED systems, the XLamp MK-R, with EasyWhite® color binning, provides the LED industry's tightest unit-to-unit color consistency. For systems using multiple LEDs, the MK-R enables manufacturers to use fewer LEDs while maintaining light output and color consistency, which translates to lower system cost.

The XLamp MK-R is optimized for directional lighting applications and is a welcome addition to applications requiring high lumen output, a compact optical source and a broad palette of color temperature and CRI values.

FEATURES

- Available in ANSI white bins as well as 4-step and 2-step EasyWhite bins at 2700 K, 3000 K, 3500 K, 4000 K, 4500 K and 5000 K CCT
- Maximum drive current: 1250 mA
- Low thermal resistance: 1.7 °C/W
- Maximum junction temperature: 150 °C
- Binned at 85 °C
- Viewing angle: 120°
- Available in cool white, 70-, 80and 90-CRI minimums
- Unlimited floor life at ≤ 30 °C/85% RH
- Reflow solderable JEDEC J-STD-020C
- Electrically neutral thermal path
- RoHS-compliant
- UL-recognized component (E349212)



TABLE OF CONTENTS

Characteristics 2
Flux Characteristics, Standard
Order Codes and Bins 2
Standard Order Codes and Bins,
ANSI White 3
Relative Spectral Power
Distribution 4
Relative Flux vs. Junction
Temperature 4
Electrical Characteristics 5
Relative Flux vs. Current 5
Relative Chromaticity vs. Current -
Warm White 6
Relative Chromaticity vs.
Temperature - Warm White 6
Typical Spatial Distribution 7
Thermal Design 7
Performance Groups - Brightness 8
Performance Groups - Chromaticity 9
Cree EasyWhite Bins Plotted on
the 1931 CIE Color Space12
Cree ANSI White Bins Plotted on
the 1931 CIE Color Space13
Bin and Order Code Formats14
Reflow Soldering Characteristics $\dots 15$
Notes16
Mechanical Dimensions17
Tape and Reel18
Packaging19

Copyright © 2012-2013 Cree, Inc. All rights reserved. The information in this document is subject to change without notice. Cree®, the Cree logo, XLamp® and EasyWhite® are registered trademarks and SC³ Technology™ is a trademark of Cree, Inc.

Cree, Inc. 4600 Silicon Drive Durham, NC 27703 USA Tel: +1.919.313.5300



CHARACTERISTICS

Characteristics	Unit	Minimum	Typical	Maximum
Thermal resistance, junction to solder point	°C/W		1.7	
Viewing angle - full width half maximum (FWHM)	degrees		120	
Temperature coefficient of voltage	mV/°C		-7	
ESD withstand voltage (HBM per Mil-Std-883D)	V			8000
DC forward current	mA			1250
Reverse voltage	V			-5
Forward voltage (@ 700 mA, 85 °C)	V		11.7	14
LED junction temperature	°C			150

FLUX CHARACTERISTICS, STANDARD ORDER CODES AND BINS ($I_F = 700 \text{ mA}, T_J = 85 \text{ °C}$)

The following tables provide order codes for XLamp MK-R EasyWhite LEDs. For a complete description of the order code nomenclature, please reference Bin and Order Code Formats (page 14).

Color	сст				2-	Step Order Code	4-Step Order Code		
Color	Range	Group	Flux (lm) @ 85 °C	Flux (lm) @ 25 °C*	Chromaticity Region		Chromaticity Region		
	5000 K	H2	900	1044	50H	MKRAWT-00-0000-0D0HH250H	50F	MKRAWT-00-0000-0D0HH250F	
	5000 K	G4	840	974	JUH	MKRAWT-00-0000-0D0HG450H	SUP	MKRAWT-00-0000-0D0HG450F	
	4500 K	H2	900	1044	45H	MKRAWT-00-0000-0D0HH245H	45F	MKRAWT-00-0000-0D0HH245F	
	4300 K	G4	840	974	4511	MKRAWT-00-0000-0D0HG445H	451	MKRAWT-00-0000-0D0HG445F	
	4000 K	H2	900	1044	40H	MKRAWT-00-0000-0D0HH240H	40F	MKRAWT-00-0000-0D0HH240F	
80-CRI	4000 K	G4	840	974	400	MKRAWT-00-0000-0D0HG440H	40F	MKRAWT-00-0000-0D0HG440F	
EasyWhite	3500 K	G4	840	974	35H	MKRAWT-00-0000-0D0HG435H	35F	MKRAWT-00-0000-0D0HG435F	
	2200 K	G2	780	905	5511	MKRAWT-00-0000-0D0HG235H	33F	MKRAWT-00-0000-0D0HG235F	
	3000 K	G4	840	974	30H	MKRAWT-00-0000-0D0HG430H	30F	MKRAWT-00-0000-0D0HG430F	
	3000 K	G2	780	905	5011	MKRAWT-00-0000-0D0HG230H	SUP	MKRAWT-00-0000-0D0HG230F	
	2700 K	G2	780	905	27H	MKRAWT-00-0000-0D0HG227H	27F	MKRAWT-00-0000-0D0HG227F	
	2700 K	F4	730	847	2711	MKRAWT-00-0000-0D0HF427H	271	MKRAWT-00-0000-0D0HF427F	
	3000 K	E4	635	737	30H	MKRAWT-00-0000-0D0UE430H	30F	MKRAWT-00-0000-0D0UE430F	
90-CRI	3000 K 90-CRI	E2	590	684	5011	MKRAWT-00-0000-0D0UE230H	30F	MKRAWT-00-0000-0D0UE230F	
EasyWhite	2700 K	E2	590	684	27H	MKRAWT-00-0000-0D0UE227H	27F	MKRAWT-00-0000-0D0UE227F	
	2700 K	D4	550	638	2/11	MKRAWT-00-0000-0D0UD427H	275	MKRAWT-00-0000-0D0UD427F	

Notes:

- Cree maintains a tolerance of \pm 7% on flux and power measurements, \pm 0.005 on chromaticity (CCx, CCy) measurements and \pm 2 on CRI measurements.
- Minimum CRI for 80-CRI White is 80.
- Minimum CRI for 90-CRI White is 90.
- * Flux values @ 25 °C are calculated and for reference only.

Copyright © 2012-2013 Cree, Inc. All rights reserved. The information in this document is subject to change without notice. Cree®, the Cree logo, XLamp[®] and EasyWhite® are registered trademarks and SC³ Technology[™] is a trademark of Cree, Inc.



STANDARD ORDER CODES AND BINS, ANSI WHITE ($I_F = 700 \text{ mA}, T_J = 85 \text{ °C}$)

					XLamp	MK-R Standard ANSI Kit Codes						
Chro	omaticity		Minimum Luminous Flux (Im) @ 700 mA**			Order Codes						
Kit	сст	Code	Flux (lm)@ 85 °C	Flux (lm) @ 25 °C*	65 CRI Typical	70 CRI Minimum	80 CRI Minimum	90 CRI Minimum				
		J2	1040	1206	MKRAWT-00-0000-0D00J2051							
51	6200 K	H4	970	1125	MKRAWT-00-0000-0D00H4051	MKRAWT-00-0000-0D0BH4051						
		H2	900	1044		MKRAWT-00-0000-0D0BH2051						
		J2	1040	1206	MKRAWT-00-0000-0D00J20E1							
E1	6500 K	H4	970	1125	MKRAWT-00-0000-0D00H40E1	MKRAWT-00-0000-0D0BH40E1						
		H2	900	1044		MKRAWT-00-0000-0D0BH20E1						
		H4	970	1125	MKRAWT-00-0000-0D00H40E2	MKRAWT-00-0000-0D0BH40E2						
E2	5700 K	H2	900	1044		MKRAWT-00-0000-0D0BH20E2						
		H4	970	1125	MKRAWT-00-0000-0D00H40E3	MKRAWT-00-0000-0D0BH40E3						
E3	5000 K	5000 K	5000 K	5000 K	5000 K	H2	900	1044	MKRAWT-00-0000-0D00H20E3	MKRAWT-00-0000-0D0BH20E3	MKRAWT-00-0000-0D0HH20E3	
		G4	840	974			MKRAWT-00-0000-0D0HG40E3					
		H4	970	1125	MKRAWT-00-0000-0D00H40E4	MKRAWT-00-0000-0D0BH40E4						
E4	4500 K	H2	900	1044	MKRAWT-00-0000-0D00H20E4	MKRAWT-00-0000-0D0BH20E4	MKRAWT-00-0000-0D0HH20E4					
		G4	840	974			MKRAWT-00-0000-0D0HG40E4					
		H2	900	1044	MKRAWT-00-0000-0D00H20E5	MKRAWT-00-0000-0D0BH20E5	MKRAWT-00-0000-0D0HH20E5					
E5	4000 K	G4	840	974	MKRAWT-00-0000-0D00G40E5	MKRAWT-00-0000-0D0BG40E5	MKRAWT-00-0000-0D0HG40E5					
		H2	900	1044		MKRAWT-00-0000-0D0BH20E6						
E6	3500 K	G4	840	974		MKRAWT-00-0000-0D0BG40E6	MKRAWT-00-0000-0D0HG40E6					
		G2	780	905			MKRAWT-00-0000-0D0HG20E6					
		G4	840	974			MKRAWT-00-0000-0D0HG40E7					
		G2	780	905			MKRAWT-00-0000-0D0HG20E7					
		F4	730	847								
E7	3000 K	F2	680	789								
		E4	635	737				MKRAWT-00-0000-0D0UE40E7				
		E2	590	684				MKRAWT-00-0000-0D0UE20E7				
		G2	780	905			MKRAWT-00-0000-0D0HG20E8					
		F4	730	847			MKRAWT-00-0000-0D0HF40E8					
		F2	680	789								
E8	2700 K	E4	635	737								
		E2	590	684				MKRAWT-00-0000-0D0UE20E8				
		D4	550	638				MKRAWT-00-0000-0D0UD40E8				


** Cree XLamp MK-R order codes specify only a minimum flux bin and not a maximum. Cree may ship reels in flux bins higher than the minimum specified by the order code without advance notice. Shipments will always adhere to the chromaticity restrictions specified by the order code.

* Flux values @ 25 °C are calculated and for reference only.


- For information on chromaticity bins contained in the kits listed above, please reference the Performance Groups Chromaticity section starting on page 8.
- Minimum CRI for 70-CRI White is 70.



RELATIVE SPECTRAL POWER DISTRIBUTION




RELATIVE FLUX VS. JUNCTION TEMPERATURE (I_F = 700 mA)









ELECTRICAL CHARACTERISTICS (T₁ = 85 °C)



RELATIVE FLUX VS. CURRENT (T₁ = 85 °C)









RELATIVE CHROMATICITY VS. CURRENT - WARM WHITE (T₁ = 85 °C)

RELATIVE CHROMATICITY VS. TEMPERATURE - WARM WHITE (I_F = 700 mA)






TYPICAL SPATIAL DISTRIBUTION



THERMAL DESIGN

The maximum forward current is determined by the thermal resistance between the LED junction and ambient. It is crucial for the end product to be designed in a manner that minimizes the thermal resistance from the solder point to ambient in order to optimize lamp life and optical characteristics.





PERFORMANCE GROUPS - BRIGHTNESS (I_F = 700 mA, T_J = 85 °C)

XLamp MK-R LEDs are tested for luminous flux and placed into one of the following bins.

Group Code	Min. Luminous Flux @ 700 mA	Max. Luminous Flux @ 700 mA
D2	510	550
D4	550	590
E2	590	635
E4	635	680
F2	680	730
F4	730	780
G2	780	840
G4	840	900
H2	900	970
H4	970	1040
J2	1040	1120
J4	1120	1200
К2	1200	1290



PERFORMANCE GROUPS - CHROMATICITY (T₁ = 85 °C)

XLamp MK-R LEDs are tested for chromaticity and placed into one of the regions defined by the following bounding coordinates.

EasyWhi	te Color Ter	nperatures	– 4-Step
Code	ССТ	x	у
		0.3407	0.3459
50F	5000 K	0.3415	0.3586
JUF	2000 K	0.3499	0.3654
		0.3484	0.3521
		0.3674	0.3772
45F	4500 K	0.3582	0.3710
436	4300 K	0.3562	0.3573
		0.3642	0.3625
		0.3744	0.3685
40F	4000 K	0.3782	0.3837
401		0.3912	0.3917
		0.3863	0.3758
		0.3981	0.3800
35F	3500 K	0.4040	0.3966
551	5500 K	0.4186	0.4037
		0.4116	0.3865
		0.4242	0.3919
30F	3000 K	0.4322	0.4096
501	5000 K	0.4449	0.4141
		0.4359	0.3960
		0.4475	0.3994
27F	2700 K	0.4573	0.4178
2/1		0.4695	0.4207
		0.4589	0.4021

EasyWhi	EasyWhite Color Temperatures – 2-Step								
Code	ССТ	x	У						
		0.3429	0.3507						
50H	5000 K	0.3434	0.3571						
500	5000 K	0.3475	0.3604						
		0.3469	0.3539						
		0.3643	0.3720						
45H	4500 K	0.3597	0.3689						
4511	4300 K	0.3587	0.3620						
		0.3628	0.3647						
		0.3784	0.3741						
40H	4000 K	0.3804	0.3818						
4011		0.3867	0.3857						
		0.3844	0.3778						
		0.4030	0.3857						
35H	3500 K	0.4061	0.3941						
5511	5500 K	0.4132	0.3976						
		0.4099	0.3890						
		0.4291	0.3973						
30H	3000 K	0.4333	0.4062						
5011	3000 K	0.4395	0.4084						
		0.4351	0.3994						
		0.4528	0.4046						
27H	2700 K	0.4578	0.4138						
2/11	2700 K	0.4638	0.4152						
		0.4586	0.4060						

Copyright © 2012-2013 Cree, Inc. All rights reserved. The information in this document is subject to change without notice. Cree®, the Cree logo, XLamp® and EasyWhite® are registered trademarks and SC³ Technology[™] is a trademark of Cree, Inc.



PERFORMANCE GROUPS - CHROMATICITY (T₁ = 85 °C) - CONTINUED

	ANSI White Bins												
Code	ССТ	Bin Code	x	У									
			0.2920	0.3060		0.2950	0.2970		0.3048	0.3207		0.3068	0.3113
		0A0	0.2984	0.3133	0R0	0.3009	0.3042	1A0	0.3130	0.3290	1R0	0.3144	0.3186
		UAU	0.3009	0.3042	UKU	0.3037	0.2937	IAU	0.3144	0.3186	IRU	0.3161	0.3059
			0.2950	0.2970		0.2980	0.2880		0.3068	0.3113		0.3093	0.2993
		080	0.2895	0.3135		0.2870	0.3210	1B0	0.3028	0.3304		0.3005	0.3415
			0.2962	0.3220	0S0	0.2937	0.3312		0.3115	0.3391	1S0	0.3099	0.3509
			0.2984	0.3133	050	0.2962	0.3220	IBU	0.3130	0.3290	150	0.3115	0.3391
051	6200 K		0.2920	0.3060		0.2895	0.3135		0.3048	0.3207		0.3028	0.3304
051	6200 K		0.2962	0.3220		0.2937	0.3312		0.3115	0.3391		0.3099	0.3509
		0C0	0.3028	0.3304	0T0	0.3005	0.3415	1C0	0.3205	0.3481	170	0.3196	0.3602
		000	0.3048	0.3207	010	0.3028	0.3304	100	0.3213	0.3373	1T0	0.3205	0.3481
			0.2984	0.3133		0.2962	0.3220		0.3130	0.3290		0.3115	0.3391
			0.2984	0.3133		0.3009	0.3042		0.3130	0.3290		0.3144	0.3186
		000	0.3048	0.3207	0110	0.3068	0.3113	100	0.3213	0.3373	1110	0.3221	0.3261
		0D0	0.3068	0.3113	0U0	0.3093	0.2993	1D0	0.3221	0.3261	1U0	0.3231	0.3120
			0.3009	0.3042		0.3037	0.2937		0.3144	0.3186		0.3161	0.3059

	ANSI White Bins											
Code	ССТ	Bin Code	x	У	Bin Code	x	У	Bin Code	×	У		
			0.3215	0.3350		0.3222	0.3243		.3371	.3490		
		2A0	0.3290	0.3417	2R0	0.3290	0.3300	3A0	.3451	.3554		
		ZAU	0.3290	0.3300	ZRU	0.3290	0.3180	SAU	.3440	.3427		
			0.3222	0.3243		0.3231	0.3120		.3366	.3369		
			0.3207	0.3462		0.3196	0.3602		.3376	.3616		
		2B0	0.3290	0.3538	250	0.3290	0.3690	3B0	.3463	.3687		
			0.3290	0.3417		0.3290	0.3538		.3451	.3554		
054	6200 K		0.3215	0.3350		0.3207	0.3462		.3371	.3490		
051	6200 K		0.3290	0.3538		0.3290	0.3690		.3463	.3687		
		2C0	0.3376	0.3616	2T0	0.3381	0.3762	300	.3551	.3760		
		200	0.3371	0.3490	210	0.3376	0.3616	3C0	.3533	.3620		
			0.3290	0.3417		0.3290	0.3538		.3451	.3554		
			0.3290	0.3417		0.3290	0.3300		.3451	.3554		
		200	0.3371	0.3490	2110	0.3366	0.3369	200	.3533	.3620		
		2D0	0.3366	0.3369	200	0.3361	0.3245	3D0	.3515	.3487		
			0.3290	0.3300		0.3290	0.3180		.3440	.3427		



PERFORMANCE GROUPS - CHROMATICITY (T₁ = 85 °C) - CONTINUED

	ANSI White Bins										
Code	ССТ	Bin Code	x	У							
			.3371	.3490							
		3A0	.3451	.3554							
		SAU	.3440	.3427							
			.3366	.3369							
			.3376	.3616							
	5000 K	3B0	.3463	.3687							
		300	.3451	.3554							
0E3		E000 K	E000 K	5000 K	E000 K	00 //	.3371	.3490			
UE3	5000 K		.3463	.3687							
		3C0	.3551	.3760							
		300	.3533	.3620							
			.3451	.3554							
			.3451	.3554							
		3D0	.3533	.3620							
		300	.3515	.3487							
			.3440	.3427							

ANSI White Bins									
Code	ССТ	Bin Code	x	у					
			0.3215	0.3350					
		2A0	0.3290	0.3417					
		ZAU	0.3290	0.3300					
			0.3222	0.3243					
			0.3207	0.3462					
		280	0.3290	0.3538					
		200	0.3290	0.3417					
0E2			0.3215	0.3350					
0E2	5700 K		0.3290	0.3538					
		2C0	0.3376	0.3616					
		200	0.3371	0.3490					
			0.3290	0.3417					
			0.3290	0.3417					
		200	0.3371	0.3490					
		2D0	0.3366	0.3369					
			0.3290	0.3300					

	ANSI White Bins										
Code	ССТ	Bin Code	x	у							
			0.3048	0.3207							
		1A0	0.3130	0.3290							
		IAU	0.3144	0.3186							
			0.3068	0.3113							
			0.3028	0.3304							
	6500 //	1B0	0.3115	0.3391							
			0.3130	0.3290							
0E1		GEOO K	6500 K	6500 K	6500 K	6500 K	0.3048	0.3207			
UEI	0500 K		0.3115	0.3391							
		1C0	0.3205	0.3481							
		100	0.3213	0.3373							
			0.3130	0.3290							
			0.3130	0.3290							
		100	0.3213	0.3373							
		1D0	0.3221	0.3261							
			0.3144	0.3186							

ANSI White Bins							
Code	ССТ	Bin Code	x	У			
			.3889	.3690			
		6A0	.3941	.3848			
		6AU	.4080	.3916			
			.4017	.3751			
			.3941	.3848			
			600	.3996	.4015		
		6B0	.4146	.4089			
0E6	2500 K		.4080	.3916			
UE6	3500 K	6C0	.4080	.3916			
			.4146	.4089			
			.4299	.4165			
			.4221	.3984			
		(50)	.4017	.3751			
			.4080	.3916			
		6D0	.4221	.3984			
			.4147	.3814			

Code	ССТ	Bin		
		Code	x	У
		5A0	.3670	.3578
			.3702	.3722
			.3825	.3798
			.3783	.3646
			.3702	.3722
		5B0	.3736	.3874
	0Е5 4000 К		.3869	.3958
055 44			.3825	.3798
UE5 4		5C0	.3825	.3798
			.3869	.3958
		300	.4006	.4044
			.3950	.3875
		5D0	.3783	.3646
			.3825	.3798
			.3950	.3875
			.3898	.3716


ANSI White Bins					
Code	ССТ	Bin Code	x	У	
			.3530	.3597	
		4A0	.3615	.3659	
		4A0	.3590	.3521	
			.3512	.3465	
			.3548	.3736	
0E4	4500 K		.3641	.3804	
		4B0	.3615	.3659	
			.3530	.3597	
			.3641	.3804	
		4C0	.3736	.3874	
		400	.3702	.3722	
			.3615	.3659	
			.3668	.3957	
			.3771	.4034	
		4D0	.3736	.3874	
			.3641	.3804	



PERFORMANCE GROUPS - CHROMATICITY (T₁ = 85 °C) - CONTINUED


ANSI White Bins					ANSI White Bins					
Code	ССТ	Bin Code	x	У		Code	ССТ	Bin Code	x	ĺ
			.4147	.3814					.4373	Ĭ
		740	.4221	.3984					.4465	
		7A0	.4342	.4028				8A0	.4582	
			.4259	.3853					.4483	
	DE7 3000 K		.4221	.3984					.4465	1
		750	.4299	.4165				8B0	.4562	
		7B0	.4430	.4212					.4687	
			.4342	.4028		050			.4582	
0E7		3000 K	.4342	.4028		0E8	2700 K		.4582	1
		700	.4430	.4212				0.00	.4687	
	7C0	.4562	.4260				8C0	.4813		
			.4465	.4071					.4700	
			.4259	.3853					.4483	
		7D0	.4342	.4028				8D0	.4582	
			.4465	.4071					.4700	
			.4373	.3893					.4593	

CREE EASYWHITE BINS PLOTTED ON THE 1931 CIE COLOR SPACE $(T_1 = 85 \text{ °C})$




Copyright © 2012-2013 Cree, Inc. All rights reserved. The information in this document is subject to change without notice. Cree®, the Cree logo, XLamp[®] and EasyWhite[®] are registered trademarks and SC³ Technology[™] is a trademark of Cree, Inc.





CREE ANSI WHITE BINS PLOTTED ON THE 1931 CIE COLOR SPACE ($T_1 = 85 \text{ °C}$)




Copyright © 2012-2013 Cree, Inc. All rights reserved. The information in this document is subject to change without notice. Cree®, the Cree logo, XLamp[®] and EasyWhite® are registered trademarks and SC³ Technology[™] is a trademark of Cree, Inc.



BIN AND ORDER CODE FORMATS

Bin codes and order codes are configured as follows.






REFLOW SOLDERING CHARACTERISTICS

In testing, Cree has found XLamp MK-R LEDs to be compatible with JEDEC J-STD-020C, using the parameters listed below. As a general guideline, Cree recommends that users follow the recommended soldering profile provided by the manufacturer of solder paste used.

Note that this general guideline may not apply to all PCB designs and configurations of reflow soldering equipment.



Profile Feature	Lead-Based Solder	Lead-Free Solder	
Average Ramp-Up Rate (Ts _{max} to Tp)	3 °C/second max.	3 °C/second max.	
Preheat: Temperature Min (Ts _{min})	100 °C	150 °C	
Preheat: Temperature Max (Ts _{max})	150 °C	200 °C	
Preheat: Time (ts _{min} to ts _{max})	60-120 seconds	60-180 seconds	
Time Maintained Above: Temperature $(T_{\!\scriptscriptstyle L})$	183 °C	217 °C	
Time Maintained Above: Time (t_L)	60-150 seconds	60-150 seconds	
Peak/Classification Temperature (Tp)	215 °C	260 °C	
Time Within 5 °C of Actual Peak Temperature (tp)	10-30 seconds	20-40 seconds	
Ramp-Down Rate	6 °C/second max.	6 °C/second max.	
Time 25 °C to Peak Temperature	6 minutes max.	8 minutes max.	

Note: All temperatures refer to the topside of the package, measured on the package body surface.



NOTES

Lumen Maintenance Projections

Cree now uses standardized IES LM-80-08 and TM-21-11 methods for collecting long-term data and extrapolating LED lumen maintenance. For information on the specific LM-80 data sets available for this LED, refer to the public LM-80 results document at www.cree.com/xlamp_app_notes/LM80_results.

Please read the XLamp Long-Term Lumen Maintenance application note at www.cree.com/xlamp_app_notes/lumen_ maintenance for more details on Cree's lumen maintenance testing and forecasting. Please read the XLamp Thermal Management application note at www.cree.com/xlamp_app_notes/thermal_management for details on how thermal design, ambient temperature, and drive current affect the LED junction temperature.

Moisture Sensitivity

In testing, Cree has found XLamp MK-R LEDs to have unlimited floor life in conditions \leq 30 °C/85% relative humidity (RH). Moisture testing included a 168-hour soak at 85 °C/85% RH followed by 3 reflow cycles, with visual and electrical inspections at each stage.

Cree recommends keeping XLamp LEDs in their sealed moisture-barrier packaging until immediately prior to use. Cree also recommends returning any unused LEDs to the resealable moisture-barrier bag and closing the bag immediately after use.

RoHS Compliance

The levels of RoHS restricted materials in this product are below the maximum concentration values (also referred to as the threshold limits) permitted for such substances, or are used in an exempted application, in accordance with EU Directive 2011/65/EC (RoHS2), as implemented January 2, 2013. RoHS Declarations for this product can be obtained from your Cree representative or from the Product Ecology section of www.cree.com.

UL Recognized Component

Level 4 enclosure consideration. The LED package or a portion thereof has been investigated as a fire and electrical enclosure per ANSI/UL 8750.


Vision Advisory Claim

WARNING: Do not look at exposed lamp in operation. Eye injury can result. See the Eye Safety application note at www. cree.com/xlamp_app_notes/led_eye_safety.



MECHANICAL DIMENSIONS


All measurements are \pm .13 mm unless otherwise indicated.




Top View

Side View

Bottom View





Recommended PCB Solder Pad






TAPE AND REEL

All Cree carrier tapes conform to EIA-481D, Automated Component Handling Systems Standard.


All dimensions in mm.





PACKAGING

Unpackaged Reel



Copyright © 2012-2013 Cree, Inc. All rights reserved. The information in this document is subject to change without notice. Cree®, the Cree logo, XLamp® and EasyWhite® are registered trademarks and SC³ Technology™ is a trademark of Cree, Inc.