Coaxial Cable



pro-**Power**

RoHS Compliant

Specifications

opecifications				
Designed of cable				
Inner Conductor	: Solid bare copper 1/0.58 ±0.004mm			
Insulation	: Solid PE			
Size of Insulation	: Ø3.7 ±0.1mm			
Screening	: Double Foil			
Braiding	: 16×3/0.12 ±0.003mm Al Wire			
Coverage	: 45%			
Inner conductor	: Stranded bare copper 16/0.2 ±0.004mm			
Insulation	: PVC			
Size of Insulation	: Ø1.8 ±0.1mm			
Colour	: Red/Black			
Conductor Area CSA	: 0.58mm²			
Jacket	: PVC			
Jacket Colour	: Black			
Jacket Size	: Ø6+5 ±0.2mm			
Jacket Wall Thickness	: ≈0.8mm			
Electric data at 20°C				
Conductor Resistance	: ≤68Ω/KM			
Conductor Resistance	: ≤39.4Ω/KM			
Insulation Resistance	: ≥10000MΩ*KM			
Testing Voltage	: wire/screen 50Hz 1min=1.5kV			
Impedance	: 75 ±3Ω at 200Mhz			
ATT:				

Frequency	1	50	200	400	900	1000
ATT dB/100m	1.1	8.5	18.5	27.5	44.3	47

Max Attenuation is 10% higher					
Capacitance	: 67±3pF/m				
RL	: ≥20dB 10-1000Mhz				
Temperature Range	: -10°C to +60°C				

Part Number Table

Description	Part Number	
Coaxial Cable, RG59, 2 Core, 0.58mm², 75Ω, 200m	5912V200M	

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of Premier Farnell Limited 2019.

Newark.com/exclusive-brands Farnell.com/exclusive-brands Element14.com/exclusive-brands

