Fiberglass Reinforced Thermal Pad Multicomp

RoHS



Description

Compliant MP-GCSR-015PFG-0.25(B) is a fibreglass-reinforced thermal pad MP-GCSR-015PFG-0.25(B) is a fiberglass-reinforced thermally conductive insulating material. Fiberglass substrates make the one face of material less tack which contribute to easier installation. Anti-tensile, anti-shear and anti-tear performance are also enhanced.

OPTIONS: (B) = 0.3 x 1m roll Other sizes available: 10M / 25M

Features

- 1.5 W/m K thermal conductivity
- Fibreglass-reinforced, resistance to puncture
- Soft and high compliance
- Heat conduction and electrical insulation

Applications

- LED lamps
- **Consumer electronics**
- Car equipment
- Communication devices

Properties

Characteristic	Test Method	Values
Colour	Visual	Off-white
Thickness (mm)	ASTM D374	0.25
Hardness (Shore 00)	ASTM D2240	40~80
Specific Gravity (g/cm³)	ASTM D792	2.25
Tensile Strength (Mpa)	ASTM D412	0.6
Elongation (%)	ASTM D412	-
Tear Strength (KN/m)	ASTM D624	1.8
Breakdown Voltage (Kv/mm)	ASTM D149	>10
Volume Resistivity (Ω·cm)	ASTM D257	6x10 ¹²
Use Temperature (°C)	EN344	-40 to +200
Flame Rating	UL 94	V0
Weight Loss (%)	@150°C 240H	≤0.5
Dielectric Constant (@1MHz)	ASTM D150	5.6
Thermal Conductivity (W/m-k)	ASTM D5470	1.5

Part Number Table

Description	Part Number
Fiberglass Reinforced Thermal Pad, Off White, 0.25 × 300 × 1000mm	MP-GCSR-015PFG-0.25(B)

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

