A768 125°C



Overview

KEMET's Surface Mount Solid Polymer Aluminum
Capacitors offer longer life and greater stability across a
wide range of temperatures. This highly conductive solid
polymer electrolyte eliminates the risk of drying out and,
due to its low ESR properties, is able to withstand higher
ripple currents during normal operation. This series is
ideally suited for automotive and industrial applications.
This series is AEC-Q200 qualified for voltages up to 63 V
and upon request for 80 V. Anti-Vibration version is available
for 10 mm diameter. See Part Number system to order.

Applications

Typical applications include long life LED drivers, professional power amplifiers, industrial power supplies, DC/DC converters, voltage regulators, and decoupling. For voltages ≤ 63 V, this series is used for automotive power train.

Benefits

- · Surface mount form factor
- · Ultra low impedance
- · High ripple current
- · High voltage
- · High temperature; 125°C/2,000 hours
- · High vibration resistance up to 30 g
- · RoHS compliant
- · Halogen-free

Standard



Anti-Vibration





Part Number System


A	768	EB	157	М	0G	LA	E	022
"Capacitor Class"	Series	Size Code	Capacitance Code (pF)	Tolerance	Rated Voltage (VDC)	Packaging	Electrical Parameters	ESR
A = Aluminum	Surface Mount Solid Polymer Aluminum Capacitors 125°C 2,000 hours High Temperature	See Dimension Table	First two digits represent significant figures for capacitance values. Last digit specifies the number of zeros to be added.	M = ±20%	16 = 1C 20 = 1D 25 = 1E 35 = 1V 40 = 1G 50 = 1H 63 = 1J 80 = 1K	LA = Tape & Reel	E = Standard/ESR S = Automotive V = Automotive + Anti-Vibration AEC-Q200 available up to 63 V (80 V upon request)	Last 3 digits represent significant figures for ESR values. (mΩ)

Ordering Options Table

Packaging Type	Packaging Code			
Standard Packaging Options				
Tape & Reel LA				
Contact KEMET for other Lead and Packaging options				



Dimensions - Millimeters



Size		D		L	١	N	ı	Н		C	R	P
Code	Nominal	Tolerance	Range	Nominal								
EB	6.3	±0.5	5.7	±0.3	6.6	±0.2	6.6	±0.2	7.3	±0.2	0.5 - 0.8	2.0
KE	8	±0.5	6.7	±0.3	8.3	±0.2	8.3	±0.2	9	±0.2	0.8 - 1.1	3.1
KS	8	±0.5	12.2	±0.3	8.3	±0.2	8.3	±0.2	9	±0.2	0.8 - 1.1	3.2
MS	10	±0.5	12.2	±0.5	10.3	±0.2	10.3	±0.2	11	±0.2	0.8 - 1.1	4.6
MS (Anti- Vibration)	10	±0.5	12.4	±0.5	10.3	±0.2	10.8	±0.2	11	±0.2	0.7 - 1.1	4.6



Environmental Compliance







All Part Numbers in this datasheet are Reach and RoHS compliant, and Halogen-Free.

As an environmentally conscious company, KEMET is working continuously with improvements concerning the environmental effects of both our capacitors and their production. In Europe (RoHS Directive) and in some other geographical areas like China, legislation has been put in place to prevent the use of some hazardous materials, such as lead (Pb), in electronic equipment. All products in this catalog are produced to help our customers' obligations to guarantee their products and fulfill these legislative requirements. The only material of concern in our products has been lead (Pb), which has been removed from all designs to fulfill the requirement of containing less than 0.1% of lead in any homogeneous material. KEMET will closely follow any changes in legislation worldwide and make any necessary changes in its products, whenever needed.

Some customer segments such as medical, military and automotive electronics may still require the use of lead in electrode coatings. To clarify the situation and distinguish products from each other, a special symbol is used on the packaging labels for RoHS compatible capacitors.

Due to customer requirements, there may appear additional markings such as LF = Lead-free or LFW = Lead-free wires on the label.

Performance Characteristics

ltem	Performance Characteristics		
Capacitance Range	18 − 1,000 μF		
Rated Voltage	16 - 80 VDC		
Operating Temperature	-55°C to +125°C		
Capacitance Tolerance	±20% at 120 Hz/20°C		
Life Test	2,000 hours (see conditions in Test Method & Performance)		
Leakage Current	≤ Specified Value		
	C = Rated capacitance (μF), V = Rated voltage (VDC), Voltage applied for 2 minutes at 20°C.		

Compensation Factor of Ripple Current (RC) vs. Frequency

Frequency	120 Hz ≤ f < 1 kHz	1 kHz ≤ f < 10 kHz	10 kHz ≤ f < 100 kHz	100 kHz ≤ f < 500 kHz
Coefficient	0.05	0.30	0.70	1.00



Test Method & Performance

Conditions	Load Life Test	Shelf Life Test
Temperature	125°C	125°C
Test Duration	2,000 hours	168 hours
Ripple Current	No ripple current applied	No ripple current applied
Voltage	The sum of DC voltage and the peak AC voltage must not exceed the rated voltage of the capacitor	No voltage applied
Performance	The following specifications will be satisfied when the ca	pacitor is restored to 20°C.
Capacitance Change	Within ±20% of the initial value	
Dissipation Factor	Does not exceed 150% of the specified value	
ESR	Does not exceed 150% of the specified value	
Leakage Current	Does not exceed specified value	
Damp Heat	The following specifications will be satisfied when the ca after application of rated voltage for 1,000 hours at	•
Capacitance Change	Within ±20% of the initial value	
Dissipation Factor	Does not exceed 150% of the specified value	
ESR	Does not exceed 150% of the specified value	
Leakage Current	Does not exceed specified value	
Surge Voltage (Rated Voltage x 1.15(V))	The following specifications will be satisfied when the capa cycles, each consisting of charge with the surge voltages seconds through a protective resistor (Rc = 1 k Ω) 5 minutes, 30 seconds.	specified at 105°C for 30
Capacitance Change	Within ±20% of the initial value	
Dissipation Factor	Does not exceed 150% of the specified value	
ESR	Does not exceed 150% of the specified value	
Leakage Current	Does not exceed specified value	
Resistance to Soldering Heat	Measurement for solder temperature profile at capac	citor top and terminal.
Capacitance Change	Within ±10% of the initial value	
Dissipation Factor	Does not exceed 130% of the specified value	
ESR	Does not exceed 130% of the specified value	
Leakage Current	Does not exceed specified value	



Test Method & Performance – Anti-Vibration Version

Anti-Vibration Version				
Vibration Test Specifications	1.5 mm displacement amplitude or 30 g maximum acceleration. Vibration applied for three 4-hour sessions at 10 – 2,000 Hz (capacitor on PCB).			
Capacitance Change	Within ±20% of the initial value			
Dissipation Factor	Does not exceed 150% of the specified value			
ESR	Does not exceed 150% of the specified value			
Leakage Current	Does not exceed specified value			

Shelf Life & Re-Ageing

Shelf Life

Solderability is 12 months

The capacitance, ESR and impedance of a capacitor will not change significantly after extended storage periods, however the leakage current will slowly increase.

- This series should not be stored in high temperatures or where there is a high level of humidity.
- The suitable storage condition is +5 to +35°C and less than 75% in relative humidity.
- Do not store in damp conditions such as water, saltwater spray or oil spray.
- Do not store in an environment full of hazardous gas (hydrogen sulphide, sulphurous acid gas, nitrous acid, chlorine gas, ammonium, etc.)
- •Do not store under exposure to ozone, ultraviolet rays or radiation.

If a capacitor has been stored for more than 12 months under these conditions and it shows increased leakage current, then a treatment by voltage application is recommended. The Capacitor should be soldered within 7 days after unpack.

MSL Rating 2A

Re-age Procedure

Apply the rated DC voltage to the capacitor at 125°C for a period of 120 minutes through a 1 k Ω series resistor.



Table 1 – Ratings & Part Number Reference

(VDC)	(VDC) Surge	120 Hz 20°C (μF)	100 kHz 20°C (mΩ)	100 kHz 125°C (mA) Ripple	20°C 2 min (µA) Leakage	D x L (mm) Case	() Represents Part Anti-Vibration Number Options Version		D x L (mm) Anti-Vibration Case
80	92.00	56	34	1,800	896		A768MS566M1KLA(1)034*		10 × 12.4
80	92.00	47	34	1,800	752		A768MS476M1KLA(1)034*	A768MS476M1KLAV034*	10 × 12.4
80 80	92.00 92.00	33	38 38	1,600 1,600	528 624	8 × 12.2 8 × 12.2	A768KS336M1KLA(1)038* A768KS396M1KLA(1)038*		-
63	72.45	100 33	27	2,000	1,260	10 × 12.2	A768MS107M1JLA(1)027	A768MS107M1JLAV027	10 × 12.4 -
63	72.45	82	27	2,000	1,033	10 × 12.2	A768MS826M1JLA(1)027	A768MS826M1JLAV027	10 × 12.4
63	72.45	56	31	1,800	706	8 × 12.2	A768KS566M1JLA(1)031	-	-
63	72.45	47	31	1,800	592	8 × 12.2	A768KS476M1JLA(1)031	-	-
63	72.45	27	54	1,175	340	8 × 6.7	A768KE276M1JLA(1)054	-	-
63	72.45	22	54	1,175	277	8 × 6.7	A768KE226M1JLA(1)054	- A700WIG197WITTLAV024	-
50 50	57.50 57.50	120 150	24 24	2,150 2,150	1,200 1,500	10 × 12.2 10 × 12.2	A768MS127M1HLA(1)024 A768MS157M1HLA(1)024	A768MS127M1HLAV024 A768MS157M1HLAV024	10 × 12.4 10 × 12.4
50 50	57.50 57.50	100	30	1,900	1,000	8 × 12.2	A768KS107M1HLA(1)030	- A768MS127M1HLAV024	10 × 10 4
50	57.50	100	24	2,150	1,000	10 × 12.2	A768MS107M1HLA(1)024	A768MS107M1HLAV024	10 × 12.4
50	57.50	82	20	1,900	820	8 × 12.2	A768KS826M1HLA(1)020		
50	57.50	39	42	1,300	390	8 × 6.7	A768KE396M1HLA(1)042	-	-
50	57.50	33	42	1,300	330	8 × 6.7	A768KE336M1HLA(1)042	-	-
50	57.50	22	48	1,100	220	6.3 × 5.7	A768EB226M1HLA(1)048		_
50	57.50	18	48	1,100	180	6.3 × 5.7	A768EB186M1HLA(1)048	A/UOIVIOZ//IVITGLAVUZZ	10 ^ 12.4
40 40	46.00 46.00	220 270	22 22	2,200 2,200	1,760 2,160	10 × 12.2 10 × 12.2	A768MS227M1GLA(1)022 A768MS277M1GLA(1)022	A768MS227M1GLAV022 A768MS277M1GLAV022	10 × 12.4 10 × 12.4
40	46.00	150	25	1,950	1,200	8 × 12.2	A768KS157M1GLA(1)025	-	-
40	46.00	82	38	1,350	656	8 × 6.7	A768KE826M1GLA(1)038	-	-
40	46.00	68	38	1,350	544	8 × 6.7	A768KE686M1GLA(1)038	-	-
40	46.00	39	45	1,150	312	6.3 × 5.7	A768EB396M1GLA(1)045	-	-
40	46.00	33	45	1,150	264	6.3 × 5.7	A768EB336M1GLA(1)045	- A700WI3337WITVLAVUZZ	-
35 35	40.25 40.25	270 330	22 22	2,200 2,200	1,890 2,310	10 × 12.2 10 × 12.2	A768MS277M1VLA(1)022 A768MS337M1VLA(1)022	A768MS277M1VLAV022 A768MS337M1VLAV022	10 × 12.4 10 × 12.4
35	40.25	220	24	2,000	1,540	8 × 12.2	A768KS227M1VLA(1)024	- A760M0077M1VI AV000	- 10 × 10 4
35	40.25	180	24	2,000	1,260	8 × 12.2	A768KS187M1VLA(1)024	-	-
35	40.25	100	36	1,400	700	8 × 6.7	A768KE107M1VLA(1)036	•	-
35	40.25	82	36	1,400	574	8 × 6.7	A768KE826M1VLA(1)036	-	-
35	40.25	56	42	1,175	392	6.3 × 5.7	A768EB566M1VLA(1)042		-
35	40.25	47	42	1,175	329	6.3 × 5.7	A768EB476M1VLA(1)042		-
25 25	28.75	560	17	2,500	2,800	10 × 12.2 10 × 12.2	A768MS567M1ELA(1)017	A768MS567M1ELAV017	10 × 12.4 10 × 12.4
25 25	28.75 28.75	390 470	19 17	2,325 2,500	1,950 2,350	8 × 12.2 10 × 12.2	A768KS397M1ELA(1)019 A768MS477M1ELA(1)017	- A768MS477M1ELAV017	- 10 × 12.4
25	28.75	330	19	2,325	1,650	8 × 12.2	A768KS337M1ELA(1)019	-	-
25	28.75	180	29	1,600	900	8 × 6.7	A768KE187M1ELA(1)029	-	-
25	28.75	150	29	1,600	750	8 × 6.7	A768KE157M1ELA(1)029	-	-
25	28.75	100	36	1,255	500	6.3 × 5.7	A768EB107M1ELA(1)036	-	-
25	28.75	82	36	1,255	410	6.3 × 5.7	A768EB826M1ELA(1)036	-	-
25	23.00 28.75	47	42	2,600 1,175	2,720 235	6.3 × 5.7	A768EB476M1ELA(1)042	- A700M3007M1CLAV013	10 × 12.4
20 20	23.00	390 680	17 15	2,400	1,560	8 × 12.2 10 × 12.2	A768KS397M1DLA(1)017 A768MS687M1DLA(1)015	- A768MS687M1CLAV015	- 10 × 12.4
20	23.00	220	29	1,600	880	8 × 6.7	A768KE227M1DLA(1)029	-	-
20	23.00	180	29	1,600	720	8 × 6.7	A768KE187M1DLA(1)029	-	-
20	23.00	120	34	1,300	480	6.3 × 5.7	A768EB127M1DLA(1)034		-
16	18.40	1000	15	2,700	3,200	10 × 12.2	A768MS108M1CLA(1)015	A768MS108M1CLAV015	10 × 12.4
16 16	18.40 18.40	470 560	17 17	2,500 2,500	1,504 1,792	8 × 12.2 8 × 12.2	A768KS477M1CLA(1)017	-	-
, ,		20°C (μF) 470	20°C (mΩ)	125°C (mA) 2,500	2 min (µA)	(mm)	Number Options A768KS477M1CLA(1)017	Version	Anti-Vibration
(VDC)	(VDC)	120 Hz	100 kHz	100 kHz	20°C	DxL	() Represents Part	Anti-Vibration	D x L (mm)
Voltage	Voltage	Capacitance		Current	Current	Size			Size
Rated	Surge	Rated	ESR	Ripple	Leakage	Case	KEMET Pa	rt Number	Case
D. A. C.	0	Doron I		Discust.	The state of the state of				•

 $(1) Electrical\ Parameters\ code.\ See\ Part\ Number\ System\ for\ available\ options.$

^{*}AEC-Q200 Available Upon Request for 80 V



Installing

Solid Polymer Aluminum Capacitors are prone to a change in leakage current due to thermal stress during soldering. The leakage current may increase after soldering or reflow soldering. Therefore, verify the suitability for use in circuits sensitive to leakage current.

A general principle is that lower temperature operation results in a longer, useful life of the capacitor. For this reason, it should be ensured that electrolytic capacitors are placed away from heat-emitting components. Adequate space should be allowed between components for cooling air to circulate, especially when high ripple current loads are applied. In any case, the maximum rated temperature must not be exceeded.

- Do not deform the case of capacitors or use capacitors with a deformed case.
- Verify that the connections of the capacitors are able to insert on the board without excessive mechanical force.
 Excessive force during insertion, as well as after soldering may cause terminal damage and affect the electrical performance.
- Ensure electrical insulation between the capacitor case, negative terminal, positive terminal and PCB.
- If the capacitors require mounting through additional means, the recommended mounting accessories shall be used.
- · Verify the correct polarization of the capacitor on the board.

KEMET recommends, to ensure that the voltage across each capacitor does not exceed its rated voltage.


Temperature Stability Characteristics

table characteristics in a very low temperature range allows for less circuits in the design.

Due to a solid polymer electrolyte, Solid Polymer Aluminum Capacitors feature higher conductivity. This results in a lower ESR which, coupled with high capacitance allows an aluminum polymer capacitor to replace several standard electrolytic capacitors, reducing the number of components and maximizing board space.

The ESR of polymer capacitors is nearly constant within its operating temperature range, while the ESR of a standard electrolytic capacitor noticeably changes with temperature.

Temperature Stability Characteristics






Stability of ESR across Frequency Range

Due to a solid polymer electrolyte, the ESR curve of a solid polymer aluminum capacitor, is lower and more stable than that of a standard electrolytic capacitor.


Stable ESR Values across Frequency



High Resistance to Ripple Current


As a result of a lower ESR, solid polymer aluminum capacitors are able to withstand higher ripple currents during normal operation.

Allowable Ripple Current (100 kHz 105°C)






Landing Pad - Millimeters



D	Α	В	С
5	1.4	3	1.6
6.3	1.9	3.5	1.6
8	3.1	4.2	2.2
10	4.5	4.4	2.2
10 (Anti-Vibration)	4.5	4.4	4.6


Marking



Date Code*					
1 st Digits = Rated Voltage					
Letter = Year Code	S = 2019				
Final Digits = Week of the Year	$01 = 1^{st}$ week of the Year to $52 = 52^{nd}$ week of the Year				
Year Code					
S	2019				
Т	2020				
U	2021				
V	2022				
W	2023				
Х	2024				
Υ	2025				
Z	2026				



Construction






Re-Flow Soldering

The soldering conditions should be within the specified conditions below:

- · Do not dip the capacitors body into the melted solder.
- Flux should only be applied to the capacitors terminals.
- Vapour heat transfer systems are not recommended. The system should be thermal, such as infra-red radiation or hot blast.
- · Observe the soldering conditions as shown below.
- Do not exceed these limits and avoid repeated reflowing.


Time Period	Preheating	T1	T2	Т3		
Time r criou	Treneating	11		Φ < 8	Φ≥8	
Temperature (°C)	150 - 180	≥ 200	≤ 230	≤ 260	≤ 240	
Time (seconds)		60 - 180	≤ 50	≤ 40	≤ 40	
Reflow can be performed per the above parameters up to 2x						





Lead Taping & Packaging


	Reel			
Case Size (mm)	Α	В		
	±0.5	±0.2		
5 x 6	17	21		
5 x 7	17	21		
6.3 x 5.7	18	22		
6.3 x 7	18	22		
6.3 x 8	18	22		
6.3 x 9.7	18	22		
8 x 7.5	26	30		
8 x 9.7	26	30		
10 x 12.6	26	30		



Size Code	Diameter (mm)	Length (mm)	Reel Quantity	Box Quantity
EB	6.3	5.7	1,000	10,000
KE	8	6.7	1,000	8,000
KS	8	12.2	400	3,200
MS	10	12.2	400	2,400
MS (Anti-Vibration)	10	12.4	400	2,400



Taping for Automatic Insertion Machines



Size Code	Diameter	Length	W	Р	F	B1	В0	T2
	(mm)	(mm)	±0.3	±0.1	±0.1	±0.2	±0.2	±0.2
BC	5	6	16.0	12.0	7.5	5.6	5.6	7.1
BG	5	7	16.0	12.0	7.5	5.6	5.6	7.1
EB	6.3	5.7	16.0	12.0	7.5	7.0	7.0	7.6
EG	6.3	7.0	16.0	12.0	7.5	7.0	7.0	7.6
EK	6.3	8.0	16.0	12.0	7.5	7.0	7.0	7.6
EN	6.3	9.7	16.0	12.0	7.5	7.0	7.0	9.6
KE	8	6.7	24.0	12.0	11.5	8.6	8.6	6.8
KH	8	7.5	24.0	12.0	11.5	8.6	8.6	8.4
KN	8	9.7	24.0	16.0	11.5	8.6	8.6	10.3
KS	8	12.2	24.0	16.0	11.5	8.6	8.6	12.5
MN	10	9.7	24.0	16.0	11.5	10.7	10.7	10.1
MS	10	12.2	24.0	16.0	11.5	10.7	10.7	12.5
MS (Anti-Vbration)	10	12.4	24.0	16.0	11.5	11.2	10.7	12.7
MU	10	12.6	24.0	16.0	11.5	10.7	10.7	13.1




Construction Data


The manufacturing process begins with the anode foil being electrochemically etched to increase the surface area and then 'formed' to produce the aluminum oxide layer. Both the anode and cathode foils are then interleaved with absorbent paper and wound into a cylinder. During the winding process, aluminum tabs are attached to each foil to provide the electrical contact.

The deck, complete with terminals, is attached to the tabs and then folded down to rest on top of the winding. The complete winding is impregnated with a conductive polymer electrolyte before being housed in a suitable container, usually an aluminum can, and sealed. Throughout the process, all materials inside the housing must be maintained at the highest purity and be compatible with the electrolyte.

Each capacitor is aged and tested before being packed. The purpose of aging is to repair any damage in the oxide layer and thus reduce the leakage current to a very low level. Aging is normally carried out at the rated temperature of the capacitor and is accomplished by applying voltage to the device while carefully controlling the supply current. The process may take several hours to complete. Damage to the oxide layer can occur due to variety of reasons:

- Slitting of the anode foil after forming
- · Attaching the tabs to the anode foil
- · Minor mechanical damage caused during winding







Product Safety

THESE NOTES SHOULD BE READ IN CONJUNCTION WITH THE PRODUCT DATA SHEET. FAILURE TO OBSERVE THE RATINGS AND THE INFORMATION ON THIS SHEET MAY RESULT IN A SAFETY HAZARD.

Warning

When potential lethal voltages e.g. 30 VAC (RMS) or 60 VDC are applied to the terminals of this product, the use of a hazard warning label is recommended.

1. Electrolyte

Conductive polymer aluminum solid electrolytic capacitors contain polymers (electrolytes) which can be hazardous.

1.1 Safety Precautions

In the event of gas venting, avoid contact and inhalation. Wash the affected area with hot water. Use rubber gloves to avoid skin contact. Any contact with the eyes should be liberally irrigated with water and medical advice sought.

2. Intrinsic Properties

2.1 Operating

DC capacitors are polar devices and will operate safely only if correctly connected. Reversing the connections will result in high leakage currents which could subsequently cause short circuit failure and possibly explosion and fire. Correctly polarized operation may result in the above failure modes if:

- · The surge voltage is exceeded
- · The ambient temperature is too high
- Excessive ripple currents are applied

2.2 Non-Operating

Excessive torque or soldering heat may affect the performance of the capacitor or damage the sealing. Electric shock may result if capacitors are not discharged.

3. Disposal

Aluminum electrolytic capacitors are consignable waste under the Special Waste Regulations 1996 (Statutory Instrument 1996 No 972), which complies with the EC Hazardous Waste Directive – Directive 91/689/EEC. The electrolyte should therefore be treated as a hazardous waste and advice should be sought from the local office of the Environmental Agency regarding its disposal.

Due to the construction of an aluminum electrolytic capacitors, high temperature incineration may cause the component to explode due to build-up of internal pressure. In addition, incineration may also cause the emission of noxious fumes. KEMET strongly recommends that if there are any doubts regarding the disposal of conductive polymer aluminum solid electrolytic capacitors, that advice be sought from the local regulating authority.

In addition, KEMET would like to request that users of aluminum electrolytic capacitors respect the needs of the environment and, wherever possible, recover as much of the materials as possible, i.e., aluminum.



Product Safety cont.

4. Unsafe Use

Most failures are of a passive nature and do not represent a safety hazard. A hazard may, however, arise if this failure causes a dangerous malfunction of the equipment in which the capacitor is employed. Circuits should be designed to fail safe under the normal modes of failure.

The usual failure mode is an increase in leakage current or short circuit. Other possible modes are decrease of capacitance, increase in dissipation factor (and impedance) or an open circuit. Capacitors should be used in a well-ventilated enclosure or cabinet.

5. Mounting

Care should be taken when mounting by clamp so that any safety vent in the can is not covered.

6. Fumigation

In many countries throughout the world it is now common practice to fumigate shipments of products in order to control insect infestation, particularly when wooden packaging is used. Currently, methyl bromide is widely used as a fumigant, which can penetrate cardboard packing and polymer bags and, therefore, come into direct contact with equipment or components contained within.

If aluminum electrolytic capacitors become exposed to methyl bromide, then corrosion may occur, depending upon the concentration and exposure time to the chemical.

This failure mode can affect all types of KEMET aluminum electrolytic capacitors. Methyl bromide can penetrate the seals of aluminum electrolytic capacitors and cause internal corrosion of the anode connection, resulting in the component becoming open circuit. The rate of corrosion will depend upon the level of exposure to methyl bromide as well as the subsequent operating conditions, such as voltage and temperature. It may take months or, in some cases, several years before the component becomes open circuit.

7. Dielectric Absorption

A phenomenon known as the dielectric absorption can cause aluminum electrolytic capacitors to recharge themselves. The phenomenon is well known but impossible to predict with any great accuracy, so potentially any electrolytic product could be affected. Thus, a capacitor that has been charged and then completely discharged, will appear to recharge itself if left open circuit; this will manifest itself as a small voltage across the terminals of the capacitor. Generally, the voltages seen are less than 20 VDC, however, higher voltages have on occasion been reported.

In order to avoid any problems caused by this voltage, KEMET recommends that capacitors be discharged before connecting to the terminals.



KEMET Electronics Corporation Sales Offices

For a complete list of our global sales offices, please visit www.kemet.com/sales.

Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.