

Technical Data

SILICONE LUBE 210 GENERAL PURPOSE SILICONE LUBRICANT

SILICONE LUBE 210 is a general purpose silicone lubricating spray.

APPLICATIONS

The product provides a fine, non drying coating which has many desirable properties for use in maintaining and servicing brown and white electrical goods, mechanical and automotive devices.

Silicone Lube 210 is clean, high heat resistant, non-staining, resists oxidation and corrosion, repels moisture, reduce friction and wear, eases difficult installations and provides good light lubrication, especially where a clear film is desired.

Restores shine to plastics, rubber, vinyl, leather and wood.

NB: DO NOT USE ON LIVE ELECTRICAL EQUIPMENT AFTER APPLYING, ALWAYS LEAVE FOR 4/5 MINUTES BEFORE OPERATING EQUIPMENT.

TECHNICAL DATA

Appearance	:	Clear, colourless liquid
Odour	:	Hydrocarbon Solvents
SG @ 25°C	:	0.723
Pressure @ 25°C	:	3.5 bar
Discharge rate	:	0.8 g/sec
Temperature range	:	Operational up to 200°C
Solubility	:	Soluble in solvents, insoluble in water
Flammability	:	Classified as extremely flammable under CHIP Regulations
Flashpoint	:	Not applicable in sealed aerosol
Packaging	:	400ml aerosol (12 per carton)

STORAGE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 12 months with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

HEALTH AND SAFETY

Health and Safety sheet available separately.

MISREPRESENTATION ACT 1967

TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.