
	PART NO.			REVISIONS						
		ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
		-	А	RELEASED	Veena	01/02/11	Jagan	02/01/11	Farnell	15/02/11



**Dimensions : Millimetres** 

## Specifications:

Waterproof rate	: IP67.
IP67	: Immersed in 1m water for 30 minutes.
Cable length tolerance	: 1m to 10m ±5%mm
	11m to 99m ±500mm.
Cable jacket material	: Black PVC.
Specifications	: Circular series specifications.
To conform to singatron	hazardous substance free specifications.

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for	TOLERANCES:	DRAWN BY:	DATE:	DRAWING TITLE:			
information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with-	UNLESS OTHERWISE	Veena	01/02/11	Cable	Assembly - Socl	ket - Free End, 1M	
believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or	SPECIFIED,	CHECKED BY:	DATE:	SIZE DWG NO.		ELECTRONIC FILE	REV
	DIMENSIONS ARE	Jagan	01/02/11		M10002582	1860748-1860751	Α
omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit	PURPOSES ONLY.	APPROVED BY:	DATE:				<u> </u>
or estrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2011.		Farnell	15/02/11	SCALE: NTS	U.O.M.: mm	SHEET: 1 OI	F 3

	PART NO.			REVISIONS						
		ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
		-	А	RELEASED	Veena	01/02/11	Jagan	02/01/11	Farnell	15/02/11

## **Specifications Table**

Item	Description	Material	Plating and Colour
A	Body	Nylon + GF	Black
В	Female PIN	Phosphor Bronze Alloy	6µ Inches Gold Plated Over Nickel Plating
С	Lock Nut	Nylon + GF	
D	O-Ring	EPDM	Black
F	Over Mould	PVC	
E	Inner Mould	TPU	Natural

## Part Number Table

Description	PIN Assignments Front View	Cable Specifications	Current Rating	Part Number
Cable Assy, SKT-Free End, 3Way, 1M		16 AWG X 3C + AI/My, (UV Resistant), Outer Diameter = Ø7.0, Wire Colour: 1. Brown, 2. Blue and 3. Black	16A	2CM3004-W03600
Cable Assy, SKT-Free End, 7Way, 1M		24 AWG X 7C + Al/My, (UV Resistant), Outer Diameter = Ø5.0, Wire Colour: 1. Blue, 2. Black, 3. Yellow, 4. Red, 5. Brown, 6. Green and 7. White	5A	2CM3004-W07300

This data sheet and its contents (the "Information") belong to the Premier Farnell Group				DRAWING TITLE:			
(the Group ) of all incensed to it. No incence is granted for the use of it other than for	TULERANCES:	DRAWN BY:	DATE.				
believed to be accurate but the Group assumes on responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information included or puse of it (including liability resulting from any reliance on the Information of pulper suitability of the prod- pulse of the course of the suitability of the prod- pulse of the course of the suitability of the suitability of the prod- pulse of it (including liability resulting from any reliance on the Information included or pulper suitability of the suitability of the suitability of the suitability of the prod- pulper suitability of the suitability of	UNLESS OTHERWISE	Veena	01/02/11	Cable	ket - Free End, 1M		
	SPECIFIED,	CHECKED BY:	DATE:	SIZE DWG NO.		ELECTRONIC FILE	REV
	DIMENSIONS ARE FOR REFERENCE	Jagan	01/02/11	Δ	M10002582	1860748-1860751	A
	PURPOSES ONLY.	APPROVED BY:	DATE:				<u> </u>
the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. <sup>©</sup> Premier Farnell pic 2011.		Farnell	15/02/11	SCALE: NTS	U.O.M.: mm	SHEET: 2 OI	F 3

	PART NO.			REVISIONS						
	1 <sup>-</sup> F	ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
		-	А	RELEASED	Veena	01/02/11	Jagan	02/01/11	Farnell	15/02/11

Part Number Table

Description	PIN Assignments Front View	Cable Specifications	Current Rating	Part Number
Cable Assy, SKT-Free End, 8Way, 1M	000	24 AWG X 8C + Al/My, (UV Resistant), Outer Diameter = Ø5.4, Wire Colour: 1. Black, 2. Brown, 3. White, 4. Blue, 5. Red, 6. Grey, 7. Yellow and 8. Green	54	2CM3004-W08300
Cable Assy, SKT-Free End, 9Way, 1M	0000	24 AWG X 8C + AI/My, (UV Resistant), Outer Diameter = Ø5.4, Wire Colour: 1. Brown, 2. Blue, 3. White, 4. Green, 5. Yellow, 6. Grey, 7. Pink, 8. Red and 9. Black	54	2CM3004-W09300

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

This data sheet and its contents (the "Information") belong to the Premier Farnell Group	TOLEDANCES	DRAWN BY:	DATE:	DRAWING TITLE:			
(information purposes in connection with the products to which it relates. No license with information purposes in connection with the products to which it relates. No license with- out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of purposed on the suitability of the prod-		Veena	01/02/11	_	le Assembly - Soc	ket - Free End, 1M	, I
	UNLESS OTHERWISE SPECIFIED,	CHECKED BY:	DATE:	SIZE DWG NO.		ELECTRONIC FILE	REV
	DIMENSIONS ARE	Jagan	01/02/11	A	M10002582	1860748-1860751	A
	PURPOSES ONLY.	APPROVED BY:	DATE:		I		<u> </u>
the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell pic 2011.		Farnell	15/02/11	SCALE: NTS	U.O.M.: mm	SHEET: 3 O	)F 3