







RECOMMENDED P.C. BOARD HOLE PATTERN
(CONNECTOR SIDE)

ADD DIMENSION EC NO: S2007-0163 2006/08/17 DRWN:CMTEO CHKD:SHLENI APPR:GGLEE 2006/08/18	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY	DATE	TITLE DDR DIMM, 1.27MM PITCH 184 CKTS, SINGLE KEY				
			4 PLACES	± ---	± ---	MLONG	2000/05/10					
			3 PLACES	± ---	± ---	CHECKED BY	DATE					
			2 PLACES	± 0.15	± ---	SQUEK	2000/05/11	MOLEX MOLEX INCORPORATED				
			1 PLACE	± ---	± ---	APPROVED BY	DATE					
			ANGULAR ± 3 °		SKTOH	2000/05/12						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
					SEE TABLE		SD-87636-001		2 OF 4			
E1					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	10	9	8	7	6	5	4	3	2	1					
F				PART NUMBER	DATUM VOLTAGE KEY	PACKAGING TYPE	DIM "T"	RECOMMENDED PCB THICKNESS	LATCH COLOR	CONTACT AREA PLATING	F				
				87636-2001	CENTER (1.8V)	TRAY	3.23	2.36	BEIGE	0.38uM/15uIN MIN. GOLD					
				87636-2002	LEFT (2.5V)										
				87636-2011	CENTER (1.8V)		2.67	1.57							
				87636-2012	LEFT (2.5V)										
E				87636-3001	CENTER (1.8V)		3.23	2.36	BLACK	0.76uM/30uIN MIN. GOLD	E				
				87636-3002	LEFT (2.5V)										
				87636-3011	CENTER (1.8V)		2.67	1.57							
				87636-3012	LEFT (2.5V)										
				87636-2102	LEFT (2.5V)		3.23	2.36		0.38uM/15uIN MIN. GOLD					
D											D				
C											C				
B											B				
A				ADD DIMENSION EC NO: S2007-0163 2006/08/17 DRWN:CMTEO CHKD:SHLENI 2006/08/17 APPR:GGLEE 2006/08/18		QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.15 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3 °		DIMENSION STYLE MM ONLY DRAWN BY DATE MLONG 2000/05/10 CHECKED BY DATE SQUEK 2000/05/11 APPROVED BY DATE SKTOH 2000/05/12		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION DDR DIMM, 1.27MM PITCH 184 CKTS, SINGLE KEY		
				REV E1			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-87636-001		SHEET NO. 3 OF 4		
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
	10	9	8	7	6	5	4	3	2	1					

