



- NOTES:
1. MATERIAL: SEE TABLE
 2. FINISHES: SEE TABLE
 3. PRODUCT SPEC: PS-130299-001
 4. PACKAGING: PK-130299-001
 5. MATES WITH: MALE D-CODE CABLE ASSEMBLY
 6. ELECTRICAL SPECS:
VOLTAGE: 250V AC/DC
CURRENT: 4 AMPS
 7. PROTECTION: IP67
 8. ASSEMBLY IS RoHS COMPLIANT

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
9	1	INSULATOR O-RING	VITON	BROWN
8	1	PANEL O-RING	VITON	RED
7	1	MATING O-RING	VITON	RED
6	A/R	POTTING COMPOUND	EPOXY	RED
5	1	PANEL NUT	ZINC (DIE-CAST)	CHROME/DUPLEX NICKEL
4	2	CONTACT SOCKET SHORT	BRASS	GOLD PLATED
3	2	CONTACT SOCKET, LONG	BRASS	GOLD PLATED
2	1	4/C D-CODE INSULATOR	PUR	BLACK
1	1	RECEPTACLE SHELL, M12	ZINC (DIE-CAST)	WHITE BRONZE PLATING

REMOVED CUST SIGN-OFF
 EC NO: WNA2011-0198
 DRWRSTONE 2010/10/15
 CHKDK: JOZWIK 2010/10/21
 APPR: JFMURPHY 2010/12/14

QUALITY SYMBOLS
 ▽=0
 ▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .13	± .005
3 PLACES	± .10	± .005
2 PLACES	± .08	± .01
1 PLACE	± .03	± .005

ANGULAR ± 2°

DRAFT WHERE APPLICABLE
 MUST REMAIN
 WITHIN DIMENSIONS

DIMENSION STYLE
 IN/MM

DRAWN BY DATE
 RSTONE 2010/05/17

CHECKED BY DATE
 K. JOZWIK 2010/05/25

APPROVED BY DATE
 JFMURPHY 2010/05/20

SEE CHART

SCALE 3:1
 DESIGN UNITS INCH
 THIRD ANGLE PROJECTION

MIC PCB RECEPTACLE
 4C, D-CODE, 90 DEG

MOLEX INCORPORATED

MATERIAL NO. SD-130299-005
 DOCUMENT NO. SD-130299-005

SHEET NO. 1 OF 1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION