


PART NO.

MCCQ-122

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	SID	29/9/12	AMU	29/5/12		12/6/12



Specifications:

Metal Material

Minimum Insertion and Extraction Force

Minimum Dielectric Strength

Suitable Rated Current

Minimum Insulation Resistance

Maximum Temperature Rise Maximum Voltage Drop

Body Material

Metal Finish

Low Cost

Low Contact Resistance

Beryllium copper recommended for current higher than 30 A

Part Number Table

 Description
 Part Number

 Fuseholder, PCB Mount, Mini Blade
 MCCQ-122

Dimensions: Millimetres

www.element14.com www.farnell.com www.newark.com

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the 'Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

TOLERANCES:
UNLESS OTHERWISE

: Spring brass

: 15 A at 250 V

: Bright tin plated

: 500 V ac for 60 seconds

: 100 M Ω at 500 V dc

: Thermoplastic material

: 1 kg

: 50°C

: 20 mV

SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
SID	29/05/12
CHECKED BY:	DATE:
AMU	29/05/12
APPROVED BY:	DATE:
	12/06/12

DRAWING TITLE:

	Automotive	Fuse-Holders -	Mini-Blade Fuse E	Block
SIZE	DWG NO.	M4.0004.04.0	ELECTRONIC FILE	REV
Δ		M10001213	1586595 DWG	l A

SCALE: NTS U.O.M.: mm SHEET: 1 OF 1