





LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD		
B		RELEASED PER ECO-13-004502	12MAR2013	KM	DH		
C		REVISED PER ECO-13-008265	20MAY2013	DB	DH		



- 1 HOUSING: LCP, UL94V0, COLOR: BLACK.
CONTACT: PHOSPHOR BRONZE.
- 2 FINISH: 1.27µm GOLD IN CONTACT AREA 1.27µm MIN. TIN-LEAD ON PCB TAIL OVER 2.54µm MIN. NICKEL OVER ALL.
- 3 PLATED THROUGH HOLE PER 114-13056, FIGURE 4
- 4 ADDITIONAL CONNECTOR-SIDE KEEPOUT AREA REQUIRED IF CONNECTOR-SIDE EXTRACTION TOOL IS TO BE USED.
- 5 FINISH: 1.27µm MIN GOLD IN CONTACT AREA, 0.50µm MIN TIN ON PCB TAIL OVER 2.54µm MIN. NICKEL OVER ALL.

RTM PC BOARD LAYOUT
(CONNECTOR SIDE)
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: K. MILLER 28SEP2011	TE Connectivity NAME: CONNECTOR ASSEMBLY, BACKPLANE VERTICAL RECEPTACLE, CENTER, RTM 20.3mm, MULTIGIG RT 2-R SIZE: CAGE CODE DRAWING NO. RESTRICTED TO A100779C=2102768
DIMENSIONS: mm		CHK: K. THACKSTON 11SEP2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. McALONIS 11SEP2012	PRODUCT SPEC: 108-2072
0 PLC ±0.5		APPLICATION SPEC: 114-13056	WEIGHT: 6.35g
1 PLC ±0.13		FINISH: ±1µm	Customer Drawing
2 PLC ±0.13		SEE TABLE	SCALE: 4:1 SHEET 1 OF 1 REV C
3 PLC ±0.13			
4 PLC ±0.13			
ANGLES			