





10 9 8 7 6 5 4 3 2 1





WITH COVER



NOTES:

- 1.UNSPECIFIED DIMENSION ARE SAME AS SHEET1
- 2.CONNECTOR WITH COVER IS USED FOR WARE SOLDERING PEG



WITHOUT LATCH HOLE



NOTES:






- 1.UNSPECIFIED DIMENSION ARE SAME AS SHEET1


WITH COVER AND MYLAR






NOTES:

- 1.UNSPECIFIED DIMENSION ARE SAME AS SHEET1
- 2.CONNECTOR WITH COVER IS USED FOR WARE SOLDERING PEG


| | | | | | | | | | | | | |
|---|--|--------------|-----------------|---|----------|-----------------|----------|---|---|--|------------|--|
| REVISED EC NO: SH2015-0046 DRAWN:RZHANG CHKD:RZHANG APPR:AYIN B9 | 2014/07/24 2014/07/24 2014/08/13 | DESCRIPTION | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE | | SCALE | DESIGN UNITS |  THIRD ANGLE PROJECTION | | |
| | | | | | | MM ONLY | | 1:1 | METRIC | | | |
| | | | |  =0  =0  =0 | mm | INCH | DRAWN BY | DATE | TITLE 1.0MM PITCH DISPLAY PORT RECEPTACLE ASSEMBLY | | | |
| | | | | | 4 PLACES | ± --- | ± --- | RZHANG | | | 2005/07/01 | |
| | | | | | 3 PLACES | ± --- | ± --- | CHECKED BY | | | DATE | |
| | | | | | 2 PLACES | ± 0.25 | ± --- | IWANG | | | 2005/07/01 | |
| | | | | | 1 PLACE | ± 0.25 | ± --- | APPROVED BY | | | DATE | |
| ANGULAR ± 3 ° | | RZHANG | 2010/03/26 |  MOLEX INCORPORATED | | | | | | | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | MATERIAL NO. | | DOCUMENT NO. | | SHEET NO. | | | | | | |
| | | SEE SHEET 8 | | SD-47272-001 | | 2 OF 8 | | | | | | |
| SIZE A3 | | | | | | | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | |



WITH FLANGE AND THROUGH HOLE PEG





NOTES:
UNSPECIFIED DIMENSION ARE SAME AS SHEET1




RECOMMENDED PCB LAYOUT (THICKNESS=1.6±0.15)

WITH MYLAR






NOTES:
UNSPECIFIED DIMENSION ARE SAME AS SHEET1


| | | | | | | | | | | | | | | | |
|--|--|-------------|-----------------|---|--|-------------|--|-----------------|--|--------------------|--------------|---|--|-----------|--|
| REVISED EC NO: SH2015-0046 DRAWN:RZHANG CHK:DRZHANG APPR:AY IN | 2014/07/24 2014/07/24 2014/08/13 | DESCRIPTION | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) | | | | DIMENSION STYLE | | SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION | | | |
| | | | | | | | | MM ONLY | | 1:1 | METRIC | | | | |
| | | | | mm | | INCH | | DRAWN BY | | DATE | | TITLE 1.0MM PITCH DISPLAY PORT RECEPTACLE ASSEMBLY | | | |
| | | | | 4 PLACES ± --- ± --- | | RZHANG | | 2005/07/01 | | | | | | | |
| | | | | 3 PLACES ± --- ± --- | | CHECKED BY | | DATE | | | | | | | |
| | | | | 2 PLACES ± 0.25 ± --- | | IWANG | | 2005/07/01 | | MOLEX INCORPORATED | | | | | |
| | | | | 1 PLACE ± 0.25 ± --- | | APPROVED BY | | DATE | | | | | | | |
| | | | | ANGULAR ± 3 ° | | RZHANG | | 2010/03/26 | | | | | | | |
| | | | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | | MATERIAL NO. | | DOCUMENT NO. | | | | SHEET NO. | |
| | | | | | | | | SEE SHEET 8 | | SD-47272-001 | | | | 3 OF 8 | |
| B9 | | REV | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | | | |



WITH FLANGE AND SMT PEG






NOTES:
UNSPECIFIED DIMENSION ARE SAME AS SHEET 1



RECOMMENDED PCB LAYOUT (THICKNESS=1.6±0.15)

WITH FLANGE AND MYLAR



NOTES:
1. UNSPECIFIED DIMENSION ARE SAME AS SHEET 1
2. THE RECOMMENDER PCB ARE SAME AS LEFT RECOMMENDER PCB

| REVISED | DESCRIPTION | REV |
|---------|---|--|
| B9 | EC NO: SH2015-0046 DRAWN: RZHANG CHKD: RZHANG APPR: AYIN | 2014/07/24 2014/07/24 2014/08/13 |

| QUALITY SYMBOLS |
|-------------------|
| F _A =0 |
| F _E =0 |
| F _B =0 |

| GENERAL TOLERANCES (UNLESS SPECIFIED) | | |
|--|--------|-------|
| | mm | INCH |
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± --- |
| 2 PLACES | ± 0.25 | ± --- |
| 1 PLACE | ± 0.25 | ± --- |
| ANGULAR ± 3 ° | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | |

| DIMENSION STYLE | SCALE | DESIGN UNITS |
|-----------------|--------------|--|
| MM ONLY | 1:1 | METRIC |
| DRAWN BY | DATE | TITLE |
| RZHANG | 2005/07/01 | 1.0MM PITCH DISPLAY PORT RECEPTACLE ASSEMBLY |
| CHECKED BY | DATE | |
| IWANG | 2005/07/01 | |
| APPROVED BY | DATE | |
| RZHANG | 2010/03/26 | |
| MATERIAL NO. | DOCUMENT NO. | |
| SEE SHEET 8 | SD-47272-001 | |

| THIRD ANGLE PROJECTION |
|------------------------|
| MOLEX INCORPORATED |
| SHEET NO. 4 OF 8 |

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F

E






D

C

B

A

WITHOUT POST







RECOMMENDED PCB LAYOUT (THICKNESS=1.6±0.15)


NOTES:
UNSPECIFIED DIMENSION ARE SAME AS SHEET1


| | | | | | | | | | | | | |
|---|---|---|---------------------------------------|-------------|--|-----------------------|--------------------|--|---------------------------|--------|--|--|
| REVISED EC NO: SH2015-0046 DRWNR:RZHANG CHKD:RZHANG APPR:AYIN REV B9 | DESCRIPTION 2014/07/24 2014/07/24 2014/08/13 | QUALITY SYMBOLS <div>F_A=0</div> <div>F_C=0</div> <div>F_P=0</div> | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE MM ONLY | | SCALE 1:1 | DESIGN UNITS METRIC | THIRD ANGLE PROJECTION | | | |
| | | | | mm | INCH | DRAWN BY RZHANG | DATE 2005/07/01 | TITLE 1.0MM PITCH DISPLAY PORT RECEPTACLE ASSEMBLY | | | | |
| | | | 4 PLACES | ± --- | ± --- | CHECKED BY IWANG | DATE 2005/07/01 | | | | | |
| | | | 3 PLACES | ± --- | ± --- | APPROVED BY RZHANG | DATE 2010/03/26 | | | | | |
| | | | 2 PLACES | ± 0.25 | ± --- | MOLEX INCORPORATED | | | | | | |
| | | | 1 PLACE | ± 0.25 | ± --- | | | | | | | |
| | | | ANGULAR ± 3 ° | | MATERIAL NO. | | DOCUMENT NO. | | SHEET NO. | | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | | SEE SHEET 8 | | SD-47272-001 | | | | 5 OF 8 | | |
| | | | | SIZE A3 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | |

9 8 7 6 5 4 3 2 1






- NOTES:
1. UNSPECIFIC DIMENSIONS ARE SAME AS SHEET 1
 2. THE RECOMMENDED PCB ARE SAME AS SHEET 1

| | | | | | | | | | | | | |
|---------|--------------------|------------|-------------|-----------------|--|--|--|---|--|--------------|--------------|--|
| REVISED | EC NO: SH2015-0046 | 2014/07/24 | DESCRIPTION | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) | | | DIMENSION STYLE | | SCALE | DESIGN UNITS |  THIRD ANGLE PROJECTION |
| | DRWNR:RZHANG | 2014/07/24 | | | | | | MM ONLY | | 1:1 | METRIC | |
| | CHKD:RZHANG | 2014/07/24 | | | | | | DRAWN BY DATE | | TITLE | | |
| | APPR:AYIN | 2014/08/13 | | | | | | RZHANG 2005/07/01 | | | | |
| | | | | | | | | CHECKED BY DATE | | | | |
| | | | | | | | | IWANG 2005/07/01 | | | | |
| | | | | | | | | APPROVED BY DATE | | | | |
| | | | | | | | | RZHANG 2010/03/26 | | | | |
| | | | | | | | | MATERIAL NO. | | DOCUMENT NO. | SHEET NO. | |
| | | | | | | | | SEE SHEET 8 | | SD-47272-001 | | |
| B9 | REV | | | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | |



STANDARD TYPE WITH MYLAR



NOTES:

1. UNSPECIFIC DIMENSION ARE SAME AS SHEET1
2. THE RECOMMENDER PCB ARE SAME AS SHEET1

| | | | | | | | | | | | |
|---|-------------|---|--|---------------|----------------------------|--|--------------------|--|---------------------------|-----------|--|
| REVISED EC NO: SH2015-0046 DRAWNRZHANG CHKDRZHANG APPR:AYIN B9 | DESCRIPTION | QUALITY SYMBOLS <div><div>F_A=0</div><div>F_G=0</div><div>F_P=0</div></div> | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE MM ONLY | | SCALE 4:1 | DESIGN UNITS METRIC | THIRD ANGLE PROJECTION | | |
| | | | | mm | INCH | DRAWN BY RZHANG | DATE 2005/07/01 | TITLE 1.0MM PITCH DISPLAY PORT RECEPTACLE ASSEMBLY | | | |
| | | | 4 PLACES | ± --- | ± --- | CHECKED BY | DATE | | | | |
| | | | 3 PLACES | ± --- | ± --- | IWANG | 2005/07/01 | | | | |
| | | | 2 PLACES | ± 0.25 | ± --- | APPROVED BY | DATE | MOLEX MOLEX INCORPORATED | | | |
| | | | 1 PLACE | ± 0.25 | ± --- | RZHANG | 2010/03/26 | | | | |
| | | | | ANGULAR ± 3 ° | | MATERIAL NO. | | DOCUMENT NO. | | SHEET NO. | |
| | | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | SEE SHEET 8 | | SD-47272-001 | | 7 OF 8 | | |
| REV | | | | | SIZE A3 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | |

