



REVISION HISTORY				
ECO	REV	DESCRIPTION	APPROVED	DATE
-	4	PRODUCTION	JON M.	05-27-14




LTP5901 ADC reads whether solar or battery is used
 > 0.5V --> solar
 < 0.1V --> battery

LTP5901 turns LDO on/off. This duty-cycles power to the temp sensor.

NOTES: UNLESS OTHERWISE SPECIFIED -
 ALL RESISTORS ARE ±1%, 0402
 ALL CAPACITORS ARE ±10%, 50V, 0402

CUSTOMER NOTICE		APPROVALS			1630 McCarthy Blvd. Milpitas, CA 95035 Phone: (408)432-1900 www.linear.com Fax: (408)434-0507 LTC Confidential-For Customer Use Only	
LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE.		PCB DES.	A.K.		TITLE: SCHEMATIC HIGH ACCURACY WARELESS TEMP SENSOR WITH SOLAR BATTERY LIFE EXTENDER	
		APP ENG.	JON M.			
THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.		SCALE = NONE		SIZE	IC NO. LPT5901-IPM, LTC3330EUH, LTC2484CDD, LTC6654AHS6-2.5	REV.
				N/A	DEMO CIRCUIT 2126A	4
				DATE:	Tuesday, May 27, 2014	SHEET 1 OF 3



NOTES: UNLESS OTHERWISE SPECIFIED -
ALL RESISTORS ARE ±1%, 0402
ALL CAPACITORS ARE ±10%, 50V, 0402

CUSTOMER NOTICE

LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE.

THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.

APPROVALS

PCB DES. A.K.

APP ENG. JON M.

SCALE = NONE



1630 McCarthy Blvd.
Milpitas, CA 95035
Phone: (408)432-1900 www.linear.com
Fax: (408)434-0507
LTC Confidential-For Customer Use Only


TITLE: SCHEMATIC
HIGH ACCURACY WIRELESS TEMP SENSOR
WITH SOLAR BATTERY LIFE EXTENDER

SIZE N/A IC NO. LPT5901-IPM, LTC3330EUH, LTC2484CDD, LTC6654AHS6-2.5 REV. 4

DEMO CIRCUIT 2126A

DATE: Tuesday, May 27, 2014

SHEET 2 OF 3



CUSTOMER NOTICE

LINEAR TECHNOLOGY HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT LINEAR TECHNOLOGY APPLICATIONS ENGINEERING FOR ASSISTANCE.

THIS CIRCUIT IS PROPRIETARY TO LINEAR TECHNOLOGY AND SUPPLIED FOR USE WITH LINEAR TECHNOLOGY PARTS.

APPROVALS

PCB DES.	A.K.
APP ENG.	JON M.
SCALE = NONE	



1630 McCarthy Blvd.
 Milpitas, CA 95035
 Phone: (408)432-1900 www.linear.com
 Fax: (408)434-0507
 LTC Confidential-For Customer Use Only

TITLE: SCHEMATIC
HIGH ACCURACY WIRELESS TEMP SENSOR
WITH SOLAR BATTERY LIFE EXTENDER

SIZE N/A	IC NO. LPT5901-IPM, LTC3330EUH, LTC2484CDD, LTC6654AHS6-2.5	REV. 4
-------------	---	-----------

DEMO CIRCUIT 2126A

DATE: Tuesday, March 18, 2014

SHEET 3 OF 3