

- C1----->VCC
- C2----->RST
- C3----->CLK
- C5----->GND
- C6----->Vpp
- C7----->I/O

Reference

Part Number		Product Description				This drawing is confidential and copyright of Global Connector Technology, Ltd (GCT). This drawing must not be copied or disclosed without written consent. E & OE
SIM8050		Nano SIM Card Connector				
Drawing Date		Push-Pull Type, 6 Pin, SMT, Profile 1.35mm				
3rd June 2013						
By	AJO	Tolerances (Except as Noted)				
Detail	SIM8050 E PCN	Length	Angle			
Revision	E	X. ± 0.35	All ± 2°			
Date	30/09/15	X.X ± 0.25	X.XX ± 0.15			
		X.XXX ± 0.10				

GCT





Global Connector Technology
www.gct.co

Not to Scale	Drawn By AJO	Sheet No. 2/3
--------------	-----------------	------------------

H
G
F
E
D
C
B
A

1 2 3 4 5 6 7 8

H
G
F
E
D
C
B
A



Note:

- Material:
- Box: Fibreboard, Corrugated, Double wall.
- Tape: Polystyrene, Heat-resistant temperature: 120°C, black color.
- Reel: Polystyrene, Heat-resistant temperature: 70°C, blue color.
- Bag: Polyethylene, Heat-resistant temperature: 100°C.
- Peeling Strength: 0.1 ~ 1.3 n (10 ~ 130 grams)
- Peeling Speed: 300 mm/min.

Products P/N	PCS/Reel	Reels/Carton	PCS/Carton
SIM8050	1500	10	15000

Part Number SIM8050		Product Description Nano SIM Card Connector Push-Pull Type, 6 Pin, SMT, Profile 1.35mm		 	<p>This drawing is confidential and copyright of Global Connector Technology, Ltd (GCT). This drawing must not be copied or disclosed without written consent. E & OE</p>	
Drawing Date 3rd June 2013		Units: Metric (mm)				
By AJO	Tolerances (Except as Noted) Length Angle	3rd Angle Projection				
Detail SIM8050 E PCN						
Revision E					Global Connector Technology www.gct.co	
Date 30/09/15						Not to Scale