







		DRAWING FIL	E NO.	REV
		AA1-B0	-34-615-3B1-C	07-19-17
			REVISIONS	-
		DATE	DESCRIPTION	
		07-19-17	DRAWING CREATED	
1.220 [30,99] TYP.	1.560 [39,62]	0.755 - [19,18] MAX.	LINE 2.000 [50,80]	
0.392 [9,96]		Ø.150 [3,96] 2 PLC PER 1 0.375 0,53] ↓		0.347 <sup>+0.010</sup> [8,80 <sup>+0.25</sup> ] NE PER OLE
			Innovative Designs. Powerful Solutions.	
			60 JOHNSON AVE PLAINVILLE, CT 06062, USA PHONE: (860) 793-9281 SALES: SALES@CARLINGTECH.COM APPLICATION SUPPORT: TEAM2@CARLINGTECH.COM	
TABLE A PROPRIETARY NOTICE			A-SERIES	
TIGHTENING TORQUE		NOTICE TO ALL PERSONS RECEIVING THIS DRAWING. THIS DOCUMENT IS THE PROPERTY OF CARLING TECHNOLOGIES, INC. AND IS NOT TO BE	CIRCUIT_BREAK	
SPECIFICATIO		DISCLOSED, REPRODUCED IN WHOLE OR IN PART OR USED FOR MANUFACTURING PURPOSES		
THREAD SIZE	TORQUE	BY ANYONE WITHOUT THE CONSENT OF CARLING TECHNOLOGIES, INC.	DO NOT SCALE DRAW	ING
#6-32 & M3 MOUNTING	7-9- IN-LBS		UNLESS OTHERWISE SPE	CIFIED
	[0.8-1.0 NM]	DISCLAIMER		
#8-32 & M4 THREAD TERMINAL SCREW	12-15 IN-LBS [1.4-1.7 NM]	MANUFACTURER RESERVES THE RIGHT TO CHANGE PRODUCT SPECIFICATIONS WITHOUT PRIOR NOTICE.	TOLERANCES: ± .020 [ DRAWING FILE NO.	U.51] SIZE
#10-32 & M5 THREAD	15-20 IN-LBS		AA1-B0-34-615-3B1-C	C
TERMINAL SCREW	[1.7-2.3 NM]			HEET 1 OF 1