










		9		8		7		6		5		4		3		2		1	
E	Sn NATURAL	34.0	502352-1500		15	Au NATURAL	34.0	502352-1510		15									
		32.0	502352-1400		14		32.0	502352-1410		14									
		30.0	502352-1300		13		30.0	502352-1310		13									
		28.0	502352-1200		12		28.0	502352-1210		12									
		26.0	502352-1100		11		26.0	502352-1110		11									
		24.0	502352-1000		10		24.0	502352-1010		10									
		22.0	502352-0900		9		22.0	502352-0910		9									
		20.0	502352-0800		8		20.0	502352-0810		8									
		18.0	502352-0700		7		18.0	502352-0710		7									
		16.0	502352-0600		6		16.0	502352-0610		6									
		14.0	502352-0500		5		14.0	502352-0510		5									
		12.0	502352-0400		4		12.0	502352-0410		4									
10.0	502352-0300		3	10.0	502352-0310		3												
8.0	502352-0200		2	8.0	502352-0210		2												
PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS										
CONNECTOR SERIES NO. 502352-**08					CONNECTOR SERIES NO. 502352-**18														
D	Sn BLACK	34.0	502352-1501		15	Sn RED	-	-		15	Sn BLUE	-	-		15				
		32.0	502352-1401		14		-	-		14		-	-		14				
		30.0	502352-1301		13		-	-		13		-	-		13				
		28.0	502352-1201		12		-	-		12		-	-		12				
		26.0	502352-1101		11		-	-		11		-	-		11				
		24.0	502352-1001		10		-	-		10		-	-		10				
		22.0	502352-0901		9		-	-		9		-	-		9				
		20.0	502352-0801		8		20.0	502352-0802		8		20.0	502352-0803		8				
		18.0	502352-0701		7		-	-		7		-	-		7				
		16.0	502352-0601		6		16.0	502352-0602		6		16.0	502352-0603		6				
		14.0	502352-0501		5		-	-		5		-	-		5				
		12.0	502352-0401		4		12.0	502352-0402		4		12.0	502352-0403		4				
10.0	502352-0301		3	10.0	502352-0302		3	10.0	502352-0303		3								
8.0	502352-0201		2	8.0	502352-0202		2	8.0	502352-0203		2								
PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS					
CONNECTOR SERIES NO. 502352-**28					CONNECTOR SERIES NO. 502352-**48				CONNECTOR SERIES NO. 502352-**68										
C	Sn BLACK	34.0	502352-1501		15	Sn RED	-	-		15	Sn BLUE	-	-		15				
		32.0	502352-1401		14		-	-		14		-	-		14				
		30.0	502352-1301		13		-	-		13		-	-		13				
		28.0	502352-1201		12		-	-		12		-	-		12				
		26.0	502352-1101		11		-	-		11		-	-		11				
		24.0	502352-1001		10		-	-		10		-	-		10				
		22.0	502352-0901		9		-	-		9		-	-		9				
		20.0	502352-0801		8		20.0	502352-0802		8		20.0	502352-0803		8				
		18.0	502352-0701		7		-	-		7		-	-		7				
		16.0	502352-0601		6		16.0	502352-0602		6		16.0	502352-0603		6				
		14.0	502352-0501		5		-	-		5		-	-		5				
		12.0	502352-0401		4		12.0	502352-0402		4		12.0	502352-0403		4				
10.0	502352-0301		3	10.0	502352-0302		3	10.0	502352-0303		3								
8.0	502352-0201		2	8.0	502352-0202		2	8.0	502352-0203		2								
PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS					
CONNECTOR SERIES NO. 502352-**28					CONNECTOR SERIES NO. 502352-**48				CONNECTOR SERIES NO. 502352-**68										
B	Sn BLACK	34.0	502352-1501		15	Sn RED	-	-		15	Sn BLUE	-	-		15				
		32.0	502352-1401		14		-	-		14		-	-		14				
		30.0	502352-1301		13		-	-		13		-	-		13				
		28.0	502352-1201		12		-	-		12		-	-		12				
		26.0	502352-1101		11		-	-		11		-	-		11				
		24.0	502352-1001		10		-	-		10		-	-		10				
		22.0	502352-0901		9		-	-		9		-	-		9				
		20.0	502352-0801		8		20.0	502352-0802		8		20.0	502352-0803		8				
		18.0	502352-0701		7		-	-		7		-	-		7				
		16.0	502352-0601		6		16.0	502352-0602		6		16.0	502352-0603		6				
		14.0	502352-0501		5		-	-		5		-	-		5				
		12.0	502352-0401		4		12.0	502352-0402		4		12.0	502352-0403		4				
10.0	502352-0301		3	10.0	502352-0302		3	10.0	502352-0303		3								
8.0	502352-0201		2	8.0	502352-0202		2	8.0	502352-0203		2								
PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS					
CONNECTOR SERIES NO. 502352-**28					CONNECTOR SERIES NO. 502352-**48				CONNECTOR SERIES NO. 502352-**68										
A	Sn BLACK	34.0	502352-1501		15	Sn RED	-	-		15	Sn BLUE	-	-		15				
		32.0	502352-1401		14		-	-		14		-	-		14				
		30.0	502352-1301		13		-	-		13		-	-		13				
		28.0	502352-1201		12		-	-		12		-	-		12				
		26.0	502352-1101		11		-	-		11		-	-		11				
		24.0	502352-1001		10		-	-		10		-	-		10				
		22.0	502352-0901		9		-	-		9		-	-		9				
		20.0	502352-0801		8		20.0	502352-0802		8		20.0	502352-0803		8				
		18.0	502352-0701		7		-	-		7		-	-		7				
		16.0	502352-0601		6		16.0	502352-0602		6		16.0	502352-0603		6				
		14.0	502352-0501		5		-	-		5		-	-		5				
		12.0	502352-0401		4		12.0	502352-0402		4		12.0	502352-0403		4				
10.0	502352-0301		3	10.0	502352-0302		3	10.0	502352-0303		3								
8.0	502352-0201		2	8.0	502352-0202		2	8.0	502352-0203		2								
PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS	PLATING COLOR	A	EMBOSSSED PACKAGE ORDER NO.		CKTS					
CONNECTOR SERIES NO. 502352-**28					CONNECTOR SERIES NO. 502352-**48				CONNECTOR SERIES NO. 502352-**68										
DOCUMENT STATUS P1 RELEASE DATE 2018/05/23 09:22:56					INITIAL REVISION: DRWN SHSHIBATA 2007/12/18 CHECK HKOMATSU 2007/12/18 APPR AKANESHIGE 2007/12/18				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS mm SCALE 1:1 GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING A3-SIZE SERIES 502352 EC NO: 177053 DRWN: RHORI 2018/05/21 CHK'D: HKOMATSU 2018/05/23 APPR: TOSADA 2018/05/23 INITIAL REVISION: DRWN: SHSHIBATA 2008/01/23 APPR: AKANESHIGE 2008/04/23 DOCUMENT NUMBER SD-502352-001 DOC TYPE PSD DOC PART 001 REVISION L MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 4 OF 4										

注記
NOTES

1. 製品番号

ナチュラル・錫めっき: 502352-**00

ナチュラル・金めっき: 502352-**10

黒・錫めっき: 502352-**01

赤・錫めっき: 502352-**02

青・錫めっき: 502352-**03

詳細寸法については、製品単体図面を参照下さい。

PART NO.

NATURAL Sn Plating: 502352-**00

NATURAL Au Plating: 502352-**10

BLACK Sn Plating: 502352-**01

RED Sn Plating: 502352-**02

BLUE Sn Plating: 502352-**03

SEE SALES DRAWING FOR CONNECTOR

2. 梱包数量: 700個/リール

NUMBER OF CONNECTORS 700PCS/REEL

3. リードテープ長さ

LEAD TAPE LENGHT

4. 材料

MATERIAL

キャリアテープ: ポリスチレン

CARRIER TAPE: POLYSTYRENE

トップテープ: PET, PE, PEF

TOP TAPE: PET, PE, PEF

リール: ポリスチレン

REEL: POLYSTYRENE

5. 一般降参


GENERAL TOLERANCES

10 UNDER: 0.2

10 OVER 30 UNDER: 0.25

30 OVER: 0.3

ANGULAR: $\pm 1^\circ$



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:					
mm		NTS						molex	
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL		±	°						
4 PLACES		±							
3 PLACES		±							
2 PLACES		±							
1 PLACE		±							
0 PLACES		±							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
								A3-SIZE 502352	

[illegible]