



LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	REVISED PER ECO-10-000500	20JAN2010	MBH	BB
			A1	REVISED PER ECO-12-015851	05SEP2012	DLD	SLM
			A2	REVISED PER ECO-13-005998	05APR2013	DLD	SLM



SCALE 5:1



- FOR INSULATION  $\varnothing 1.35$  TO  $\varnothing 1.90$ mm.
- MATERIAL: SILICONE  
COLOR: RED
- INSULATION CRIMP MEASUREMENTS ARE DEPENDENT ON WIRE INSULATION TYPE AND OUTSIDE DIAMETER. INSULATION CRIMP MUST BE SUFFICIENT TO KEEP SEAL FROM SLIDING OUT OF CRIMP WHEN INSERTING INTO CONNECTOR CAVITY BUT NOT TEAR THE SEAL.

2098582-1

PART NUMBER


20  
RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

BY -

© COPYRIGHT 20

THIS DRAWING IS UNPUBLISHED.

DIMENSIONS: mm	DWN HARISH.M 22OCT2009	MATERIAL -	FINISH -
TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK B.BUCHTER 22OCT2009	 TE Connectivity	
0 PLC ±-	APVD B.BUCHTER 22OCT2009		
1 PLC ±-	PRODUCT SPEC	NAME MCON CABLE SEAL, 50 DURO-METER SILO 3.45 - 3.70mm DIAMETER	
2 PLC ±-	APPLICATION SPEC	SIZE A4	CAGE CODE 00779
3 PLC ±-		DRAWING NO C=2098582	RESTRICTED TO -
4 PLC ±-	WEIGHT -	SCALE 10:1	
ANGLES ±1°	Customer Drawing	SHEET 1 OF 1	REV A2