


PART NO.

MC9A22-1034

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	03/3/06	K. S	03/3/06	N. K	16/3/06



В

Specifications:


Contact Resistance : $20m\Omega$ maximum at DC 1A. Insulation Resistance : $1000M\Omega$ minimum at 500V dc.


Current Rating : 2A.


Voltage : 500V ac for 1 minute. Operating Temperature : -55°C to +105°C.

Contact : Brass.

Housing : PBT and 30% Glass : Fibre.







Dimensions: Millimetres (Inches)

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the 'Group") or are licensed to it. No licence is grantled for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from regilgence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injuny resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
G. Sriram	03/03/06
CHECKED BY:	DATE:
K. Suresh	03/03/06
APPROVED BY:	DATE:
N. Kiwomya	17/03/06

MC9A22-1034 - Standard Density IDC0.05" Cable Pitch



PART NO.

MC9A22-1034


REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	03/3/06	K. S	03/3/06	N. K	16/3/06

Specification Table

Number of Positions		A B		С	Part Number	
	10	20.30 (0.799)	17.90 (0.311)	10.16 (0.400)	MC9A22-1034	

Dimensions: Millimetres (Inches)

Part Number Explanation













Series

: 9A = 2.54 (0.100") spacing low profile box header.

Type of Contact

: Right angle type.

Contact Solder Tail Types

: 2 = 3.00.

Number of Contacts

: 10 = 10 positions.

Colour Code

: Black.

Contact Finish

: All plated gold flash over 30µ" nickel.

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.

LIOL	EKAI	NCE	S:
l		ОТ !	

UNLESS OTHERWISE SPECIFIED, **DIMENSIONS ARE** FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
G. Sriram	03/03/06
CHECKED BY:	DATE:
K. Suresh	03/03/06
APPROVED BY:	DATE:
N. Kiwomya	17/03/06

DRAWING TITLE:

MC9A22-1034 - Standard Density IDC 0.05" Cable Pitch **ELECTRONIC FILE** SIZE DWG NO. REV M10000238 208889 DWG Α

SCALE: NTS U.O.M.: mm (Inches) SHEET: 2 OF 3



PART NO.

MC9A22-1034

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	G. S	03/3/06	K. S	03/3/06	N. K	16/3/06

Notes:

International Sales Offices:

AUSTRALIA - Farnell InOne

Tel No: ++ 61 2 9645 8888

AUSTRIA - Farnell InOne

Fax No: ++ 61 2 9644 7898

HONG KONG -

Tel No: ++ 43 662 2180 680 Fax No: ++ 43 662 2180 670

BELGIUM - Farnell InOne

Tel No: ++ 32 3 475 2810 Fax No: ++ 32 3 227 3648 Tel No: ++ 353 1 830 9277

BRAZIL - Farnell-Newark InOne Tel No: ++ 55 11 4066 9400 Fax No: ++ 55 11 4066 9410

Fax No: ++ 39 02 93 995 300

MALAYSIA -

CHINA - Farnell-Newark InOne Tel No: ++86 10 6238 5152

Fax No: ++86 10 6238 5022

DENMARK - Farnell InOne

Tel No: ++ 45 44 53 66 44 Fax No: ++ 45 44 53 66 06

ESTONIA - Farnell InOne

Tel No: ++ 358 9 560 7780 Fax No: ++ 358 9 345 5411

FINLAND - Farnell InOne Tel No: ++ 358 9 560 7780

Fax No: ++ 358 9 345 5411

FRANCE - Farnell InOne

Tel No: ++ 33 474 68 99 99 Fax No: ++ 33 474 68 99 90 **GERMANY** - Farnell InOne

Tel No: ++ 49 89 61 39 39 39

SINGAPORE -

Farnell-Newark InOne

Tel No: ++ 65 6788 0200

Fax No: ++ 65 6788 0300

Tel No: ++ 34 93 475 8805

Fax No: ++ 34 93 474 5107

SWEDEN - Farnell InOne

Tel No: ++ 46 8 730 50 00

Fax No: ++ 46 8 83 52 62

SWITZERLAND - Farnell InOne

Tel No: ++ 41 1 204 64 64 Fax No: ++ 41 1 204 64 54

Tel No: ++ 44 8701 200 200

Fax No: ++ 44 8701 200 201

UK - BuckHickman InOne

UK - Farnell InOne

++ 44 8450 510 150

++ 44 8450 510 130

++ 44 8701 202 530

++ 44 8701 202 531

UK-CPC

SPAIN - Farnell InOne

Fax No: ++ 49 89 613 59 01

Farnell-Newark InOne

Tel No: ++ 852 2268 9888 Fax No: ++ 852 2268 9899

IRELAND - Farnell InOne

Fax No: ++ 353 1 830 9016

ITALY - Farnell InOne

Tel No: ++ 39 02 93 995 200

Farnell-Newark InOne

Tel No: ++ 60 3 7873 8000 Fax No: ++ 60 3 7873 7000

NETHERLANDS - Farnell InOne

Tel No: ++ 31 30 241 7373 Fax No: ++ 31 30 241 7333

NEW ZEALAND - Farnell InOne

Tel No: ++ 64 9 357 0646 Fax No: ++ 64 9 357 0656

NORWAY - Farnell InOne Tel No: ++ 45 44 53 66 66

Fax No: ++ 45 44 53 66 02

PORTUGAL - Farnell InOne Tel No: ++ 34 93 475 8804 Fax No: ++ 34 93 474 5288

http://www.farnellinone.com

http://www.buckhickmaninone.com

http://www.cpc.co.uk

EXPORT - Farnell InOne Tel No: ++ 44 8701 200 208 Fax No: ++ 44 8701 200 209 For enquiries from all other markets

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence.

MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, **DIMENSIONS ARE** FOR REFERENCE PURPOSES ONLY.

DRAWN BY: DATE: G. Sriram 03/03/06 CHECKED BY: DATE: 03/03/06 K. Suresh APPROVED BY: DATE: 17/03/06 N. Kiwomya

DRAWING TITLE:

MC9A22-1034 - Standard Density IDC 0.05" Cable Pitch

SIZE DWG NO.

M10000238

ELECTRONIC FILE 208889 DWG

Α

REV

SCALE: NTS U.O.M.: mm (Inches) SHEET: 3 OF 3