





NOTES

- RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
- NUMBER OF CONNECTORS : 3000 PCS/REEL.
- LEAD TAPE LENGTH.

20PCS. MIN. TOP TAPE BONDED PART.(EMPTY)

PULL OUT DIRECTION


TOP TAPE LEADER PART 400MIN.

COMPONENT SUPPLIER

TAIL PART (EMPTY) 40MIN.
- TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3
- MATERIAL
CARRIER TAPE : POLYSTYRENE
TOP TAPE : PET , OTHER
REEL : POLYSTYRENE(PS)(RECYCLE MATERIAL CONTAINED)

MODEL NO. 2049270**1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex					
mm		1:5										
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 1.0 ° 4 PLACES ± 0.01 3 PLACES ± 0.03 2 PLACES ± 0.05 1 PLACE ± 0.1 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				0.4 FLOATING BOARD TO BOARD CONN. H=3 FSB3 REC EMBOSSTAPE PKG								
				PRODUCT CUSTOMER DRAWING								
				EC NO: 639787 DRWN: JFURUKAWA 2020/06/18 CHK'D: HSHIMOYAMA 2020/06/23 APPR: SHOSHIKAWA 2020/06/23				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
				INITIAL REVISION: DRWN: JFURUKAWA 2019/01/31 APPR: SHOSHIKAWA 2020/05/20				2049270000-SD		PSD	000	B
				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						A3-SIZE	204927	SEE CHART		GENERAL		1 OF 2





24	11.5	29.4	25.4	14.96	2049270601	60
				12.96	2049270501	50
				10.96	2049270401	40
				8.96	2049270301	30
16	7.5	21.4	17.4	6.96	2049270201	20
E	(D)	C	B	(A)	ORDER No.	CIRCUIT
CONNECTOR SERIES No. 2049271**1						

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex		
mm		2:1							
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 1.0 ° 4 PLACES ± 0.01 3 PLACES ± 0.03 2 PLACES ± 0.05 1 PLACE ± 0.1 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 639787					
				DRWN: JFURUKAWA			2020/06/18		
				CHK'D: HSHIMOYAMA			2020/06/23		
				APPR: SHOSHIKAWA			2020/06/23		
				INITIAL REVISION:					
DRWN: JFURUKAWA				2019/01/31		DOCUMENT NUMBER			
APPR: SHOSHIKAWA				2020/05/20					
THIRD ANGLE PROJECTION				DRAWING		SERIES		PRODUCT CUSTOMER DRAWING	
				A3-SIZE		204927		0.4 FLOATING BOARD TO BOARD CONN. H=3 FSB3 REC EMBOSSTAPE PKG	
								DOCUMENT NUMBER	
								2049270000-SD	
								DOC TYPE	
								PSD	
								DOC PART	
								000	
								REVISION	
								B	
								MATERIAL NUMBER	
								SEE CHART	
								CUSTOMER	
								GENERAL	
								SHEET NUMBER	
								2 OF 2	


DOCUMENT STATUS	P1	RELEASE DATE	2020/06/23	12:02:17
-----------------	----	--------------	------------	----------

FORMAT: master-B-prod-A3
REVISION: J
DATE: 2020/01/14







RECOMMENDED P.W.BOARD PATTERN LAYOUT(REFERENCE)



RECOMMENDED METAL MASK LAYOUT(REFERENCE)

RECOMMENDED THICKNESS OF METAL MASK : t=0.1mm
RECOMMENDED OPEN APERTURE RATIO OF METAL MASK : TERMINAL 100%, NAIL 150%



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex			
mm		10:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.4 FLOATING BOARD TO BOARD CONN. H=3 FSB3 REC ASSY						
ANGULAR TOL ± 3.0 °										
4 PLACES ± 0.03				EC NO: 639787 DRWN: JFURUKAWA 2020/06/18 CHK'D: HSHIMOYAMA 2020/06/23 APPR: SHOSHIKAWA 2020/06/23						
3 PLACES ± 0.03										
2 PLACES ± 0.05										
1 PLACE ± 0.1				PRODUCT CUSTOMER DRAWING						
0 PLACES ± 0.2										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION	
				2049271000-SD			PSD	000	B	
		THIRD ANGLE PROJECTION	DRAWING	SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
			A3-SIZE	204927		SEE CHART		GENERAL		2 OF 2