





MATE : 51338 WITH 55909


MATE : 51338 WITH 501745

嵌合相手
MATE WITH
55909-****




嵌合断面図 (参考)
MATED DRAWING (REFERENCE)

嵌合相手
MATE WITH
501745-0**1



嵌合断面図 (参考)
MATED DRAWING (REFERENCE)




参考基板レイアウト (マウント面)
P.C.BOARD PATTERN DIMENSION (REFERENCE)
(MOUNTING AREA)


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:					
mm		NTS		molex 0.4 B-TO-B CONN. H = 1.5 / 2.0 J-BEND REC. PRODUCT CUSTOMER DRAWING					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± °									
4 PLACES ±		EC NO: 713499							
3 PLACES ±		DRWN: SYKO01 2022/07/07							
2 PLACES ±		CHK'D: SHCHU 2022/07/08							
1 PLACE ±		APPR: SHCHU 2022/07/12							
0 PLACES ±									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		51338	
				INITIAL REVISION:				DOCUMENT NUMBER	
				DRWN: MNINOMIYA		2004/03/31		SD-51338-003	
				APPR: MSASAO		2004/04/02		DOC TYPE PSD	
								DOC PART 001	
								REVISION J	
								MATERIAL NUMBER	
								CUSTOMER	
								SHEET NUMBER	
								SEE CHART1	
								GENERAL MARKET	
								2 OF 2	

NOTES

1. 製品詳細寸法については製品単体図面を参照下さい。
DETAIL DIMENSIONS, SEE PRODUCT DRAWING.
2. 梱包数量：2500個／リール
NUMBER OF CONNECTORS：2500PCS/REEL
3. リードテープ長さ LEAD TAPE LENGTH




4. トップテープの剥離強度： 0.1N ～ 1.3N{10gf ～ 130gf}
(剥離方向は下図参照)
尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)
PEELING OFF FORCE OF TOP TAPE：0.1N ～ 1.3N{10gf ～ 130gf}
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED , DURING TRANSPORTATION.




5. 材料
キャリアテープ (CARRIER TAPE)：ポリスチレン (PS)
トップテープ (TOPTAPE)：PET
リール (REEL)：ポリスチレン (PS) <リサイクル材を含む>
POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED>
6. 本製品は 51338-***4 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 51338-***4.

7. ELV 及び RoHS 適合品。
ELV AND RoHS COMPLIANT.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 0.4 B-TO-B CONN. H = 1.5 / 2.0 J-BEND REC.				
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 638555 DRWN: BKBAE 2020/05/15 CHK'D: SHCHU 2020/05/29 APPR: SHCHU 2020/06/01 INITIAL REVISION: DRWN: MNINOMIYA 2004/03/31 APPR: MSASAO 2004/04/02				PRODUCT CUSTOMER DRAWING				
												DOCUMENT NUMBER
								SD-51338-004		PSD	001	H
								MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
								SEE CHART		GENERAL MARKET		1 OF 4
								THIRD ANGLE PROJECTION		DRAWING	SERIES	
		A3-SIZE	51338									

DOCUMENT STATUS	P1	RELEASE DATE	2020/06/01	01:17:14
-----------------	----	--------------	------------	----------



32	37.4	33.4	21.26	51338-0974	90
			19.26	51338-0874	80
			17.26	51338-0774	70
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	EMBOSSED PACKAGE ORDER NO. オーダー番号	CKT.

CONNECTOR SERIES No. 51338-***9

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
CURRENT REV DESC:		molex 0.4 B-TO-B CONN. H = 1.5 / 2.0 J-BEND REC. PRODUCT CUSTOMER DRAWING									
DIMENSION UNITS		SCALE		EC NO: 638555 DRWN: BKBAE 2020/05/15 CHK'D: SHCHU 2020/05/29 APPR: SHCHU 2020/06/01 INITIAL REVISION: DRWN: MNINOMIYA 2004/03/31 APPR: MSASAO 2004/04/02		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
mm		NTS				SD-51338-004		PSD	001	H	
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL ± °											
4 PLACES ±											
3 PLACES ±											
2 PLACES ±											
1 PLACE ±											
0 PLACES ±											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		51338		SEE CHART	
										CUSTOMER	
										GENERAL MARKET	
										SHEET NUMBER	
										3 OF 4	

DOCUMENT STATUS	P1	RELEASE DATE	2020/06/01	01:17:14
-----------------	----	--------------	------------	----------

