





P	LTR	DESCRIPTION	DATE	DWN	APVD
	BA	INITIAL DRAWING RELEASE	19OCT2022	DM	AP




FOR FURTHER INFORMATION SEE DATA SHEET FOR 3430 SERIES
AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR

RECOMMENDED LAND PATTERN



20:1

RoHS Compliant

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DHEERAJ M 19OCT2022		 TE Connectivity								
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK A. PILE 19OCT2022		NAME AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR TYPE 3430 0508 SERIES								
		APVD A. PILE 19OCT2022										
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	PRODUCT SPEC -						SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO
		APPLICATION SPEC -						A 3		00779	C=2176552	-
		WEIGHT -										
MATERIAL - -	FINISH - -	CUSTOMER DRAWING				SCALE 40:1	SHEET 1 OF 3	REV BA				

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
2176552-1	3430A2ZTD	3430 A2 JUMPER 5k RL	PRODUCTION
2176552-2	3430A2F1R0TD	3430 A2 1% 1R0 150ppm 5k RL	PRODUCTION
2176552-3	3430A2F1R1TD	3430 A2 1% 1R1 150ppm 5k RL	PRODUCTION
2176552-4	3430A2F1R2TD	3430 A2 1% 1R2 150ppm 5k RL	PRODUCTION
2176552-5	3430A2F1R3TD	3430 A2 1% 1R3 150ppm 5k RL	PRODUCTION
2176552-6	3430A2F1R5TD	3430 A2 1% 1R5 150ppm 5k RL	PRODUCTION
2176552-7	3430A2F1R6TD	3430 A2 1% 1R6 150ppm 5k RL	PRODUCTION
2176552-8	3430A2F1R8TD	3430 A2 1% 1R8 150ppm 5k RL	PRODUCTION
2176552-9	3430A2F2R0TD	3430 A2 1% 2R0 150ppm 5k RL	PRODUCTION
1-2176552-0	3430A2F2R2TD	3430 A2 1% 2R2 150ppm 5k RL	PRODUCTION
1-2176552-1	3430A2F2R4TD	3430 A2 1% 2R4 150ppm 5k RL	PRODUCTION
1-2176552-2	3430A2F2R7TD	3430 A2 1% 2R7 150ppm 5k RL	PRODUCTION
1-2176552-3	3430A2F3R0TD	3430 A2 1% 3R0 150ppm 5k RL	PRODUCTION
1-2176552-4	3430A2F3R3TD	3430 A2 1% 3R3 150ppm 5k RL	PRODUCTION
1-2176552-5	3430A2F3R6TD	3430 A2 1% 3R6 150ppm 5k RL	PRODUCTION
1-2176552-6	3430A2F3R9TD	3430 A2 1% 3R9 150ppm 5k RL	PRODUCTION
1-2176552-7	3430A2F4R3TD	3430 A2 1% 4R3 150ppm 5k RL	PRODUCTION
1-2176552-8	3430A2F4R7TD	3430 A2 1% 4R7 150ppm 5k RL	PRODUCTION
1-2176552-9	3430A2F5R1TD	3430 A2 1% 5R1 150ppm 5k RL	PRODUCTION
2-2176552-0	3430A2F5R6TD	3430 A2 1% 5R6 150ppm 5k RL	PRODUCTION
2-2176552-1	3430A2F6R2TD	3430 A2 1% 6R2 150ppm 5k RL	PRODUCTION
2-2176552-2	3430A2F6R8TD	3430 A2 1% 6R8 150ppm 5k RL	PRODUCTION
2-2176552-3	3430A2F7R5TD	3430 A2 1% 7R5 150ppm 5k RL	PRODUCTION
2-2176552-4	3430A2F8R2TD	3430 A2 1% 8R2 150ppm 5k RL	PRODUCTION
2-2176552-5	3430A2F9R1TD	3430 A2 1% 9R1 150ppm 5k RL	PRODUCTION
2-2176552-6	3430A2F10RTD	3430 A2 1% 10R 100ppm 5k RL	PRODUCTION
2-2176552-7	3430A2F11RTD	3430 A2 1% 11R 100ppm 5k RL	PRODUCTION
2-2176552-8	3430A2F12RTD	3430 A2 1% 12R 100ppm 5k RL	PRODUCTION
2-2176552-9	3430A2F13RTD	3430 A2 1% 13R 100ppm 5k RL	PRODUCTION
3-2176552-0	3430A2F15RTD	3430 A2 1% 15R 100ppm 5k RL	PRODUCTION

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
3-2176552-1	3430A2F16RTD	3430 A2 1% 16R 100ppm 5k RL	PRODUCTION
3-2176552-2	3430A2F18RTD	3430 A2 1% 18R 100ppm 5k RL	PRODUCTION
3-2176552-3	3430A2F20RTD	3430 A2 1% 20R 100ppm 5k RL	PRODUCTION
3-2176552-4	3430A2F22RTD	3430 A2 1% 22R 100ppm 5k RL	PRODUCTION
3-2176552-5	3430A2F24RTD	3430 A2 1% 24R 100ppm 5k RL	PRODUCTION
3-2176552-6	3430A2F27RTD	3430 A2 1% 27R 100ppm 5k RL	PRODUCTION
3-2176552-7	3430A2F30RTD	3430 A2 1% 30R 100ppm 5k RL	PRODUCTION
3-2176552-8	3430A2F33RTD	3430 A2 1% 33R 100ppm 5k RL	PRODUCTION
3-2176552-9	3430A2F36RTD	3430 A2 1% 36R 100ppm 5k RL	PRODUCTION
4-2176552-0	3430A2F39RTD	3430 A2 1% 39R 100ppm 5k RL	PRODUCTION
4-2176552-1	3430A2F43RTD	3430 A2 1% 43R 100ppm 5k RL	PRODUCTION
4-2176552-2	3430A2F47RTD	3430 A2 1% 47R 100ppm 5k RL	PRODUCTION
4-2176552-3	3430A2F51RTD	3430 A2 1% 51R 100ppm 5k RL	PRODUCTION
4-2176552-4	3430A2F56RTD	3430 A2 1% 56R 100ppm 5k RL	PRODUCTION
4-2176552-5	3430A2F62RTD	3430 A2 1% 62R 100ppm 5k RL	PRODUCTION
4-2176552-6	3430A2F68RTD	3430 A2 1% 68R 100ppm 5k RL	PRODUCTION
4-2176552-7	3430A2F75RTD	3430 A2 1% 75R 100ppm 5k RL	PRODUCTION
4-2176552-8	3430A2F82RTD	3430 A2 1% 82R 100ppm 5k RL	PRODUCTION
4-2176552-9	3430A2F91RTD	3430 A2 1% 91R 100ppm 5k RL	PRODUCTION
5-2176552-0	3430A2F100RTD	3430 A2 1% 100R 100ppm 5k RL	PRODUCTION
5-2176552-1	3430A2F110RTD	3430 A2 1% 110R 100ppm 5k RL	PRODUCTION
5-2176552-2	3430A2F120RTD	3430 A2 1% 120R 100ppm 5k RL	PRODUCTION
5-2176552-3	3430A2F130RTD	3430 A2 1% 130R 100ppm 5k RL	PRODUCTION
5-2176552-4	3430A2F150RTD	3430 A2 1% 150R 100ppm 5k RL	PRODUCTION
5-2176552-5	3430A2F160RTD	3430 A2 1% 160R 100ppm 5k RL	PRODUCTION
5-2176552-6	3430A2F180RTD	3430 A2 1% 180R 100ppm 5k RL	PRODUCTION
5-2176552-7	3430A2F200RTD	3430 A2 1% 200R 100ppm 5k RL	PRODUCTION
5-2176552-8	3430A2F220RTD	3430 A2 1% 220R 100ppm 5k RL	PRODUCTION
5-2176552-9	3430A2F240RTD	3430 A2 1% 240R 100ppm 5k RL	PRODUCTION
6-2176552-0	3430A2F270RTD	3430 A2 1% 270R 100ppm 5k RL	PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DHEERAJ M 19OCT2022	TE Connectivity AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR TYPE 3430 0508 SERIES					
DIMENSIONS: mm		CHK A. PILE 19OCT2022						
		APVD A. PILE 19OCT2022						
		PRODUCT SPEC						
		APPLICATION SPEC	NAME					
MATERIAL		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
-		-	A3	00779	©-2176552	-		
-		-	CUSTOMER DRAWING			SCALE 15:1	SHEET 2 OF 3	REV BA

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
6-2176552-1	3430A2F300RTD	3430 A2 1% 300R 100ppm 5k RL	PRODUCTION
6-2176552-2	3430A2F330RTD	3430 A2 1% 330R 100ppm 5k RL	PRODUCTION
6-2176552-3	3430A2F360RTD	3430 A2 1% 360R 100ppm 5k RL	PRODUCTION
6-2176552-4	3430A2F390RTD	3430 A2 1% 390R 100ppm 5k RL	PRODUCTION
6-2176552-5	3430A2F430RTD	3430 A2 1% 430R 100ppm 5k RL	PRODUCTION
6-2176552-6	3430A2F470RTD	3430 A2 1% 470R 100ppm 5k RL	PRODUCTION
6-2176552-7	3430A2F510RTD	3430 A2 1% 510R 100ppm 5k RL	PRODUCTION
6-2176552-8	3430A2F560RTD	3430 A2 1% 560R 100ppm 5k RL	PRODUCTION
6-2176552-9	3430A2F620RTD	3430 A2 1% 620R 100ppm 5k RL	PRODUCTION
7-2176552-0	3430A2F680RTD	3430 A2 1% 680R 100ppm 5k RL	PRODUCTION
7-2176552-1	3430A2F750RTD	3430 A2 1% 750R 100ppm 5k RL	PRODUCTION
7-2176552-2	3430A2F820RTD	3430 A2 1% 820R 100ppm 5k RL	PRODUCTION
7-2176552-3	3430A2F910RTD	3430 A2 1% 910R 100ppm 5k RL	PRODUCTION
7-2176552-4	3430A2F1K0TD	3430 A2 1% 1K0 100ppm 5k RL	PRODUCTION
7-2176552-5	3430A2F1K1TD	3430 A2 1% 1K1 100ppm 5k RL	PRODUCTION
7-2176552-6	3430A2F1K2TD	3430 A2 1% 1K2 100ppm 5k RL	PRODUCTION
7-2176552-7	3430A2F1K3TD	3430 A2 1% 1K3 100ppm 5k RL	PRODUCTION
7-2176552-8	3430A2F1K5TD	3430 A2 1% 1K5 100ppm 5k RL	PRODUCTION
7-2176552-9	3430A2F1K6TD	3430 A2 1% 1K6 100ppm 5k RL	PRODUCTION
8-2176552-0	3430A2F1K8TD	3430 A2 1% 1K8 100ppm 5k RL	PRODUCTION
8-2176552-1	3430A2F2K0TD	3430 A2 1% 2K0 100ppm 5k RL	PRODUCTION
8-2176552-2	3430A2F2K2TD	3430 A2 1% 2K2 100ppm 5k RL	PRODUCTION
8-2176552-3	3430A2F2K4TD	3430 A2 1% 2K4 100ppm 5k RL	PRODUCTION
8-2176552-4	3430A2F2K7TD	3430 A2 1% 2K7 100ppm 5k RL	PRODUCTION
8-2176552-5	3430A2F3K0TD	3430 A2 1% 3K0 100ppm 5k RL	PRODUCTION
8-2176552-6	3430A2F3K3TD	3430 A2 1% 3K3 100ppm 5k RL	PRODUCTION
8-2176552-7	3430A2F3K6TD	3430 A2 1% 3K6 100ppm 5k RL	PRODUCTION
8-2176552-8	3430A2F3K9TD	3430 A2 1% 3K9 100ppm 5k RL	PRODUCTION
8-2176552-9	3430A2F4K3TD	3430 A2 1% 4K3 100ppm 5k RL	PRODUCTION
9-2176552-0	3430A2F4K7TD	3430 A2 1% 4K7 100ppm 5k RL	PRODUCTION

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
9-2176552-1	3430A2F5K1TD	3430 A2 1% 5K1 100ppm 5k RL	PRODUCTION
9-2176552-2	3430A2F5K6TD	3430 A2 1% 5K6 100ppm 5k RL	PRODUCTION
9-2176552-3	3430A2F6K2TD	3430 A2 1% 6K2 100ppm 5k RL	PRODUCTION
9-2176552-4	3430A2F6K8TD	3430 A2 1% 6K8 100ppm 5k RL	PRODUCTION
9-2176552-5	3430A2F7K5TD	3430 A2 1% 7K5 100ppm 5k RL	PRODUCTION
9-2176552-6	3430A2F8K2TD	3430 A2 1% 8K2 100ppm 5k RL	PRODUCTION
9-2176552-7	3430A2F9K1TD	3430 A2 1% 9K1 100ppm 5k RL	PRODUCTION
9-2176552-8	3430A2F10KTD	3430 A2 1% 10K 100ppm 5k RL	PRODUCTION
9-2176552-9	3430A2F11KTD	3430 A2 1% 11K 100ppm 5k RL	PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DHEERAJ M19OCT2022		 TE Connectivity	
		CHK A. PILE19OCT2022			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR TYPE 3430 0508 SERIES	
		0 PLC ±-		APVD A. PILE19OCT2022	
		1 PLC ±-		PRODUCT SPEC	
		2 PLC ±-		-	
		3 PLC ±-		APPLICATION SPEC	
		4 PLC ±-		-	
MATERIAL		FINISH		WEIGHT	
-		-		-	
-		-		-	
CUSTOMER DRAWING				SCALE 15:1	SHEET 3 OF 3
				REV BA	