





P	LTR	DESCRIPTION	DATE	DWN	APVD
	BA	INITIAL DRAWING RELEASE	19OCT2022	DM	AP


FOR FURTHER INFORMATION SEE DATA SHEET FOR 3430 SERIES
AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR



RECOMMENDED LAND PATTERN



RoHS Compliant

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DHEERAJ M 19OCT2022		TE Connectivity													
DIMENSIONS: mm		CHK A. PILE 19OCT2022															
		APVD A. PILE 19OCT2022		NAME AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR TYPE 3430 0612 SERIES													
		TOLERANCES UNLESS OTHERWISE SPECIFIED:															
		PRODUCT SPEC															
		APPLICATION SPEC															
MATERIAL		FINISH		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO							
-		-		A3		00779		C-2176556		-							
-		-		CUSTOMER DRAWING								SCALE 40:1		SHEET 1 OF 3		REV BA	

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SCHEDULE


TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
2176556-1	3430B2ZTD	3430 B2 Jumper 5k RL	PRODUCTION
2176556-2	3430B2F1R0TD	3430 B2 1% 1R0 100ppm 5k RL	PRODUCTION
2176556-3	3430B2F1R1TD	3430 B2 1% 1R1 100ppm 5k RL	PRODUCTION
2176556-4	3430B2F1R2TD	3430 B2 1% 1R2 100ppm 5k RL	PRODUCTION
2176556-5	3430B2F1R3TD	3430 B2 1% 1R3 100ppm 5k RL	PRODUCTION
2176556-6	3430B2F1R5TD	3430 B2 1% 1R5 100ppm 5k RL	PRODUCTION
2176556-7	3430B2F1R6TD	3430 B2 1% 1R6 100ppm 5k RL	PRODUCTION
2176556-8	3430B2F1R8TD	3430 B2 1% 1R8 100ppm 5k RL	PRODUCTION
2176556-9	3430B2F2R0TD	3430 B2 1% 2R0 100ppm 5k RL	PRODUCTION
1-2176556-0	3430B2F2R2TD	3430 B2 1% 2R2 100ppm 5k RL	PRODUCTION
1-2176556-1	3430B2F2R4TD	3430 B2 1% 2R4 100ppm 5k RL	PRODUCTION
1-2176556-2	3430B2F2R7TD	3430 B2 1% 2R7 100ppm 5k RL	PRODUCTION
1-2176556-3	3430B2F3R0TD	3430 B2 1% 3R0 100ppm 5k RL	PRODUCTION
1-2176556-4	3430B2F3R3TD	3430 B2 1% 3R3 100ppm 5k RL	PRODUCTION
1-2176556-5	3430B2F3R6TD	3430 B2 1% 3R6 100ppm 5k RL	PRODUCTION
1-2176556-6	3430B2F3R9TD	3430 B2 1% 3R9 100ppm 5k RL	PRODUCTION
1-2176556-7	3430B2F4R3TD	3430 B2 1% 4R3 100ppm 5k RL	PRODUCTION
1-2176556-8	3430B2F4R7TD	3430 B2 1% 4R7 100ppm 5k RL	PRODUCTION
1-2176556-9	3430B2F5R1TD	3430 B2 1% 5R1 100ppm 5k RL	PRODUCTION
2-2176556-0	3430B2F5R6TD	3430 B2 1% 5R6 100ppm 5k RL	PRODUCTION
2-2176556-1	3430B2F6R2TD	3430 B2 1% 6R2 100ppm 5k RL	PRODUCTION
2-2176556-2	3430B2F6R8TD	3430 B2 1% 6R8 100ppm 5k RL	PRODUCTION
2-2176556-3	3430B2F7R5TD	3430 B2 1% 7R5 100ppm 5k RL	PRODUCTION
2-2176556-4	3430B2F8R2TD	3430 B2 1% 8R2 100ppm 5k RL	PRODUCTION
2-2176556-5	3430B2F9R1TD	3430 B2 1% 9R1 100ppm 5k RL	PRODUCTION
2-2176556-6	3430B2F10RTD	3430 B2 1% 10R 100ppm 5k RL	PRODUCTION
2-2176556-7	3430B2F11RTD	3430 B2 1% 11R 100ppm 5k RL	PRODUCTION
2-2176556-8	3430B2F12RTD	3430 B2 1% 12R 100ppm 5k RL	PRODUCTION
2-2176556-9	3430B2F13RTD	3430 B2 1% 13R 100ppm 5k RL	PRODUCTION
3-2176556-0	3430B2F15RTD	3430 B2 1% 15R 100ppm 5k RL	PRODUCTION

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
3-2176556-1	3430B2F16RTD	3430 B2 1% 16R 100ppm 5k RL	PRODUCTION
3-2176556-2	3430B2F18RTD	3430 B2 1% 18R 100ppm 5k RL	PRODUCTION
3-2176556-3	3430B2F20RTD	3430 B2 1% 20R 100ppm 5k RL	PRODUCTION
3-2176556-4	3430B2F22RTD	3430 B2 1% 22R 100ppm 5k RL	PRODUCTION
3-2176556-5	3430B2F24RTD	3430 B2 1% 24R 100ppm 5k RL	PRODUCTION
3-2176556-6	3430B2F27RTD	3430 B2 1% 27R 100ppm 5k RL	PRODUCTION
3-2176556-7	3430B2F30RTD	3430 B2 1% 30R 100ppm 5k RL	PRODUCTION
3-2176556-8	3430B2F33RTD	3430 B2 1% 33R 100ppm 5k RL	PRODUCTION
3-2176556-9	3430B2F36RTD	3430 B2 1% 36R 100ppm 5k RL	PRODUCTION
4-2176556-0	3430B2F39RTD	3430 B2 1% 39R 100ppm 5k RL	PRODUCTION
4-2176556-1	3430B2F43RTD	3430 B2 1% 43R 100ppm 5k RL	PRODUCTION
4-2176556-2	3430B2F47RTD	3430 B2 1% 47R 100ppm 5k RL	PRODUCTION
4-2176556-3	3430B2F51RTD	3430 B2 1% 51R 100ppm 5k RL	PRODUCTION
4-2176556-4	3430B2F56RTD	3430 B2 1% 56R 100ppm 5k RL	PRODUCTION
4-2176556-5	3430B2F62RTD	3430 B2 1% 62R 100ppm 5k RL	PRODUCTION
4-2176556-6	3430B2F68RTD	3430 B2 1% 68R 100ppm 5k RL	PRODUCTION
4-2176556-7	3430B2F75RTD	3430 B2 1% 75R 100ppm 5k RL	PRODUCTION
4-2176556-8	3430B2F82RTD	3430 B2 1% 82R 100ppm 5k RL	PRODUCTION
4-2176556-9	3430B2F91RTD	3430 B2 1% 91R 100ppm 5k RL	PRODUCTION
5-2176556-0	3430B2F100RTD	3430 B2 1% 100R 100ppm 5k RL	PRODUCTION
5-2176556-1	3430B2F110RTD	3430 B2 1% 110R 100ppm 5k RL	PRODUCTION
5-2176556-2	3430B2F120RTD	3430 B2 1% 120R 100ppm 5k RL	PRODUCTION
5-2176556-3	3430B2F130RTD	3430 B2 1% 130R 100ppm 5k RL	PRODUCTION
5-2176556-4	3430B2F150RTD	3430 B2 1% 150R 100ppm 5k RL	PRODUCTION
5-2176556-5	3430B2F160RTD	3430 B2 1% 160R 100ppm 5k RL	PRODUCTION
5-2176556-6	3430B2F180RTD	3430 B2 1% 180R 100ppm 5k RL	PRODUCTION
5-2176556-7	3430B2F200RTD	3430 B2 1% 200R 100ppm 5k RL	PRODUCTION
5-2176556-8	3430B2F220RTD	3430 B2 1% 220R 100ppm 5k RL	PRODUCTION
5-2176556-9	3430B2F240RTD	3430 B2 1% 240R 100ppm 5k RL	PRODUCTION
6-2176556-0	3430B2F270RTD	3430 B2 1% 270R 100ppm 5k RL	PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

MATERIAL

-

DWN
DHEERAJ M
CHK
A. PILE
APVD
A. PILE
PRODUCT SPEC
APPLICATION SPEC
WEIGHT
-

19OCT2022
19OCT2022
19OCT2022

CUSTOMER DRAWING

SCALE 15:1

SHEET 2 OF 3

REV BA

TE Connectivity

NAME
AUTOMOTIVE GRADE WIDE TERMINAL CHIP
RESISTOR TYPE 3430 0612 SERIES

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-2176556

RESTRICTED TO
-


1470-19 (3/13)

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SCHEDULE							
TCPN	CATALOGUE NUMBER	PART DESCRIPTION					PART STATUS
6-2176556-1	3430B2F300RTD	3430	B2	1%	300R	100ppm 5k RL	PRODUCTION
6-2176556-2	3430B2F330RTD	3430	B2	1%	330R	100ppm 5k RL	PRODUCTION
6-2176556-3	3430B2F360RTD	3430	B2	1%	360R	100ppm 5k RL	PRODUCTION
6-2176556-4	3430B2F390RTD	3430	B2	1%	390R	100ppm 5k RL	PRODUCTION
6-2176556-5	3430B2F430RTD	3430	B2	1%	430R	100ppm 5k RL	PRODUCTION
6-2176556-6	3430B2F470RTD	3430	B2	1%	470R	100ppm 5k RL	PRODUCTION
6-2176556-7	3430B2F510RTD	3430	B2	1%	510R	100ppm 5k RL	PRODUCTION
6-2176556-8	3430B2F560RTD	3430	B2	1%	560R	100ppm 5k RL	PRODUCTION
6-2176556-9	3430B2F620RTD	3430	B2	1%	620R	100ppm 5k RL	PRODUCTION
7-2176556-0	3430B2F680RTD	3430	B2	1%	680R	100ppm 5k RL	PRODUCTION
7-2176556-1	3430B2F750RTD	3430	B2	1%	750R	100ppm 5k RL	PRODUCTION
7-2176556-2	3430B2F820RTD	3430	B2	1%	820R	100ppm 5k RL	PRODUCTION
7-2176556-3	3430B2F910RTD	3430	B2	1%	910R	100ppm 5k RL	PRODUCTION
7-2176556-4	3430B2F1K0TD	3430	B2	1%	1K0	100ppm 5k RL	PRODUCTION
7-2176556-5	3430B2F1K1TD	3430	B2	1%	1K1	100ppm 5k RL	PRODUCTION
7-2176556-6	3430B2F1K2TD	3430	B2	1%	1K2	100ppm 5k RL	PRODUCTION
7-2176556-7	3430B2F1K3TD	3430	B2	1%	1K3	100ppm 5k RL	PRODUCTION
7-2176556-8	3430B2F1K5TD	3430	B2	1%	1K5	100ppm 5k RL	PRODUCTION
7-2176556-9	3430B2F1K6TD	3430	B2	1%	1K6	100ppm 5k RL	PRODUCTION
8-2176556-0	3430B2F1K8TD	3430	B2	1%	1K8	100ppm 5k RL	PRODUCTION
8-2176556-1	3430B2F2K0TD	3430	B2	1%	2K0	100ppm 5k RL	PRODUCTION
8-2176556-2	3430B2F2K2TD	3430	B2	1%	2K2	100ppm 5k RL	PRODUCTION
8-2176556-3	3430B2F2K4TD	3430	B2	1%	2K4	100ppm 5k RL	PRODUCTION
8-2176556-4	3430B2F2K7TD	3430	B2	1%	2K7	100ppm 5k RL	PRODUCTION
8-2176556-5	3430B2F3K0TD	3430	B2	1%	3K0	100ppm 5k RL	PRODUCTION
8-2176556-6	3430B2F3K3TD	3430	B2	1%	3K3	100ppm 5k RL	PRODUCTION
8-2176556-7	3430B2F3K6TD	3430	B2	1%	3K6	100ppm 5k RL	PRODUCTION
8-2176556-8	3430B2F3K9TD	3430	B2	1%	3K9	100ppm 5k RL	PRODUCTION
8-2176556-9	3430B2F4K3TD	3430	B2	1%	4K3	100ppm 5k RL	PRODUCTION
9-2176556-0	3430B2F4K7TD	3430	B2	1%	4K7	100ppm 5k RL	PRODUCTION

SCHEDULE							
TCPN	CATALOGUE NUMBER	PART DESCRIPTION					PART STATUS
9-2176556-1	3430B2F5K1TD	3430	B2	1%	5K1	100ppm 5k RL	PRODUCTION
9-2176556-2	3430B2F5K6TD	3430	B2	1%	5K6	100ppm 5k RL	PRODUCTION
9-2176556-3	3430B2F6K2TD	3430	B2	1%	6K2	100ppm 5k RL	PRODUCTION
9-2176556-4	3430B2F6K8TD	3430	B2	1%	6K8	100ppm 5k RL	PRODUCTION
9-2176556-5	3430B2F7K5TD	3430	B2	1%	7K5	100ppm 5k RL	PRODUCTION
9-2176556-6	3430B2F8K2TD	3430	B2	1%	8K2	100ppm 5k RL	PRODUCTION
9-2176556-7	3430B2F9K1TD	3430	B2	1%	9K1	100ppm 5k RL	PRODUCTION
9-2176556-8	3430B2F10KTD	3430	B2	1%	10K	100ppm 5k RL	PRODUCTION
9-2176556-9	3430B2F11KTD	3430	B2	1%	11K	100ppm 5k RL	PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DHEERAJ M	19OCT2022	 TE Connectivity					
		CHK A. PILE	19OCT2022						
DIMENSIONS: mm		APVD A. PILE	19OCT2022	NAME AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR TYPE 3430 0612 SERIES					
		PRODUCT SPEC							
APPLICATION SPEC									
WEIGHT									
MATERIAL				SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
-				A3	00779	©-2176556	-		
-				CUSTOMER DRAWING			SCALE 40:1	SHEET 3 OF 3	REV BA