




P	LTR	DESCRIPTION	DATE	DWN	APVD
	BA	INITIAL DRAWING RELEASE	19OCT2022	DM	AP




FOR FURTHER INFORMATION SEE DATA SHEET FOR 3430 SERIES
AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR


RECOMMENDED LAND PATTERN



RoHS Compliant



10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DHEERAJ M 19OCT2022	 TE Connectivity		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK A. PILE 19OCT2022			
		APVD A. PILE 19OCT2022			
		PRODUCT SPEC			
	0 PLC ±	APPLICATION SPEC	NAME AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR TYPE 3430 1020 SERIES		
	1 PLC ±	WEIGHT			
MATERIAL	2 PLC ±	CUSTOMER DRAWING	SIZE A3	CAGE CODE 00779	DRAWING NO C=2176560
	3 PLC ±		SCALE 25:1	SHEET 1 OF 3	RESTRICTED TO -
-	4 PLC ±				REV BA
-	ANGLES ±				
	FINISH				

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
2176560-1	3430H2ZTE	3430 H2 Jumper 4k RL	PRODUCTION
2176560-2	3430H2F1R0TE	3430 H2 1% 1R0 150ppm 4k RL	PRODUCTION
2176560-3	3430H2F1R1TE	3430 H2 1% 1R1 150ppm 4k RL	PRODUCTION
2176560-4	3430H2F1R2TE	3430 H2 1% 1R2 150ppm 4k RL	PRODUCTION
2176560-5	3430H2F1R3TE	3430 H2 1% 1R3 150ppm 4k RL	PRODUCTION
2176560-6	3430H2F1R5TE	3430 H2 1% 1R5 150ppm 4k RL	PRODUCTION
2176560-7	3430H2F1R6TE	3430 H2 1% 1R6 150ppm 4k RL	PRODUCTION
2176560-8	3430H2F1R8TE	3430 H2 1% 1R8 150ppm 4k RL	PRODUCTION
2176560-9	3430H2F2R0TE	3430 H2 1% 2R0 150ppm 4k RL	PRODUCTION
1-2176560-0	3430H2F2R2TE	3430 H2 1% 2R2 150ppm 4k RL	PRODUCTION
1-2176560-1	3430H2F2R4TE	3430 H2 1% 2R4 150ppm 4k RL	PRODUCTION
1-2176560-2	3430H2F2R7TE	3430 H2 1% 2R7 150ppm 4k RL	PRODUCTION
1-2176560-3	3430H2F3R0TE	3430 H2 1% 3R0 150ppm 4k RL	PRODUCTION
1-2176560-4	3430H2F3R3TE	3430 H2 1% 3R3 150ppm 4k RL	PRODUCTION
1-2176560-5	3430H2F3R6TE	3430 H2 1% 3R6 150ppm 4k RL	PRODUCTION
1-2176560-6	3430H2F3R9TE	3430 H2 1% 3R9 150ppm 4k RL	PRODUCTION
1-2176560-7	3430H2F4R3TE	3430 H2 1% 4R3 150ppm 4k RL	PRODUCTION
1-2176560-8	3430H2F4R7TE	3430 H2 1% 4R7 150ppm 4k RL	PRODUCTION
1-2176560-9	3430H2F5R1TE	3430 H2 1% 5R1 150ppm 4k RL	PRODUCTION
2-2176560-0	3430H2F5R6TE	3430 H2 1% 5R6 150ppm 4k RL	PRODUCTION
2-2176560-1	3430H2F6R2TE	3430 H2 1% 6R2 150ppm 4k RL	PRODUCTION
2-2176560-2	3430H2F6R8TE	3430 H2 1% 6R8 150ppm 4k RL	PRODUCTION
2-2176560-3	3430H2F7R5TE	3430 H2 1% 7R5 150ppm 4k RL	PRODUCTION
2-2176560-4	3430H2F8R2TE	3430 H2 1% 8R2 150ppm 4k RL	PRODUCTION
2-2176560-5	3430H2F9R1TE	3430 H2 1% 9R1 150ppm 4k RL	PRODUCTION
2-2176560-6	3430H2F10RTE	3430 H2 1% 10R 100ppm 4k RL	PRODUCTION
2-2176560-7	3430H2F11RTE	3430 H2 1% 11R 100ppm 4k RL	PRODUCTION
2-2176560-8	3430H2F12RTE	3430 H2 1% 12R 100ppm 4k RL	PRODUCTION
2-2176560-9	3430H2F13RTE	3430 H2 1% 13R 100ppm 4k RL	PRODUCTION
3-2176560-0	3430H2F15RTE	3430 H2 1% 15R 100ppm 4k RL	PRODUCTION

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
3-2176560-1	3430H2F16RTE	3430 H2 1% 16R 100ppm 4k RL	PRODUCTION
3-2176560-2	3430H2F18RTE	3430 H2 1% 18R 100ppm 4k RL	PRODUCTION
3-2176560-3	3430H2F20RTE	3430 H2 1% 20R 100ppm 4k RL	PRODUCTION
3-2176560-4	3430H2F22RTE	3430 H2 1% 22R 100ppm 4k RL	PRODUCTION
3-2176560-5	3430H2F24RTE	3430 H2 1% 24R 100ppm 4k RL	PRODUCTION
3-2176560-6	3430H2F27RTE	3430 H2 1% 27R 100ppm 4k RL	PRODUCTION
3-2176560-7	3430H2F30RTE	3430 H2 1% 30R 100ppm 4k RL	PRODUCTION
3-2176560-8	3430H2F33RTE	3430 H2 1% 33R 100ppm 4k RL	PRODUCTION
3-2176560-9	3430H2F36RTE	3430 H2 1% 36R 100ppm 4k RL	PRODUCTION
4-2176560-0	3430H2F39RTE	3430 H2 1% 39R 100ppm 4k RL	PRODUCTION
4-2176560-1	3430H2F43RTE	3430 H2 1% 43R 100ppm 4k RL	PRODUCTION
4-2176560-2	3430H2F47RTE	3430 H2 1% 47R 100ppm 4k RL	PRODUCTION
4-2176560-3	3430H2F51RTE	3430 H2 1% 51R 100ppm 4k RL	PRODUCTION
4-2176560-4	3430H2F56RTE	3430 H2 1% 56R 100ppm 4k RL	PRODUCTION
4-2176560-5	3430H2F62RTE	3430 H2 1% 62R 100ppm 4k RL	PRODUCTION
4-2176560-6	3430H2F68RTE	3430 H2 1% 68R 100ppm 4k RL	PRODUCTION
4-2176560-7	3430H2F75RTE	3430 H2 1% 75R 100ppm 4k RL	PRODUCTION
4-2176560-8	3430H2F82RTE	3430 H2 1% 82R 100ppm 4k RL	PRODUCTION
4-2176560-9	3430H2F91RTE	3430 H2 1% 91R 100ppm 4k RL	PRODUCTION
5-2176560-0	3430H2F100RTE	3430 H2 1% 100R 100ppm 4k RL	PRODUCTION
5-2176560-1	3430H2F110RTE	3430 H2 1% 110R 100ppm 4k RL	PRODUCTION
5-2176560-2	3430H2F120RTE	3430 H2 1% 120R 100ppm 4k RL	PRODUCTION
5-2176560-3	3430H2F130RTE	3430 H2 1% 130R 100ppm 4k RL	PRODUCTION
5-2176560-4	3430H2F150RTE	3430 H2 1% 150R 100ppm 4k RL	PRODUCTION
5-2176560-5	3430H2F160RTE	3430 H2 1% 160R 100ppm 4k RL	PRODUCTION
5-2176560-6	3430H2F180RTE	3430 H2 1% 180R 100ppm 4k RL	PRODUCTION
5-2176560-7	3430H2F200RTE	3430 H2 1% 200R 100ppm 4k RL	PRODUCTION
5-2176560-8	3430H2F220RTE	3430 H2 1% 220R 100ppm 4k RL	PRODUCTION
5-2176560-9	3430H2F240RTE	3430 H2 1% 240R 100ppm 4k RL	PRODUCTION
6-2176560-0	3430H2F270RTE	3430 H2 1% 270R 100ppm 4k RL	PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DHEERAJ M 19OCT2022	TE Connectivity AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR TYPE 3430 1020 SERIES			
DIMENSIONS: mm		CHK A. PILE 19OCT2022				
		APVD A. PILE 19OCT2022				
		PRODUCT SPEC				
		APPLICATION SPEC	NAME			
MATERIAL		WEIGHT				
-		-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
-		-	A3	00779	©-2176560	-
CUSTOMER DRAWING				SCALE	SHEET	REV
				15:1	2 OF 3	BA

REVISIONS



P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
6-2176560-1	3430H2F300RTE	3430 H2 1% 300R 100ppm 4k RL	PRODUCTION
6-2176560-2	3430H2F330RTE	3430 H2 1% 330R 100ppm 4k RL	PRODUCTION
6-2176560-3	3430H2F360RTE	3430 H2 1% 360R 100ppm 4k RL	PRODUCTION
6-2176560-4	3430H2F390RTE	3430 H2 1% 390R 100ppm 4k RL	PRODUCTION
6-2176560-5	3430H2F430RTE	3430 H2 1% 430R 100ppm 4k RL	PRODUCTION
6-2176560-6	3430H2F470RTE	3430 H2 1% 470R 100ppm 4k RL	PRODUCTION
6-2176560-7	3430H2F510RTE	3430 H2 1% 510R 100ppm 4k RL	PRODUCTION
6-2176560-8	3430H2F560RTE	3430 H2 1% 560R 100ppm 4k RL	PRODUCTION
6-2176560-9	3430H2F620RTE	3430 H2 1% 620R 100ppm 4k RL	PRODUCTION
7-2176560-0	3430H2F680RTE	3430 H2 1% 680R 100ppm 4k RL	PRODUCTION
7-2176560-1	3430H2F750RTE	3430 H2 1% 750R 100ppm 4k RL	PRODUCTION
7-2176560-2	3430H2F820RTE	3430 H2 1% 820R 100ppm 4k RL	PRODUCTION
7-2176560-3	3430H2F910RTE	3430 H2 1% 910R 100ppm 4k RL	PRODUCTION
7-2176560-4	3430H2F1K0TE	3430 H2 1% 1K0 100ppm 4k RL	PRODUCTION
7-2176560-5	3430H2F1K1TE	3430 H2 1% 1K1 100ppm 4k RL	PRODUCTION
7-2176560-6	3430H2F1K2TE	3430 H2 1% 1K2 100ppm 4k RL	PRODUCTION
7-2176560-7	3430H2F1K3TE	3430 H2 1% 1K3 100ppm 4k RL	PRODUCTION
7-2176560-8	3430H2F1K5TE	3430 H2 1% 1K5 100ppm 4k RL	PRODUCTION
7-2176560-9	3430H2F1K6TE	3430 H2 1% 1K6 100ppm 4k RL	PRODUCTION
8-2176560-0	3430H2F1K8TE	3430 H2 1% 1K8 100ppm 4k RL	PRODUCTION
8-2176560-1	3430H2F2K0TE	3430 H2 1% 2K0 100ppm 4k RL	PRODUCTION
8-2176560-2	3430H2F2K2TE	3430 H2 1% 2K2 100ppm 4k RL	PRODUCTION
8-2176560-3	3430H2F2K4TE	3430 H2 1% 2K4 100ppm 4k RL	PRODUCTION
8-2176560-4	3430H2F2K7TE	3430 H2 1% 2K7 100ppm 4k RL	PRODUCTION
8-2176560-5	3430H2F3K0TE	3430 H2 1% 3K0 100ppm 4k RL	PRODUCTION
8-2176560-6	3430H2F3K3TE	3430 H2 1% 3K3 100ppm 4k RL	PRODUCTION
8-2176560-7	3430H2F3K6TE	3430 H2 1% 3K6 100ppm 4k RL	PRODUCTION
8-2176560-8	3430H2F3K9TE	3430 H2 1% 3K9 100ppm 4k RL	PRODUCTION
8-2176560-9	3430H2F4K3TE	3430 H2 1% 4K3 100ppm 4k RL	PRODUCTION
9-2176560-0	3430H2F4K7TE	3430 H2 1% 4K7 100ppm 4k RL	PRODUCTION

SCHEDULE

TCPN	CATALOGUE NUMBER	PART DESCRIPTION	PART STATUS
9-2176560-1	3430H2F5K1TE	3430 H2 1% 5K1 100ppm 4k RL	PRODUCTION
9-2176560-2	3430H2F5K6TE	3430 H2 1% 5K6 100ppm 4k RL	PRODUCTION
9-2176560-3	3430H2F6K2TE	3430 H2 1% 6K2 100ppm 4k RL	PRODUCTION
9-2176560-4	3430H2F6K8TE	3430 H2 1% 6K8 100ppm 4k RL	PRODUCTION
9-2176560-5	3430H2F7K5TE	3430 H2 1% 7K5 100ppm 4k RL	PRODUCTION
9-2176560-6	3430H2F8K2TE	3430 H2 1% 8K2 100ppm 4k RL	PRODUCTION
9-2176560-7	3430H2F9K1TE	3430 H2 1% 9K1 100ppm 4k RL	PRODUCTION
9-2176560-8	3430H2F10KTE	3430 H2 1% 10K 100ppm 4k RL	PRODUCTION
9-2176560-9	3430H2F11KTE	3430 H2 1% 11K 100ppm 4k RL	PRODUCTION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DHEERAJ M 19OCT2022		TE Connectivity			
		CHK A. PILE 19OCT2022					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME AUTOMOTIVE GRADE WIDE TERMINAL CHIP RESISTOR TYPE 3430 1020 SERIES			
		APVD A. PILE 19OCT2022					
		PRODUCT SPEC		SIZE A 3 CAGE CODE 00779 DRAWING NO C-2176560 RESTRICTED TO -			
		-					
		APPLICATION SPEC					
		-					
MATERIAL -		FINISH -		WEIGHT -			
-		-		CUSTOMER DRAWING			
				SCALE 25:1			
				SHEET 3 OF 3			
				REV BA			