







PART NUMBER CHART					
COLOR	PART NUMBER				
GRAY	ATM12P-DC				
BLACK	ATM12P-DC-BK				

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. THIS PART IS USED ON ATM04-12P-XXX (XXX=ALL MODIFICATIONS)
- 2. TEMPERATURE RATING: -29°C TO +100°C [-20°F TO +212°F]
- 3. BOTTOM OF PART MOLDED OPEN.

4 SMALL MATERIAL EXTENSION IS ACCEPTABLE ON THIS END ALL AROUND

5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	SEE PART NUMBER CHART								
QUANTITY	PART NUMBER		DESCRIPTION						
		ı	MA	TERI	ALS	S LI	ST		
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64 2 PL DEC ±0.15 Angles ±1° 3) Note reference = MATERIAL SPECIFICATIONS:		SIGNATURES		S DATE	Amphonol				
		DRAWN:	HAILEY	HAILEY 09/OCT/23		Amphenol			
		CHECKED:	ORION	09/OCT/23	Sine Systems - www.amphenol-sine.com				
		ENGINEER:			44724 Morley Drive Clinton Township, MI 48036				
		APPROVAL:	TOMMY	09/OCT/23					
PVC 6.7g	CUSTOMER:			PROTECTIVE CAP, RECEPTACLE, 12 POS, ATM					
PROCESS SPECIFICATIONS:		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES,				,	<u> </u>		
SPECIFICATIONS AND PERFORI SHOWN HEREON ARE THE PRO THE AMPHENOL CORPORATION OF REPRODUCTION ARE IMPLIE DIMENSIONS ARE SUBJECT TO		PROPERTY OF ATION. NO RIGHTS MPLIED. ALL TTO NORMAL	Α	ТҮРЕ	ATM12P-DC-XX	A1			
NEXT ASS'Y:			ONS.	SCALE: N	ONE	SHEET 1	of 1		