




NOTES

1. 梱包数量： 3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
2. リードテープ長さ
LEAD TAPE LENGTH
3. カバーテープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
4. 製品詳細寸法については、図面 5052781004/1005を参照下さい。
FOR DIMENTIONS OF PRODUCT, REFER TO 5052781004/1005.
5. 材料 MATERIAL
キャリアテープ：ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ：ポリエチレンテレフタレート、ポリエチレン
TOP TAPE : POLYETHYLENE TERETHHALATE, POLYETHYLENE
リール：ポリスチレン<リサイクル材を含む>
REEL : POLYSTYRENE <RECYCLE MATERIAL CONTAINED >
6. ELV及びRoHS適合品 ELV AND RoHS COMPLIANT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		2:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 787265 DRWN: RAJMOK2024/03/13 CHK'D: HSHIMOYAMA2024/05/28 APPR: YNAITO2024/05/29											
ANGULAR TOL ± 1.0 °															
4 PLACES ± 0.03															
3 PLACES ± 0.03															
2 PLACES ± 0.05															
1 PLACE ± 0.1				PRODUCT CUSTOMER DRAWING											
0 PLACES ± 0.2															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
				DRWN: RAJMOK2024/02/20 APPR: YNAITO2024/02/26				5052780001		PSD		000		B	
				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		505278		SEE TABLE		GENERAL		1 OF 2	

DOCUMENT STATUS	P1	RELEASE DATE	2024/05/29	11:13:04
-----------------	----	--------------	------------	----------

