




	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	
M	SHEET DESCRIPTION																			
	CONFIGURATIONS																			
L																				
K																				
J																				
H																				
G																				
F																				
E																				
D																				
C																				
B																				
A																				



10+2 HFM HYBRID



10+1+1 HFM HYBRID

CONT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
FUNCTIONAL SYMBOLS FA = 0 FC = 0 FP = 0 DIVISIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC: See revision table				molex MXDaSH 10+ HYBRID MAT SEAL BLD CONN ASM					
	mm		2:1											
	GENERAL TOLERANCES (UNLESS SPECIFIED)													
	ANGULAR TOL ± 0.5°													
	4 PLACES		±		STATUS: Production DRWN: Andy Murray 2025-03-28 CHK'D: Andy Murray 2025-03-28 APPR: Katy Boruszewski 2025-03-31				PRODUCT CUSTOMER DRAWING					
	3 PLACES		±						DOCUMENT NUMBER		DOC TYPE		DOC PART	REVISION
	2 PLACES		±						3000920000		PSD		000	B1
	1 PLACE		±						MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
	0 PLACES		±						SEE TABLE				2 OF 5	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								THIRD ANGLE PROJECTION		DRAWING		SERIES	
						D-SIZE		300092						

[illegible]

