


| PΑ | R | Т | N | C |
|----|---|---|---|---|
| | | | | |

MCL056YGW

| | REVISIONS | | | | | | | |
|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|
| ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE |
| - | Α | RELEASED | Rekha | 27/5/08 | Suresh | 27/5/08 | G. C | 11/6/08 |
| | | | | | | | | |



Dimensions: Millimetres (Inches)

Specifications:

Dice material : GaAsP on GaP/GaP.

Emitted color : Yellow/green.
Lens color : White diffused.
Peak wavelength : 587/568nm.
Viewing angle : 45 degrees.
Luminous intensity (IV) : 15/14mcd.



Electrical/Optical Characteristics at T_a = 25°C

| Parameter | Symbol | Minimum | Typical | Maximum | Unit | Test |
|---|-----------|---------|---------|---------|---------|-------------|
| Luminous Intensity | IV | 7/7 | 15/14 | 23/22 | mcd | IF = 20mA |
| Viewing Angle | 2θ 1/2 | - | 45 | - | degrees | 11 - 20111A |
| Peak Emission Wavelength | • p | - | 587/568 | - | | - |
| Dominant Wavelength | • 10 | - | 590/570 | - | nm | - |
| Spectral Line Half-Width | Δλ | - | 35/30 | - | | - |
| Forward Voltage | VF | 1.7/1.7 | 2.1/2.1 | 2.6/2.6 | V | IF = 20mA |
| Power Dissipation | Pd | - | - | 85 | - | - |
| Peak Forward Current (Duty 1/10 at 1KHz) | IF (Peak) | - | - | 100 | - | - |
| Recommended Operating Current | IF (Rec) | - | 20 | - | mA | - |

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injuny resulting from its regilgence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2008.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

| DRAWN BY: | DATE: |
|--------------|----------|
| Rekha | 27/05/08 |
| CHECKED BY: | DATE: |
| Suresh | 27/05/08 |
| APPROVED BY: | DATE: |
| G.Cook | 11/06/08 |

DRAWING TITLE:

SCALE: NTS

5.0mm Bi-Color LED Lamp - Yellow / Green

SHEET: 1

OF 5

| ┪ | | | | | | |
|---|------|---------|------------|------|-------------|-----|
| 4 | SIZE | DWG NO. | N/10001100 | ELEC | TRONIC FILE | REV |
| 4 | Α | | M10001138 | L056 | /GW_DWG | Α |
| ı | | | | | | |

U.O.M.: mm (Inches)




MCL056YGW


| | REVISIONS | | | | | | | |
|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|
| ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE |
| - | Α | RELEASED | Rekha | 27/5/08 | Suresh | 27/5/08 | G. C | 11/6/08 |
| | | | | | | | | |

Absolute Maximum Ratings ($T_a = 25$ °C)

| Reverse Voltage | 5 Volt |
|---|----------------------------|
| Reverse Current | 10μA (V _R = 5V) |
| Operating Temperature Range | -40°C to 85°C |
| Storage Temperature Range | -40°C to 100°C |
| Lead Soldering Temperature Range 1.6mm (1/16 inch) from body | 260°C for 5 Seconds |

Yellow (GaAsP/GaP λ P = 587nm)





Forward Current Derating Curve

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. @ Premier Farnell pic 2008

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

| DRAWN BY: | DATE: |
|--------------|----------|
| Rekha | 27/05/08 |
| CHECKED BY: | DATE: |
| Suresh | 27/05/08 |
| APPROVED BY: | DATE: |
| G.Cook | 11/06/08 |

DRAWING TITLE:

5.0mm Bi-Color LED Lamp - Yellow / Green


| | SIZE A | DWG NO. | M10001138 | ELEC L056\ | | REV A | | | |
|---|------------------|--------------------------------|-----------|---------------|--------|----------|----|---|--|
| _ | SCAL | SCALE: NTS U.O.M.: mm (Inches) | | | SHEET: | 2 | OF | 5 | |




MCL056YGW


| | REVISIONS | | | | | | | |
|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|
| ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE |
| - | Α | RELEASED | Rekha | 27/5/08 | Suresh | 27/5/08 | G. C | 11/6/08 |
| | | | | | | | | |

Yellow (GaAsP/GaP λ P = 587nm)





Luminous Intensity vs. Ambient Temperature



 $\label{eq:wavelength} Wavelength \; \lambda \; (\text{nm}) \\ \textbf{Relative Intensity vs. Wavelength}$

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its regilgence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2008.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

| DRAWN BY: | DATE: |
|--------------|----------|
| Rekha | 27/05/08 |
| CHECKED BY: | DATE: |
| Suresh | 27/05/08 |
| APPROVED BY: | DATE: |
| G.Cook | 11/06/08 |

DRAWING TITLE:

5.0mm Bi-Color LED Lamp - Yellow / Green


| SIZE A | DWG NO. | M10001138 | | TRONIC FIL | | | REV A |
|------------|---------|---------------------|---------------------|------------|---|----|----------|
| SCALE: NTS | | U.O.M.: mm (Inches) | U.O.M.: mm (Inches) | | 3 | OF | 5 |




MCL056YGW


| | | REVISIONS | | | | | | |
|-------|-----|-------------|-------|---------|--------|---------|--------|---------|
| ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE |
| - | Α | RELEASED | Rekha | 27/5/08 | Suresh | 27/5/08 | G. C | 11/6/08 |
| | | | | | | | | |


Green (GaP λ P = 568nm)



Forward Current vs. Forward Voltage







Luminous Intensity vs. Ambient Temperature

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell ple 2008

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

| DRAWN BY: | DATE: |
|--------------|----------|
| Rekha | 27/05/08 |
| CHECKED BY: | DATE: |
| Suresh | 27/05/08 |
| APPROVED BY: | DATE: |
| G.Cook | 11/06/08 |

| DRAW | NG IIILE: |
|------|--|
| | 5.0mm Bi-Color LED Lamp - Yellow / Green |
| | |


 SIZE A
 DWG NO.
 M10001138
 ELECTRONIC FILE L056YGW_DWG
 REV A

 SCALE: NTS
 U.O.M.: mm (Inches)
 SHEET: 4 OF 5



MCL056YGW

| | | REVISIONS | | | | | | |
|-------|-----|-------------|-------|---------|--------|---------|--------|---------|
| ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE |
| - | Α | RELEASED | Rekha | 27/5/08 | Suresh | 27/5/08 | G. C | 11/6/08 |
| | | | | | | | | |



Relative Intensity vs. Wavelength

Part Number Table

| Description | Part Number |
|----------------------------|-------------|
| LED, 5mm, AC, Yellow/Green | MCL056YGW |

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injuny resulting from its regilgence. SPC MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2008.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

| | DRAWN BY: | DATE: |
|--|--------------|----------|
| | Rekha | 27/05/08 |
| | CHECKED BY: | DATE: |
| | Suresh | 27/05/08 |
| | APPROVED BY: | DATE: |
| | G.Cook | 11/06/08 |

DDAWING TITLE

| DRAWI | NG IIILE: | | |
|-------|------------------------|--------------------|---|
| | 5.0mm Bi-Color LED Lar | np - Yellow / Gree | n |
| 0 | D.V.O. 110 | EL EGEDONIO EU E | Г |

 SIZE A
 DWG NO.
 M10001138
 ELECTRONIC FILE L056YGW_DWG
 REV A

 SCALE: NTS
 U.O.M.: mm (Inches)
 SHEET: 5 OF 5