

<b>multicomp</b>	PART NO.		REVISIONS							
	1 [	ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
		-	А	RELEASED	Veena	30/7/08	Suresh	30/7/08	G. C	14/8/08





Dimensions : Millimetres

## **Specifications:**

Current rating Voltage rating Maximum contact resistance Minimum insulation resistance Withstanding voltage Operating temperature range **Materials and Finish:** Insulator Insulator colour Contact Finish


- : 5.0A ac/dc.
- : 250V ac/dc.
- : 10mΩ.
- : 1000MΩ.
- : AC 1500V ac/minute.
- : -25°C to +105°C.
- : High temperature plastic.
- : Black.
- : Copper alloy.
- : Tin plated.

## **Specification Table**

Number of Positions	Α	В	Part Number
4	9.7	3.0	2261(5561)S-04
			Dimonoiono : Millimotroo

Dimensions : Millimetres

## Part Number Explanation:



http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

data sheet should check for themselves the Information and the suitability of the prod-	TOLERANCES:	DRAWN BY:	DATE:	DRAWING TITLE:			
	PURPOSES ONLY.	Veena	30/07/08	Header - Vertical, 4 Way			
		CHECKED BY:	DATE:	SIZE DWG NO.	M1000131/ I	ELECTRONIC FILE	REV
		Suresh	30/07/08	Α		1578584-1578593_2_DWG	Α
		APPROVED BY:	DATE:	]			
		G.Cook	14/08/08	SCALE: NTS	U.O.M.: mm	SHEET: 1 OF	F 1