

multicomp	PART NO.		REVISIONS							
	2261(5561)S-08	ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
		-	А	RELEASED	Veena	30/7/08	Suresh	30/7/08	G. C	14/8/08





Dimensions : Millimetres

Specifications:

Current rating Voltage rating Maximum contact resistance Minimum insulation resistance Withstanding voltage Operating temperature range Materials and Finish: Insulator Insulator colour Contact Finish


- : 5.0A ac/dc.
- : 250V ac/dc.
- : 10mΩ.
- : 1000MΩ.
- : AC 1500V ac/minute.
- : -25°C to +105°C.
- : High temperature plastic.
- : Black.
- : Copper alloy.
- : Tin plated.

Specification Table

Number of Positions	А	В	Part Number
8	15.7	9.0	2261(5561)S-08
			Dimensions : Millimetres

Dimensions : Millimetres

Part Number Explanation:



Number of Positions

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

believed to be accurate but the Group assumes no responsibility for its accuracy of the completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the subability of the prod- ucts for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or	TOLERANCES:	DRAWN BY:	DATE:	DRAWING TITLE:				
	UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.	Veena	30/07/08		Header - Vertical, 8 Way			
		CHECKED BY:	DATE:	SIZE DWG NO.		ELECTRONIC FILE	REV A	
		Suresh	30/07/08		M10001317	578584-1578593_4_DWG		
		APPROVED BY:	DATE:]			L	
		G.Cook	14/08/08	SCALE: NTS	U.O.M.: mm	SHEET: 1 OF	F 1	