






- ① HOUSING MATERIAL: GLASS-FILLED POLYMER.
- ② POST MATERIAL: COPPER ALLOY.
- ③ POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- ④ MARKING ON THIS SIDE.
- ⑤ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- ⑥ [PART NUMBER, DATE CODE] MARKED THIS APPROXIMATE AREA.



SECTION X-X

1-32	X	X	64	5536052-5
POSITIONS LOADED	B	A	NO. OF LOADED POSITION	ASSY PART NUMBER
	ROWS	LOADED		

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN: J. POLIGNONE	OSMAYOS	tyco Electronics	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
0 PLC ± -	1 PLC ± -	CHK: A. SHARPE	OSMAYOS	NAME: A. SHARPE	ASSEMBLY, PIN, EUROCARD, TYPE B, LEAD-FREE, 64 POSITION, 2.64[.104] SOLDER POST
2 PLC ± -	3 PLC ± -	APVD: A. SHARPE	OSMAYOS	PRODUCT SPEC: -	APPLICATION SPEC: -
4 PLC ± -	ANGLES ± -	FINISH: -		SIZE: A1	CAGE CODE: 00779
MATERIAL: ① ②	③	WEIGHT: -		DRAWING NO: 5536052	RESTRICTED TO: -
CUSTOMER DRAWING			SCALE: 5:1	SHEET: 1 OF 1	REV: 0