
#### **DIGITAL REVERB DR600**



Thank you for showing your confidence in us by purchasing the BEHRINGER DIGITAL REVERB DR600. This ultimate effects pedal is specifically designed to deliver 24-bit high-resolution stereo reverbs comparable to state-of-the-art studio processors. Thanks to six renowned modes and extensive parameter control for maximum creativity you'll have plenty of cool sounds at your disposal for every situation.



- 1 The *LEVEL* control adjusts the output level.
- 2 The TONE control allows you to shape your overall sound.
- 3 The *TIME* control determines the reverb time.
- 4 The MODE control lets you chose between six different reverb sounds:

SPRING: Simulates classic spring reverberation.

**PLATE:** Simulates the sound of plate reverberation.

HALL: Very bright reverb that simulates the reflections of a concert hall.

GATE: This effect synthetically cuts off reverberation after a period of time.

**ROOM:** Clearly hear natural room acoustics.

**MODULATE:** By detuning the reverb tail it creates spacious, almost choir-like reverb that reminds a little bit of a chorus effect.

- 5 The ON/BATT LED illuminates when the effect is activated. It also serves as a battery level indicator.
- 6 Use the footswitch to activate/deactivate the effect.
- Use the two 1/4" TS connectors *IN A* and *IN B* to plug in a stereo input signal. For mono use just plug in IN A.
- The two 1/4" TS connectors OUT A and OUT B send the signal to your amp. Use both connectors if you want to achieve full stereo effect. For mono use just plug in OUT A.

Use the DC IN connection at the front of the unit to plug in a 9 V power supply (not included).

The *BATTERY COMPARTMENT* is located underneath the pedal cover. To install or replace the 9 V battery, press the hinges with a ballpen and remove the pedal cover. Be careful not to scratch the unit.

INF The DR600 has no on/off switch. As soon as you insert the jack into the IN connector, the DR600 begins running. When not using the DR600, remove the jack from the IN connector. This extends the life of the battery.

The SERIAL NUMBER is located at the bottom.



## 2. WARRANTY

For our current warranty terms, please refer to our website at http://www.behringer.com.

## **3. SPECIFICATIONS**

In A

In A				
	Connector	1/4" TS		
	Impedance	500 kΩ		
	Impedance mono	250 kΩ		
In B				
	Connector	1/4" TS		
	Impedance	500 kΩ		
Out A	Impodunoo	000 1122		
ourn	Connector	1/4" TS		
	Impedance	1 kΩ		
Out B	mpodaneo			
ourb	Connector	1/4" TS		
	Impedance	1 kΩ		
Power supply		9 V , 100 mA, regulated		
		BEHRINGER PS		
		U.S./Canada	120 V~, 60 Hz	
			220 V~, 50 Hz	
			240 V~, 50 Hz	
			230 V~, 50 Hz	
		Japan	100 V~, 50 - 60 Hz	
Power connector		•	negative center	
Battery		9 V type 6LR61		
Power consumption		90 mA		
Dimensions (H x W x D)		approx. 54 mm (2 1/8") x 70 mm (2 3/4") x 123 mm (4 4/5")		
Weight		approx. 0.33 kg (0.73 lbs)		
-		e highest professional standards. As a result of these efforts, modifications may be made		
from time to time to existing products without prior notice. Specifications and appearance may therefore differ from those listed or shown.				

#### **4. SAFETY INSTRUCTIONS**

Do not use near water, or install near heat sources. Use only authorized attachments/accessories. Do not service product yourself. Contact our qualified servicing personnel for servicing or repairs, **especially when power supply cord or plug is damaged**. No utilizar cerca de agua o instalar cerca de fuentes de calor. Utilice sólo accesorios y aditamentos autorizados. No intenté reparar el producto usted mismo. Contacte a nuestro personal técnico cualificado para servicio y reparaciones, **especialmente cuando la** fuente o el cable de **alimentación estén dañados**.

Не эксплуатируйте прибор вблизи от источников воды и тепла. Применяйте только авторизованные дополнительные устройства. Никогда не ремонтируйте прибор самостоятельно. Ремонт может производить только квалифицированный специализированный персонал, **особенно при повреждениях сетевого провода или сетевой вилки.** 

水分の近くや、ヒーターなど熱気のある場所では使用しないでください。正式に認可された付属品のみを使用してください。製品はご自 分では決して修理せず、特に電源コードもしくはブラグが損傷した場合には、必ず製品サービスおよびリベアの資格を有した当社の担当 員にご相談ください。

不要在靠近水源的地方使用,或在靠近热源的地方安装。只使用经过许可的附件/配件。不要自己进行产品维修,**尤其是当电源线或插座损** 坏的时候,请联系我们的专业服务人员有关产品维修事宜。

Die deutsche Anleitung ist erhältlich @ www.behringer.com Manuel francophone en téléchargement sur www.behringer.com Manual en español disponible en www.behringer.com Manual italiani disponibli @ www.behringer.com Pycckorsabu+noe pykobadctBo @ www.behringer.com Polska instrukcja dostępna jest pod adresem @ www.behringer.com Nederlandse handleiding beschikbaar @ www.behringer.com Suomenkielinen käyttöohje saatavilla osoitteesta www.behringer.com Swensk manual finns tillgänglig på www.behringer.com Dansk vejledning findes på @ www.behringer.com Manual português disponível @ www.behringer.com EXAynvkó εγχειρίδιο υπάρχει διαθέσιμο στη διεύθυνση www.behringer.com I 本語版マニュアル@ www.behringer.com 使用说明书可在 www.behringer.com Technical specifications and appearance subject to change without notice. The information contained herein i of printing. The names of companies, institutions or publications pictured or mentioned and their respective trademarks of their respective owners. Their use neither constitutes a claim of the trademarks by BEHRINGER® accepts no liability for any loss with may be subfered by a either wholly or in part upon any description, photograph or statement contained herein. Colours and specificat frademark onvers with BEHRINGER®. BEHRINGER® accepts no liability for any loss which may be subfered by a either wholly or in part upon any description, photograph or statement contained herein. Colours and specificat

使用说明书可在 www.behringer.com 卜兹 Technical specifications and appearance subject to change without notice. The information contained herein is correct at the time of printing. The names of companies, institutions or publications pictured or mentioned and their respective logos are registered trademarks of their respective owners. Their use neither constitutes a claim of the trademarks by BEHRINGER® nor affiliation of the trademark owners with BEHRINGER®. BEHRINGER® accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colours and specification may vary slightly from product. Products are sold through our authorised dealers only. Distributors and dealers are not agents of BEHRINGER® and have absolutely no authority to bind BEHRINGER® up express or implied undertaking or representation. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of BEHRINGER Spezielle Studiotechnik GmbH, BEHRINGER® is a registered trademark. ALL RIGHTS RESERVED. © 2006 BEHRINGER Spezielle Studiotechnik GmbH, Hanns-Martin-Schleyer-Str. 36-38, 47877 Willich-Münchheide II, Germany, Tel. +49 2154 9206 0, Fax +49 2154 9206 4903

# FEDERAL COMMUNICATIONS **COMMISSION COMPLIANCE INFORMATION**



Responsible party name:	MUSIC Group Services USA, Inc.
Address:	18912 North Creek Parkway, Suite 200 Bothell, WA 98011, USA

Phone/Fax No.:

Phone: +1 425 672 0816 Fax: +1 425 673 7647

## **DIGITAL REVERB DR600**

complies with the FCC rules as mentioned in the following paragraph:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

#### Important information:

Changes or modifications to the equipment not expressly approved by MUSIC Group can void the user's authority to use the equipment.