FOXElectronics



Farnell Order Code: 1538948 FOX MODEL: FXO-PC735R-212.5 FOX Part Number: 774-212.5-17 LVPECL, CERAMIC, SMD, OSCILLATOR

Specifications

Parameters			
Frequency	212.5 MHz		
Frequency Stability ¹	±50PPM		
Temperature Range			
Operating (T _{OPR})	-40°C ~ +85°C		
Storage (T _{STG})	-55°C ~ +125°C		
Supply Voltage (V _{DD})	3.3V ± 5%		
Input Current (I _{DD})	120 mA Max		
Output Voltage (VoL)	1.305V ~ 1.65V		
(V _{ОН})	2.055V ~ 2.405V		
Output Symmetry (50% V _{p-p} Level)	45% ~ 55%		
Rise Time (20% ~ 80% V _{p-p}) (TR)	400 pS Max		
Fall Time (80% ~ 20% V _{p-p}) (TF)	400 pS Max		
Output Load (Recommended Circuit below)	50 ohms into +1.3V		
Startup Time (T _S)	10 ms Max		
Output Enable / Disable Time ²	100 nS Max		
Phase Jitter (12kHz ~ 20MHz)	1.05 pS Typ.		
Maximum Soldering Temp / Time	260°C / 10 Seconds		
Moisture Sensitivity Level (MSL)	1		
Termination Finish	Au		

¹ Inclusive of 25°C tolerance, operating temperature range, input voltage change, load change, aging, shock, and vibration. ²An internal pullup resistor from pin 1 to pin 6 allow s active output if pin 1 is left open.

ENABLE/DISABLE FUNCTION ²			
Pin 1	OUTPUT (Pin 4, 5)		
OPEN ²	ACTIVE		
'1' Level VIH ≥ 70%V _{DD}	ACTIVE		
'0' Level VIL $\leq 30\%V_{DD}$	High Z		


NOTE A 0.01μ F bypass capacitor should be placed between V _{DD} (Pin6) and GND (Pin 3) to minimize power supply line noise.

RoHS Compliance Status: Compliant




Drawing is for reference to critical specifications defined by size measurements. Certain non-critical visual attributes, such as side castellations, reference pin shape, etc. may vary

Mechanical / Dimensions (millimeters):



Δ **Recommended Circuit**



NOTE: The above specifications, having been carefully prepared and checked, is believed to be accurate at the time of publication; however, no responsibility is assumed by Fox Electronics for inaccuracies.

Reference / Comments	Title / Description: Product Specifications		
	Drawing Number: DWG-4553	3-6 Rev: 1	Size: A
	Part Number: 774-212.5-17		Cage: 61429
	Draftsperson: AR App	oroved: BN	Date: 01/15/2008
	Page 1 of 1		