

Flammability



## MATERIAL SAFETY DATA SHEET GENERAL INFORMATION

PRODUCT NAME OR NUMBER (as it appears on label)	CATALOG NUMBER				
Aqua-Gel® II Utility Cable Pulling Lubricant	All "31" Series				
MANUFACTURER'S NAME	EMERGENCY TELEPHONE NO.				
IDEAL INDUSTRIES, INC.	(815) 895-5181				
ADDRESS (Number, Street, City, State, Zip Code)					
Becker Place, Sycamore, IL 60178					
HAZARDOUS MATERIAL DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLAS	S, HAZARD CLASS, HAZARD ID NO. (49 CFR 172.101)				
CHEMICAL DESCRIPTION	FORMULA				
Polymer-based Mixture	Proprietary				

SECTION I - INGREDIENTS

CAS REGISTRY NO.	%W	CHEMICAL NAME(S)*	Listed as a carcinogen in NTP, I ARC or OSHA 1910(z) (specify)
7732-18-5	<90	Water	No
9038-95-3	<10	Oxirane, Methyl-, Polymer With Oxirane, Monobutyl Ether	No
9003-11-6	<5	Polyoxypropylene-polyoxyethylene Block Copolymer	No
102-71-6, 7732- 18-5, 10246-68- 1, 22919-56-8, 64665-57-2, 693- 23-2	<1	Proprietary Mixture of Ethanol, 2,2',2" Nitrilotris; Water; Nonanoic acid; Triethanolamine salt, Caprylic acid; triethanolamine salt; 1H-Benzotriazole, 4-methyl-,sodium salt; Dodecanedioic acid	No
1310-58-3	<2	20% Potassium Hydroxide	No
52-51-7	<0.1	2-Bromo-2-Nitropropane 1,3 Diol	No
3844-45-9 7757-82-6 7647-14-5	<0.1	Blue Pigment	No

## SECTION II - PHYSICAL DATA

BOILING POINT	SPECIFIC GRAVITY (H <sub>2</sub> O=1)		PERCENT VOLATILE BY	VOLUME (%)			
212 °F 100°C	, ,	0.98		<90			
SOLUBILITY IN WATER	pH =		PERCENT SOLID BY				
Infinite	7.0 - 8	3.0	WEIGHT (%)	~10			
APPEARANCE AND ODOR			IS MATERIAL: LIQUID	SOLID ( GEL)			
Clear blue o	el. mild odor		GAS PASTE				
SECTION III - FIRE AND EXPLOSION HAZARD DATA							
FLASH POINT None method use	d C.O.C	FLAMMABLE LIMITS	LEL	UEL			
			None	None			
EXTINGUISHING MEDIA							
Use extinguishing media suitable for surrounding materials.							
SPECIAL FIRE FIGHTING PROCEDURES							
None							
UNUSUAL FIRE AND EXPLOSION HAZARDS							
None							

\* None of the chemical raw materials contained in this formulation are considered hazardous under the Federal Hazards Communication Standard 29 C. F. R 1910.1200

## SECTION IV - HEALTH HAZARD INFORMATION

EFFECTS OF OVE	REXPOSURE - Con	ditions to A		ected I	Inon prole	onged contact, may cause temporary eve	
discomfort.							
THRESHOLD LIMI	T VALUE		N	<b>_</b>			
PRIMARY ROUTE	S OF ENTRY Inhala	tion 🔲 S	Skin Contact 🛛 Other (specify)	L.			
EMERGENCY FIR	ST AID PROCEDURI						
SKIN CONTACT: EYE CONTACT:		Wa	sh with soap and water.				
			Flush wit	h water			
INGESTION:	[	Do not in	duce vomiting. Consult phys				
			SECTION V - RE		ITY DAT	ΓΑ	
STABILITY	UNSTABLE	CC	CONDITIONS TO AVOID Avoid prolonged storage at temperatures exceeding 190 F.				
011212111	STABLE	X		gea sic	Jugo ut t		
INCOMPATIBILITY	INCOMPATIBILITY (materials to avoid)						
HAZARDOUS DEC	COMPOSTION PROE	OUCTS:	Avoid strona oxid	lizers ar	nd nitrites.	•	
			e unlikely event of combusti	on of dr	ied residu	e. oxides and nitrogen may be released.	
HAZARDOUS	MAY OCCUF	8	CONDITIONS TO AVOID		N	None	
POLYMERIZATIO	N WILL NOT OCCU	JR X					
			SECTION VI - SPILL AN			EDURES	
STEPS TO BE TAK	KEN IF MATERIAL IS	RELEASE	ED OR SPILLED				
dangarayah	( olippon (		Wipe up. shovel or vacuum	spilled	material.	Clean up spills immediately as they can be	
dangerously WASTE DISPOSAI	L METHOD						
		Com	plv with Federal. state and lo	ocal req	ulations fo	or solid landfill.	
CERCLA (Superfur	nd) REPORTABLE Q		(in lhs)				
	,		N/.	Ά			
RCRA HAZARDOL	JS WASTE NO. (40C	FR 261.33	) N/	Ά			
VOLATILE ORGAN	NIC COMPOUND (VC	DC) (as pac	ckaged, minus water)				
<sup>3</sup> Theoretical	_lb/gal N/A		1.7 am	3 Analytic	al Ib/	/gal N/A	
		SEC	TION VII - PERSONAL P	,		•	
RESPIRATORY PR	ROTECTION (specify			NOTE			
			None normal			None	
VENTILATION MECHANICAL (General) (Specify Rate)				SPECIAL			
	,		nded in closed areas.		OTHER	None	
	OVES (specify type) eded -Neoprene if neo	cessary	EYE PROTECTION (specify type) None normally rea		Safely gla	asses or splash goggles recommended.	
OTHER PROTECT	IVE EQUIPMENT		1				
		Eve	fountain in work area is rec SECTION VIII - SPE				
PRECAUTIONS TO	O BE TAKEN IN HAN	DLING AN			RECAU		
		-		atures b	etween 40	0 - 180 F. Avoid freezina.	
OTHER PRECAUT	IONS		Keep away from child	ren. infa	ants and p	pets.	
			SECTION IX - ADDITI				
						ould result in the formation of nitrosamines	
			This condition is unlikely to		r		
N/A = Not Ap	plicable, N.E. =			ATA 01			
	<b>-</b> • • • •		S MATERIAL SAFETY D			(EPARED BY:	
	ames R. MacM			SIGNA	ATURE		
	<u> </u>	on Mark	et Development	1		A P m h,	
date 01	DATE 01/11/2011 Games R. Machurdo			James R. MacMurdo			
						V	