

Page 1/9


Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 6

Revision: 28.09.2010





Page 2/9

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 6

Revision: 28.09.2010

(Contd. of page 1)

Trade name: Cramolin Contaclean

· Classification system

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

3 Composition/information on ingredients

- · Chemical characterization
- \cdot **Description:** Active substance with propellant.
- · components'

· components:		
CAS: 107-83-5 Isohe EINECS: 203-523-4	exan 🐹 Xn, 🐹 Xi, 👸 F, 😼 N; R 11-38-51/53-65-67	50-100%
CAS: 67-63-0 prop EINECS: 200-661-7	an-2-ol 🐹 Xi, 👌 F; R 11-36-67	25-<50%
· Regulation (EC) No 648/	2004 on detergents / Labelling for contents	
aliphatic hydrocarbons		≥ 30%
· Additional information F	or the wording of the listed risk phrases refer to section 16	

Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · General information Instantly remove any clothing soiled by the product.
- After inhalation
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

- · After skin contact
- Instantly wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing
- Do not induce vomiting; instantly call for medical help.

A person vomiting while lying on their back should be turned onto their side.

5 Fire fighting measures

- Suitable extinguishing agents
- CO2, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.
- For safety reasons unsuitable extinguishing agents
- Water.

Water with a full water jet.

(Contd. on page 3)

GB



Page 3/9

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 6

Revision: 28.09.2010

(Contd. of page 2)

Trade name: Cramolin Contaclean

- Special hazards caused by the material, its products of combustion or resulting gases: Formation of toxic gases is possible during heating or in case of fire. Store in a cool place. Heat will increase pressure and may lead to the container exploding.
- Store in a cool place. Heat will increase pressure and may lead to the container exploding. **Protective equipment:**
- Wear self-contained breathing apparatus.

Do not inhale explosion gases or combustion gases.

· Additional information Cool endangered containers with water spray jet.

6 Accidental release measures

- · Person-related safety precautions:
- Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation
- Keep away from ignition sources
- Avoid contact with the eyes and skin.
- Measures for environmental protection: Inform respective authorities in case product reaches water or sewage system. Do not allow to enter drainage system, surface or ground water.
 Measures for cleaning/collecting: Ensure advantation
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- Absorb liquid components with liquid-binding material.
- Dispose of the material collected according to regulations.
- Additional information: See Section 7 for information on safe handling

7 Handling and storage

· Handling

Information for safe handling:

Store in cool, dry place in tightly closed containers.

- Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires:

Do not spray on flames or red-hot objects.

Beware: Container is pressurized. Keep away from direct sun exposure and temperatures over 50°C. Do not open by force or throw into fire even after use.

- · Storage
- Requirements to be met by storerooms and containers: Store in cool location.
 Store only in the original container.
 Observe official regulations on storing packagings with pressurized containers.
 Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 4)

- GB



Page 4/9

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 6

Revision: 28.09.2010

Trade name: Cramolin Contaclean

• Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Store in a cool place. Heat will increase pressure and may lead to the container exploding.

8 Exposure controls and personal protection

Additional information about design of technical systems: No further data; see item 7.

• Additional information a	about design of technical systems: No further data; see item 7.
· Components with limit	values that require monitoring at the workplace:
107-83-5 Isohexan (50-1	00%)
TLV (European Union)	Long-term value: 700 mg/m ³ , 200 ppm
67-63-0 propan-2-ol (25-	-<50%)
WEL (Great Britain)	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm
8002-74-2 Paraffin waxe	es and Hydrocarbon waxes (2.5-<10%)
WEL (Great Britain)	Short-term value: 6 mg/m³ Long-term value: 2 mg/m³
124-38-9 carbon dioxide	÷ (2.5-<10%)
WEL (Great Britain)	Short-term value: 27400 mg/m³, 15000 ppm Long-term value: 9150 mg/m³, 5000 ppm
· · · · · · · · · · · · · · · · · · ·	Long-term value: 9000 mg/m³, 5000 ppm
 Additional information: 	The lists that were valid during the compilation were used as basis.

· Personal protective equipment

· General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals. Keep away from foodstuffs, beverages and feed.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

- Breathing equipment: Use breathing protection in case of insufficient ventilation.
- Protection of hands:

Gloves made of Nitril.

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has

(Contd. on page 5)





Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 6

Revision: 28.09.2010

(Contd. of page 4)

Page 5/9

Trade name: Cramolin Contaclean

therefore to be checked prior to the application.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Tightly sealed safety glasses.

9 Physical and chemical properties: · General Information Aerosol Form: Colour: Red Odour: Characteristic · Change in condition Melting point/Melting range: Not determined Boiling point/Boiling range: 57°C · Flash point: -26°C · Ignition temperature: 295°C · Self-inflammability: Product is not self igniting. • Danger of explosion: Product is not explosive. However, formation of explosive air/ steam mixtures is possible. · Critical values for explosion: Lower: 0.8 Vol % Upper: 12.0 Vol % · Vapour pressure at 20°C: 240 hPa · Density at 20°C 0.7 g/cm³ · Solubility in / Miscibility with Water: Not miscible or difficult to mix · Solvent content: Organic solvents: 84.3 % VOC (EC) 30.4 % · Solids content: 6.5 %

10 Stability and reactivity

• Thermal decomposition/ Conditions to be avoided: No decomposition if used and stored according to specifications.

(Contd. on page 6)

– GB



Page 6/9

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 6

Revision: 28.09.2010

(Contd. of page 5)

Trade name: Cramolin Contaclean

· Dangerous reactions Danger of bursting

· Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

• Acute toxicity:

· LD/LC50	values tha	t are relevant for classification:
107-83-5 I	sohexan	
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	>190 mg/l (rat)
67-63-0 pi	ropan-2-ol	
Oral	LD50	4570 mg/kg (rat)
Dermal	LD50	13400 mg/kg (kan)

Inhalative LC50/4 h 30 mg/l (rat)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritant effect.

• Sensitisation: No sensitising effect known.

• Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information:

- · Ecotoxical effects:
- · Remark: Toxic for fish
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Toxic for aquatic organisms (for not coated material, powder form)

Do not allow product to reach ground water, water bodies or sewage system.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 7)

GB



Page 7/9

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

· Recommendation

· Product:

system.

V - 6

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Revision: 28.09.2010

(Contd. of page 6)

Trade name: Cramolin Contaclean

13 Disposal considerations

Hand over to disposers of hazardous waste.

Disposal must be made according to official regulations.

Uncleaned packagings: Recommendation: Dispo	osal must be made according to official regulations.	
Transport information	on	
Land transport ADR/RID) (cross-border)	
2		
ADR/RID-GGVS/E Class Kemler Number:	: 2 5F Gases.	
UN-Number:	- 1950	
Packaging group:	-	
Label	2.1	
Designation of goods: Limited quantities (LQ)		
Transport category	2	
Tunnel restriction code	B1D	
Maritime transport IMDO	Э:	
2		
IMDG Class:	2.1	
UN Number: Label	1950 2.1	
Packaging group:	Z. I	
EMS Number:	F-D,S-U	



Page 8/9

Safety Data Sheet


according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 6

Revision: 28.09.2010

Trade name: Cramolin Contaclean



15 Regulatory information

Designation according to EC guidelines: The product has been classified and labelled in accordance with EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

· Code letter and hazard designation of product:



Xi Irritant

F+ Extremely flammable N Dangerous for the environment

· Risk phrases:

12 Extremely flammable.

36/38 Irritating to eyes and skin.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

- 3/7 Keep container tightly closed in a cool place.
- 9 Keep container in a well-ventilated place.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe fumes/aerosol.
- 24/25 Avoid contact with skin and eyes.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 33 Take precautionary measures against static discharges.
- 37 Wear suitable gloves.
- 51 Use only in well-ventilated areas.

(Contd. on page 9)

GB



Page 9/9

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 6

Revision: 28.09.2010

(Contd. of page 8)

Trade name: Cramolin Contaclean

57 Use appropriate container to avoid environmental contamination.

 Special designation of certain preparations: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.
 84.3 % by mass of the contents are flammable Keep out of the reach of children

· National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

Information is based on our current knowledge but does not establish a promise of product characteristics and does not substantiate any contractual legal relationship.

Relevant R-phrases

- 12 Extremely
- 36 Irritating to eyes.
- 38 Irritating to skin.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- 65 Harmful: may cause lung damage if swallowed.
- 67 Vapours may cause drowsiness and dizziness.
- · Contact:
- see page 1
- see page 1
- * Data compared to the previous version altered. .

GB