

Page 1/8

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2010

*

V - 5

Revision: 28.09.2010

1 Identification of substand	
I Identification of substand	
· Product details:	
· Trade name: <u>Duster-BR</u>	
 Article number: 147 Application of the substance I 	the preparation: Compressed air
Manufacturer/Supplier: ITW Chemische Produkte GmbH Mühlacker Str. 149 D-75417 Mühlacker Tel: +49 7041 96340 Fax: +49 7041 963429 E-Mail: info@itwcp.de Internet: www.itwcp.de	Н & Co. КG
· Informing department: Produc	t safety department
Emergency information: ITW Chemische Produkte GmbH Tel: +49 7041 96340 Mo - D	H & Co. KG Do 8:00 - 16:30 Fr 8:00 - 14:00
2 Hazards identification	
· Hazard designation:	
Hazard designation: F+ Extremely flammal	ble
F+ Extremely flammal F+ Extremely flammal Information pertaining to parti The marking is valid for all press The product has to be labelled o guideline for preparations of the Warning! Pressurized container.	cular dangers for man and environment surized container up to 50ml carrying capacity. lue to the calculation procedure of the "General Classification EU" in the latest valid version.
F+ Extremely flammal • Information pertaining to parti The marking is valid for all press The product has to be labelled of guideline for preparations of the Warning! Pressurized container. R 12 Extremely flammable. Pressurized container: protect fr Do not pierce or burn, even afte	cular dangers for man and environment surized container up to 50ml carrying capacity. lue to the calculation procedure of the "General Classification EU" in the latest valid version. om sunlight and do not expose to temperatures exceeding 50°C. r use.
F+ Extremely flammal • Information pertaining to parti The marking is valid for all press The product has to be labelled of guideline for preparations of the Warning! Pressurized container. R 12 Extremely flammable. Pressurized container: protect fr Do not pierce or burn, even afte Do not spray on a naked flame of	cular dangers for man and environment surized container up to 50ml carrying capacity. lue to the calculation procedure of the "General Classification EU" in the latest valid version. om sunlight and do not expose to temperatures exceeding 50°C.
F+ Extremely flammal • Information pertaining to parti The marking is valid for all press The product has to be labelled of guideline for preparations of the Warning! Pressurized container. R 12 Extremely flammable. Pressurized container: protect fr Do not pierce or burn, even after Do not spray on a naked flame of No smoking. Buildup of explosive mixtures po	Scular dangers for man and environment Burized container up to 50ml carrying capacity. Surized container up to 50ml carrying capacity. Sure to the calculation procedure of the "General Classification EU" in the latest valid version. Or sunlight and do not expose to temperatures exceeding 50°C. If use. For any incandescent material. Keep away from sources of ignition - Dessible without sufficient ventilation.
F+ Extremely flammal • Information pertaining to partial The marking is valid for all press The product has to be labelled of guideline for preparations of the Warning! Pressurized container. R 12 Extremely flammable. Pressurized container: protect fr Do not pierce or burn, even after Do not spray on a naked flame of No smoking. Buildup of explosive mixtures por Keep out of the reach of children	Scular dangers for man and environment Burized container up to 50ml carrying capacity. Surized container up to 50ml carrying capacity. Sure to the calculation procedure of the "General Classification EU" in the latest valid version. Or sunlight and do not expose to temperatures exceeding 50°C. If use. For any incandescent material. Keep away from sources of ignition - Dessible without sufficient ventilation.
F+ Extremely flammal • Information pertaining to partial The marking is valid for all press The product has to be labelled of guideline for preparations of the Warning! Pressurized container. R 12 Extremely flammable. Pressurized container: protect fr Do not pierce or burn, even afte Do not spray on a naked flame of No smoking. Buildup of explosive mixtures por Keep out of the reach of childrer • Classification system The classification is in line with of	Scular dangers for man and environment Burized container up to 50ml carrying capacity. Surized container up to 50ml carrying capacity. Sure to the calculation procedure of the "General Classification EU" in the latest valid version. Or sunlight and do not expose to temperatures exceeding 50°C. If use. For any incandescent material. Keep away from sources of ignition - Dessible without sufficient ventilation.



Page 2/8

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 5

Revision: 28.09.2010

(Contd. of page 1)

Trade name: Duster-BR

3 Composition/information on ingredients

- · Chemical characterization
- Description: Mixture consisting of the following components.

· components:

e e in p e n e n e n			
CAS: 74-98-6	propane liquefied	👌 F+; R 12	25-50%
EINECS: 200-827-9			
		👌 F+; R 12	25-50%
EINECS: 203-448-7			
 Additional informat 	ion For the wording of the listed risk phrases refer to s	ection 16.	

4 First aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact Call a doctor immediately.

5 Fire fighting measures

- · Suitable extinguishing agents
- Foam

Fire-extinguishing powder

- CO2
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · Special hazards caused by the material, its products of combustion or resulting gases: Formation of toxic gases is possible during heating or in case of fire. Store in a cool place. Heat will increase pressure and may lead to the container exploding.
- Protective equipment: Wear self-contained breathing apparatus.
- · Additional information Cool endangered containers with water spray jet.

6 Accidental release measures

- · Person-related safety precautions: Ensure adequate ventilation Keep away from ignition sources
- Avoid contact with the eyes and skin.

(Contd. on page 3)

GB



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 5

Revision: 28.09.2010

Page 3/8

Trade name: Duster-BR

	(Contd. of page 2)
 Measures for environmental protection: 	
Do not allow product to reach sewage system or water bodies.	
 Measures for cleaning/collecting: 	
Absorb liquid components with liquid-binding material.	
Ensure adequate ventilation.	
Additional information: See Section 7 for information on safe handling	
5	
7 Handling and storage	
· Handling	
· Information for safe handling:	
Store in cool, dry place in tightly closed containers.	
Keep away from heat and direct sunlight.	
Open and handle container with care.	
Ensure good ventilation/exhaustion at the workplace.	
Information about protection against explosions and fires:	
Do not spray on flames or red-hot objects.	
Beware: Container is pressurized. Keep away from direct sun exposure and tempera	atures over
50°C. Do not open by force or throw into fire even after use.	
Keep ignition sources away - Do not smoke.	
Protect against electrostatic charges.	
· Storage	
 Requirements to be met by storerooms and containers: 	
Store in cool location.	
Store only in the original container.	
Observe official regulations on storing packagings with pressurized containers.	
 Information about storage in one common storage facility: Store away from foo 	dstuffs.
Further information about storage conditions:	
Store in cool, dry conditions in well sealed containers.	
Store in a cool place. Heat will increase pressure and may lead to the container exp	loding.
Protect from heat and direct sunlight.	Ũ
-	
8 Exposure controls and personal protection	
· Additional information about design of technical systems: No further data; see	item 7.
· Components with limit values that require monitoring at the workplace:	
106-97-8 butane, pure (25-<50%)	
WEL (Great Britain) Short-term value: 1810 mg/m ³ , 750 ppm	
Long-term value: 1450 mg/m ³ , 600 ppm	
Carc (if more than 0.1% of buta-1.3-diene)	
• Additional information: The lists that were valid during the compilation were used	as basis
	(Contd. on page 4)



Page 4/8

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 5

Revision: 28.09.2010

Trade name: Duster-BR

	(Contd. of page 3
· Personal protective	equipment
· General protective a	nd hygienic measures
	stuffs, beverages and feed.
	reaks and at the end of the work.
Avoid contact with the	
Do not eat, drink or sr	
	t: Use breathing protection in case of insufficient ventilation.
Protection of hands:	
Protective gloves.	
The glove material ha preparation.	s to be impermeable and resistant to the product/ the substance/ the
	no recommendation to the glove material can be given for the product/ the ical mixture.
	material on consideration of the penetration times, rates of diffusion and the
Material of gloves	
of quality and varies fr substances, the resist	uitable gloves does not only depend on the material, but also on further mark rom manufacturer to manufacturer. As the product is a preparation of several rance of the glove material can not be calculated in advance and has
	ed prior to the application.
 Penetration time of g 	glove material
• Penetration time of g The exact break throu	
• Penetration time of g The exact break throu has to be observed.	glove material is in the manufacturer of the protective gloves and the protective gloves and
Penetration time of g The exact break throu has to be observed.	glove material
Penetration time of g The exact break throu has to be observed. Eye protection: Tight	glove material is to be found out by the manufacturer of the protective gloves and the sealed safety glasses.
Penetration time of g The exact break throu has to be observed. Eye protection: Tight Physical and che	glove material is to be found out by the manufacturer of the protective gloves and the sealed safety glasses.
• Penetration time of g The exact break throu has to be observed.	glove material is to be found out by the manufacturer of the protective gloves and the sealed safety glasses.
 Penetration time of g The exact break throu has to be observed. Eye protection: Tight Physical and che General Information 	glove material is to be found out by the manufacturer of the protective gloves and the sealed safety glasses.

Melting point/Melting range: Boiling point/Boiling range:	
· Flash point:	Not applicable
 Ignition temperature: 	> 400°C
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ steam mixtures is possible.

(Contd. on page 5)

GB



Page 5/8

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010 V - 5

Revision: 28.09.2010

Trade name: Duster-BR

		(Contd. of page 4
· Critical values for explosion	ו:	
Lower:	1.5 Vol %	
Upper:	8.5 Vol %	
· Vapour pressure at 20°C:	5.0 bar	
· Density at 20°C	0.55 g/cm ³	
· Solubility in / Miscibility wit	h	
Water:	Not miscible or difficult to mix	

10 Stability and reactivity

• Thermal decomposition/ Conditions to be avoided: Protect from heat and direct sunlight.

Dangerous reactions Danger of bursting

· Dangerous products of decomposition:

No dangerous products of decomposition if used and stored according to specifications.

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: no data available.
- · Primary irritant effect:
- on the eye: no data available.
- · Sensitisation: No sensitising effect known.
- · Additional toxicological information:

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

12 Ecological information:

· General notes: Generally not hazardous for water.

13 Disposal considerations

· Product:

- · Recommendation Disposal must be made according to official regulations.
- · European waste catalogue

16 05 04 gases in pressure containers (including halons) containing dangerous substances

(Contd. on page 6)

GB



Page 6/8

Safety Data Sheet according to 1907/2006/EC, Article 31

rade name: Duster-BR		
		(Contd. of page
· Uncleaned packagings		an Jatiana
· Recommendation: Disp	osal must be made according to official r	egulations.
4 Transport informati	on	
· Land transport ADR/RI		
*		
2		
· ADR/RID-GGVS/E Class	s: 2 5F Gases.	
· Kemler Number:	-	
 • UN-Number: • Packaging group: 	1950	
· Label	- 2.1	
· Designation of goods:	1950 AEROSOLS	
Limited quantities (LQ)		
Transport category Tunnel restriction code	2 B1D	
Maritime transport IMD	G:	
2		
· IMDG Class:	2.1	
· UN Number:	1950	
	2.1	
 Packaging group: EMS Number: 	- F-D,S-U	
· Marine pollutant:	No	
	: AEROSOLS (PROPANE, BUTANE)	
· Air transport ICAO-TI a	· · · · · · · · · · · · · · · · · · ·	
<u>^</u>		
· ICAO/IATA Class:	2.1	
· ICAO/IATA Class: · UN/ID Number: · Label	2.1 1950 2.1	



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 5

Revision: 28.09.2010

Trade name: Duster-BR

(Contd. of page 6)

Page 7/8

· Correct technical name: AEROSOLS, flammable (PROPANE, BUTANE)

15 Regulatory information

• Designation according to EC guidelines: The product has been classified and labelled in accordance with EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

· Code letter and hazard designation of product:



F+ Extremely flammable

• **Risk phrases:** 12 Extremely flammable.

- · Safety phrases:
- 23 Do not breathe aerosol.
- 51 Use only in well-ventilated areas.

56 Dispose of this material and its container to hazardous or special waste collection point.

· Special designation of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking.

Buildup of explosive mixtures possible without sufficient ventilation. Keep out of the reach of children

- · National regulations
- · Water hazard class: Generally not hazardous for water.

(Contd. on page 8)



Page 8/8

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.09.2010

V - 5

Revision: 28.09.2010

Trade name: Duster-BR

(Contd. of page 7)

16 Other information:

Information is based on our current knowledge but does not establish a promise of product characteristics and does not substantiate any contractual legal relationship.

· Relevant R-phrases

12 Extremely flammable.

Contact: ITW Chemische Produkte GmbH & Co. KG, D-75417 Mühlacker

 \cdot * Data compared to the previous version altered. .

GB