

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0638111000](#)
Status: **Active**
Description: Hand Crimper - DISTRIBUTION ONLY

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T0815
Comments	DISTRIBUTION ONLY
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
MolexKits	Yes
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool

Material Info

Reference - Drawing Numbers

Application Tooling Documents	TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN 638111000
Sales Drawing	



EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T0815Series

Application Tooling	FAQ
Description	Product #

1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm (30µ") Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	0002065101
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm (30µ") Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	0002065102
1.57mm (.062") Diameter,	0002065135

Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38 μ m (15 μ ") Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	1.57mm (.062")	0002065138
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76 μ m (30 μ ") Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	1.57mm (.062")	0002065139
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76 μ m (30 μ ") Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	1.57mm (.062")	0002066101
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76 μ m (30 μ ") Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged	1.57mm (.062")	0002066102
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76 μ m (30 μ ") Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged	1.57mm (.062")	0002066118
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel	1.57mm (.062")	0002066130
Diameter, Standard .062" Pin and Socket Crimp		

Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm (.062")	0002066135
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm (.062")	0002066138
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm (.062")	0002066139
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 2.36mm (.093")	0002091102
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm (.093")	0002091104
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag 2.36mm (.093")	0002092101
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm (.093")	0002096100
Diameter, Standard .093" Pin and Socket Crimp	

Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	0002061101
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	0002065108
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel	0002066143
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag	0002066119
2.36mm (.093") Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	0002095100
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38 μ m (15 μ) Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	0002065103
2.36mm (.093") Diameter, Standard .093" Pin	0002092103

and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	2.36mm (.093")	0002095106
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	1.57mm (.062")	0002065109
Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	1.57mm (.062")	0002065148
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	1.57mm (.062")	0002066100
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	1.57mm (.062")	0002066144
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag	1.57mm (.062")	0002065147
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel		

1.57mm (.062")	0002066103
Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	
2.36mm (.093")	0002095102
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	
2.36mm (.093")	0002095111
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	
2.36mm (.093")	0002096101
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	
2.36mm (.093")	0002096106
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	
2.36mm (.093")	0002096110
Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	
1.57mm (.062")	0002065100
Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38 μ m (15 μ "") Gold (Au) Plated	

Brass Contact, 18-24 AWG, Reel 1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm (15µ") Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	0002065130
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	0002061131
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	0002062101
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	0002062103
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	0002062131
1.57mm (.062") Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	0002062132

This document was generated on 10/21/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION