MATERIAL SAFETY DATA SHEET

ISSUE No. 14 ISSUE DATE 8th NOVEMBER 2010 PAGE 1 of 2



ATI Stellram GA Limited

Spring Road, Ibstock Leicestershire LE67 6LR UK Phone: +44 (0) 1530 261145

10

Fax:+44(0) 1530 262801

Email: garryson.enquiries@ATImetals.com

www.ATImetals.com

1. IDENTIFICATION OF PRODUCT – GARRYSON® PRODUCTS MOUNTED POINTS 2. COMPOSITION / INFORMATION ON INGREDIENTS Chemical Identity % By Weight CAS No. WEL (mg/m³) Aluminium Oxide 40 - 60 1344 - 28 - 1 (Total inhalable dust) 10 (Total respirable dust) 5

3. HEALTH HAZARDS DATA

ACUTE EXPOSURE: Dust may cause irritation and abrasion to eyes and may irritate respiratory system. CHRONIC EXPOSURE: Long term over exposure to dust may cause lung damage with symptoms of shortness of breath and diminished breathing capacity. Chronic effects may be irritated by smoking. Prolonged exposure to high noise levels may adversely affect hearing.

A greater risk is likely from materials being worked on, paints, coatings etc. Therefore an assessment of the substances being abraded by the product is essential, prior to use.

CARCINOGENICITY: None of the components are known to be carcinogenic.

40 - 60

4. FIRST AID

Vitrified Bond

INHALATION: Inhaling dust may irritate the respiratory system. If this occurs, remove person to fresh air. If irritation persists, seek medical assistance.

EYE CONTACT: Dust may irritate eyes. If this occurs, flush eyes out thoroughly with water. If irritation persists, seek medical assistance.

SKIN CONTACT: Dust may irritate skin. If this occurs, wash thoroughly with soap and water. If used incorrectly, products may abrade the skin. If this occurs, thoroughly clean wound and apply a sterile dressing.

INGESTION: If significant quantities of dust are ingested, seek medical assistance.

FIRE AND EXPLOSION

FLAMMABILITY: Not flammable EXTINGUISHING MEDIA: N/A

SPECIAL FIRE FIGHTING PROCEDURES: N/A HAZARDOUS COMBUSTION PRODUCTS: N/A

6. ACCIDENTAL RELEASE

No special measures required.

7. HANDLING AND STORAGE REQUIREMENTS

Avoid dropping or impact.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

VENTILATION: Use local exhaust ventilation as required to ensure exposure to dust levels does not exceed MEL or OES. If LEV is not available a suitable respirator or dust mask should be worn.

GLOVES: Heavy duty cloth or leather gloves recommended.

EYE PROTECTION; Safety goggles or full face shield should be worn.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Various shapes of shank mounted vitrified bond containing abrasive material..

BOILING POINT: N/A MELTING POINT: N/A SPECIFIC GRAVITY: N/A

VAPOUR PRESSURE: N/A VAPOUR DENSITY: N/A EVAPORATION RATE: N/A

SOLUBILITY IN WATER: Insoluble.

ISSUE No. 14 8th November 2010 PAGE 2 of **MOUNTED POINTS** STABILITY AND REACTIVITY DATA STABILITY: Stable REACTIVITY / INCOMPATABILITY: Avoid contact with strong acids or oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: None HAZARDOUS POLYMERISATION: Will not occur. 11. TOXICOLOGICAL DATA No toxicity data known for these products. **ECOLOGICAL DATA** No ecological data available for these products. 13. DISPOSAL Dispose of so as to comply with applicable local regulations. 14. TRANSPORTATION DATA These products are not regulated for transportation purposes. ENVIRONMENTAL ŘEGULATORY DATA 16. OTHER INFORMATION No known regulatory requirements.

The preceding information is believed to be correct and current as of the date of preparation of this Material Safety Data Sheet. Since the use of this information and the conditions of use of these products are not within the control of ATI Stellram GA Limited, it is the user's obligation to

assure safe working conditions.