



## SAFETY DATA SHEET ANTI-STATIC CLEANER - RANGE EXTENSION

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**PRODUCT NAME** ANTI-STATIC CLEANER - RANGE EXTENSION  
**PRODUCT NO.** XFCL087  
AXFCL087  
ASCK000  
ZA  
ALFC000  
**APPLICATION** Cleaning Product  
**SUPPLIER** AF INTERNATIONAL. A division  
of HK WENTWORTH LTD  
ASHBY PARK  
COALFIELD WAY  
ASHBY de la ZOUCH  
LEICESTERSHIRE. LE65 1JF  
UNITED KINGDOM  
+44 (0) 1530 419600  
+44 (0) 1530 416640  
info@hkw.co.uk  
**EMERGENCY TELEPHONE** +44 (0) 01536 402888 (8am - 8pm)

### 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

**CLASSIFICATION (1999/45)** Not classified.

#### PHYSICAL AND CHEMICAL HAZARDS

Aerosol containers can explode when heated, due to excessive pressure build-up. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content %	Classification (67/548/EEC)
PROPAN-2-OL	200-661-7	67-63-0	1-5%	F;R11 Xi;R36 R67
2-BUTOXYETHANOL	203-905-0	111-76-2	1-5%	Xn;R20/21/22 Xi;R36/38
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED	265-149-8	64742-47-8	1-5%	Xn;R65
ALKYLBENZENE SUPHLONIC ACID SODIUM SALT	285-600-2	85117-50-6	1-5%	Xn;R22. Xi;R38,R41.

The Full Text for all R-Phrases is Displayed in Section 16

#### COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels

### 4 FIRST-AID MEASURES

#### NOTES TO THE PHYSICIAN

Treat symptomatically

#### INHALATION

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

#### INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly.

## ANTI-STATIC CLEANER - RANGE EXTENSION

### SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

## 5 FIRE-FIGHTING MEASURES

### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### SPECIAL FIRE FIGHTING PROCEDURES

Move container from fire area if it can be done without risk.

### UNUSUAL FIRE & EXPLOSION HAZARDS

Aerosol cans may explode in a fire.

## 6 ACCIDENTAL RELEASE MEASURES

### SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

### STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
2-BUTOXYETHANOL	WEL	25 ppm(Sk)	123 mg/m <sup>3</sup>	50 ppm(Sk)		
PROPAN-2-OL	WEL	400 ppm	999 mg/m <sup>3</sup>	500 ppm	1250 mg/m <sup>3</sup>	

WEL = Workplace Exposure Limit.

### ENGINEERING MEASURES

No particular ventilation requirements.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

### HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. **DO NOT SMOKE IN WORK AREA!**

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Aerosol Liquid
COLOUR	Colourless
ODOUR	Characteristic
VOLATILITY DESCRIPTION	Volatile.
SOLUBILITY	Insoluble in water
BOILING POINT (°C)	-26.5 (-15.7 F)
RELATIVE DENSITY	1.176 (liquid) @ 20 °C (68 F)
VAPOUR PRESSURE	62.8 kPa @ 20 °C (68 F)
AUTO IGNITION TEMPERATURE (°C)	> 750 (1382 F)

## 10 STABILITY AND REACTIVITY

### CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition. Avoid contact with acids and alkalis.

## ANTI-STATIC CLEANER - RANGE EXTENSION

### HAZARDOUS DECOMPOSITION PRODUCTS

Fire or high temperatures create: Carbon monoxide (CO). Hydrogen fluoride (HF). Carbonyl fluoride

### 11 TOXICOLOGICAL INFORMATION

#### GENERAL INFORMATION

No specific health warnings noted.

#### INHALATION

High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

#### SKIN CONTACT

No specific health warnings noted.

#### EYE CONTACT

May cause temporary eye irritation.

#### OTHER HEALTH EFFECTS

This substance has no evidence of carcinogenic properties.

Name	BUTANE
Toxic Conc. - LC 50	658 mg/l/4h (inh-rat)
Name	PROPAN-2-OL
Name	2-BUTOXYETHANOL
Toxic Dose 1 - LD 50	1480 mg/kg (oral rat)
Name	DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED

### 12 ECOLOGICAL INFORMATION

#### ECOTOXICITY

Not regarded as dangerous for the environment.

Name	PROPAN-2-OL
	2-BUTOXYETHANOL
LC 50, 96 Hrs, Fish mg/l	1700
EC 50, 48 Hrs, Daphnia, mg/l	>1000
IC 50, 72 Hrs, Algae, mg/l	500
Name	DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED
LC 50, 96 Hrs, Fish mg/l	>1000
EC 50, 48 Hrs, Daphnia, mg/l	>250
IC 50, 72 Hrs, Algae, mg/l	20

### 13 DISPOSAL CONSIDERATIONS

#### DISPOSAL METHODS

Empty containers must not be burned because of explosion hazard. Dispose of waste and residues in accordance with local authority requirements.

### 14 TRANSPORT INFORMATION



PROPER SHIPPING NAME	AEROSOLS
PROPER SHIPPING NAME	CONSUMER COMMODITY
UN NO. ROAD	1950
ADR CLASS NO.	2.2
ADR CLASS	Class 2: Gases
ADR PACK GROUP	#
ADR LABEL NO.	2.2
UN NO. SEA	1950
IMDG CLASS	2.2

### ANTI-STATIC CLEANER - RANGE EXTENSION

IMDG PACK GR. #  
EMS F-D, S-U  
UN NO. AIR 1950  
AIR CLASS 2.2  
AIR PACK GR. #

#### 15 REGULATORY INFORMATION

##### RISK PHRASES

NC Not classified.

##### SAFETY PHRASES

A1 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.  
A2 Do not spray on a naked flame or any incandescent material.  
S2 Keep out of the reach of children.  
S23 Do not breathe vapour/spray.  
S38 In case of insufficient ventilation, wear suitable respiratory equipment.  
P13 Safety data sheet available for professional user on request.

##### UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

##### ENVIRONMENTAL LISTING

Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste Regulations) Act 1980.

##### EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substance Directive 67/548/EEC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

##### APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

##### GUIDANCE NOTES

Workplace Exposure Limits EH40.

#### 16 OTHER INFORMATION

##### REVISION COMMENTS

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

##### ISSUED BY

Helen O'Reilly

REVISION DATE NOVEMBER 2009

REV. NO./REPL. SDS 1

GENERATED

SDS NO. 12280

## ANTI-STATIC CLEANER - RANGE EXTENSION

### RISK PHRASES IN FULL

R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R65	Harmful: may cause lung damage if swallowed.
R11	Highly flammable.
R36/38	Irritating to eyes and skin.
R36	Irritating to eyes.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R67	Vapours may cause drowsiness and dizziness.

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



## SAFETY DATA SHEET ULTRACLENE SACHETS

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**PRODUCT NAME** ULTRACLENE SACHETS  
**PRODUCT NO.** ULT  
AULT010  
AIPK000  
AMKK000  
ANCK000  
APCK000  
APCSK000  
APMK000  
AWCK000  
APNK000  
ASCK000  
ASRK000  
AXPCSK000  
ZA  
**APPLICATION** Cleaning Product  
**SUPPLIER** AF INTERNATIONAL. A division  
of HK WENTWORTH LTD  
ASHBY PARK  
COALFIELD WAY  
ASHBY de la ZOUCH  
LEICESTERSHIRE. LE65 1JF  
UNITED KINGDOM  
+44 (0) 1530 419600  
+44 (0) 1530 416640  
info@hkw.co.uk  
**EMERGENCY TELEPHONE** +44 (0) 01536 402888 (8am - 8pm)

### 2 HAZARDS IDENTIFICATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
**CLASSIFICATION (1999/45)** R52/53.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content %	Classification (67/548/EEC)
1-METHOXY-2-PROPANOL	203-539-1	107-98-2	1-5%	R10 R67
d-LIMONENE	227-813-5	5989-27-5	<0.5%	R10 R43 Xi;R38 N;R50/53

The Full Text for all R-Phrases is Displayed in Section 16

#### COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels

### 4 FIRST-AID MEASURES

#### NOTES TO THE PHYSICIAN

Treat symptomatically

## ULTRACLENE SACHETS

### INHALATION

Due to the small packaging the risk of inhalation is minimal.

### INGESTION

Due to the small packaging the risk of ingestion is minimal. Rinse mouth thoroughly. Get medical attention.

### SKIN CONTACT

Due to the small packaging the risk of skin contact is minimal. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

### EYE CONTACT

Due to the small packaging the risk of eye contact is minimal. Rinse with water. Contact physician if discomfort continues.

## 5 FIRE-FIGHTING MEASURES

### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

## 6 ACCIDENTAL RELEASE MEASURES

### SPILL CLEAN UP METHODS

Not relevant.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

No specific usage precautions noted.

### STORAGE PRECAUTIONS

Keep in original container.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
1-METHOXY-2-PROPANOL	WEL	100 ppm	375 mg/m <sup>3</sup>	150 ppm	560 mg/m <sup>3</sup>	Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

### ENGINEERING MEASURES

Not relevant.

### HAND PROTECTION

Hand protection not required.

### EYE PROTECTION

Not relevant.

### OTHER PROTECTION

Not relevant

### HYGIENE MEASURES

Not relevant

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Impregnated cloth, card or tissue
COLOUR	White
ODOUR	Characteristic
SOLUBILITY	Soluble in water.
BOILING POINT (°C)	100 (212 F)
MELTING POINT (°C)	0 (32 F)
RELATIVE DENSITY	0.880 - 0.890 @ 20 °C (68 F)

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions.

### CONDITIONS TO AVOID

Not relevant.

## ULTRACLENE SACHETS

### 11 TOXICOLOGICAL INFORMATION

**HEALTH WARNINGS** No specific health warnings noted. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

#### OTHER HEALTH EFFECTS

This substance has no evidence of carcinogenic properties.

<b>Name</b>	PROPAN-2-OL
<b>Name</b>	1-METHOXY-2-PROPANOL
<b>Toxic Dose 1 - LD 50</b>	5200 mg/kg (oral rat)
<b>Toxic Dose 2 - LD 50</b>	11700 mg/kg (oral-mouse)
<b>Name</b>	d-LIMONENE
<b>Toxic Dose 1 - LD 50</b>	>5000 mg/kg (oral rat)

### 12 ECOLOGICAL INFORMATION

#### ECOTOXICITY

Dangerous for the environment if discharged into watercourses.

#### WATER HAZARD CLASSIFICATION

WGK 1

<b>Name</b>	PROPAN-2-OL
	1-METHOXY-2-PROPANOL
<b>LC 50, 96 Hrs, Fish mg/l</b>	20800
<b>EC 50, 48 Hrs, Daphnia, mg/l</b>	23300
<b>Name</b>	d-LIMONENE
<b>EC 50, 48 Hrs, Daphnia, mg/l</b>	12.3
<b>Mobility</b>	
The product has poor water-solubility.	

### 13 DISPOSAL CONSIDERATIONS

#### DISPOSAL METHODS

No specific disposal method required.

### 14 TRANSPORT INFORMATION

	No transport warning sign required.
<b>ROAD TRANSPORT NOTES</b>	Not Classified
<b>RAIL TRANSPORT NOTES</b>	Not classified.
<b>SEA TRANSPORT NOTES</b>	Not classified.
<b>AIR TRANSPORT NOTES</b>	Not classified.
<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT</b>	No.
<b>ADR CLASS</b>	Not classified for transportation.

### 15 REGULATORY INFORMATION

#### RISK PHRASES

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### SAFETY PHRASES

P14 Contains d-LIMONENE. May produce an allergic reaction.

#### UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

#### EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC.



## ULTRACLENE SACHETS

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

### APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

### GUIDANCE NOTES

Workplace Exposure Limits EH40.

## 16 OTHER INFORMATION

### REVISION COMMENTS

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

### ISSUED BY

Helen O'Reilly

REVISION DATE NOVEMBER 2009

REV. NO./REPL. SDS 4

GENERATED

SDS NO. 10426

### RISK PHRASES IN FULL

R10	Flammable.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R67	Vapours may cause drowsiness and dizziness.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



## SAFETY DATA SHEET SCREENCLENS PUMP SPRAY

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

<b>PRODUCT NAME</b>	SCREENCLENS PUMP SPRAY
<b>PRODUCT NO.</b>	SCR100 ASCR100 ASCK000 ZA
<b>APPLICATION</b>	Computer and accessory cleaning product
<b>SUPPLIER</b>	AF INTERNATIONAL. A division of HK WENTWORTH LTD ASHBY PARK COALFIELD WAY ASHBY de la ZOUCH LEICESTERSHIRE. LE65 1JF UNITED KINGDOM +44 (0) 1530 419600 +44 (0) 1530 416640 info@hkw.co.uk
<b>EMERGENCY TELEPHONE</b>	+44 (0)1530 419600 between 8.30am - 5.00pm Mon – Fri

### 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

**CLASSIFICATION (1999/45)** Not classified.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels

### 4 FIRST-AID MEASURES

#### NOTES TO THE PHYSICIAN

Treat symptomatically

#### INHALATION

Move the exposed person to fresh air at once. Provide rest, warmth and fresh air.

#### INGESTION

Rinse mouth thoroughly. Get medical attention.

#### SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

#### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 6 ACCIDENTAL RELEASE MEASURES

#### SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

## SCREENCLENS PUMP SPRAY

### 7 HANDLING AND STORAGE

#### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

#### STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### ENGINEERING MEASURES

No particular ventilation requirements.

#### HAND PROTECTION

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

#### EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

#### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

#### HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. When using do not eat, drink or smoke.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid
COLOUR	Colourless
ODOUR	Characteristic
BOILING POINT (°C)	>100 (212 F)
RELATIVE DENSITY	0.995 @ 20 °c (68 F)
VAPOUR PRESSURE	2.35 kPa
pH-VALUE, CONC. SOLUTION	5-7
FLASH POINT (°C)	>55 (131 F) CC (Closed cup).

### 10 STABILITY AND REACTIVITY

#### STABILITY

Stable under normal temperature conditions.

#### CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

### 11 TOXICOLOGICAL INFORMATION

#### TOXICOLOGICAL INFORMATION

No data recorded.

#### GENERAL INFORMATION

No specific health warnings noted.

#### INHALATION

No specific health warnings noted.

#### INGESTION

No specific health warnings noted.

#### SKIN CONTACT

No specific health warnings noted.

#### EYE CONTACT

No specific health warnings noted.

#### HEALTH WARNINGS

No specific health warnings noted. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

#### OTHER HEALTH EFFECTS

This substance has no evidence of carcinogenic properties.

### SCREENCLENS PUMP SPRAY

Name	1-METHOXY-2-PROPANOL
Toxic Dose 1 - LD 50	5200 mg/kg (oral rat)
Toxic Dose 2 - LD 50	11700 mg/kg (oral-mouse)

#### 12 ECOLOGICAL INFORMATION

##### ECOTOXICITY

Not regarded as dangerous for the environment.

##### WATER HAZARD CLASSIFICATION

WGK 1

Name	1-METHOXY-2-PROPANOL
LC 50, 96 Hrs, Fish mg/l	20800
EC 50, 48 Hrs, Daphnia, mg/l	23300

#### 13 DISPOSAL CONSIDERATIONS

##### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

#### 14 TRANSPORT INFORMATION

	No transport warning sign required.
ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not classified.
SEA TRANSPORT NOTES	Not classified.
AIR TRANSPORT NOTES	Not classified.
ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT	No.
ADR CLASS	Not classified for transportation.

#### 15 REGULATORY INFORMATION

##### RISK PHRASES

NC Not classified.

##### SAFETY PHRASES

NC Not classified.

##### UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

##### EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC.

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

##### APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

##### GUIDANCE NOTES

Workplace Exposure Limits EH40.

## SCREENCLENS PUMP SPRAY

### 16 OTHER INFORMATION

#### REVISION COMMENTS

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

#### ISSUED BY

Helen O'Reilly

#### REVISION DATE

SEPTEMBER 2009

#### REV. NO./REPL. SDS

4

#### GENERATED

#### SDS NO.

10655

#### RISK PHRASES IN FULL

#### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.