

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 24.01.2012

Superseded date: 12.08.2009

DOW CORNING(R) SC 102 COMPOUND

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1 Product name : DOW CORNING(R) SC 102 COMPOUND

1.2 Identified uses : Coatings

Uses advised against : None known.

1.3 Company : Dow Corning Europe S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe

Belgium

E-mail address (Safety

Data Sheet)

sdseu@dowcorning.com

Customer Service : English Tel: +49 611237507

 Deutsch
 Tel: +49 611237500

 Français
 Tel: +32 64511149

 Italiano
 Tel: +32 64511170

 Español
 Tel: +32 64511163

Fax: +32 64888683

1.4 Emergency Phone

Number

Dow Corning (Barry U.K. 24h)

Dow Corning (Wiesbaden 24h)

Dow Corning (Seneffe 24h)

Tel: +44 1446732350

Tel: +49 61122158

Tel: +32 64 888240

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to EU Directives 67/548/EEC or 1999/45/EC:

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling according to EEC Directive

Symbols : N Dangerous for the environment.

R-phrases: R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

S-phrases : S23(F) Do not breathe fumes.

S29 Do not empty into drains.

S51 Use only in well-ventilated areas.

S57 Use appropriate container to avoid environmental contamination. S60 This material and its container must be disposed of as hazardous waste.

S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 24.01.2012

Superseded date: 12.08.2009

DOW CORNING(R) SC 102 COMPOUND

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Silicone compound

According to EU Directives 67/548/EEC or 1999/45/EC:

Classification Name CAS-No. EINECS/ REACH Conc.

> **ELINCS** Registration (% w/w)

No.

Number

Zinc oxide 1314-13-2 215-222-5 75.0 N R50/53

According to Regulation (EC) No. 1272/2008:

Classification Name CAS-No. EINECS/ REACH Conc.

> **ELINCS** Registration (% w/w)Number

No.

Zinc oxide 1314-13-2 215-222-5 75.0

> Acute aquatic hazard: Category 1 - H400 Chronic aquatic hazard: Category 1 - H410

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

CLP classifications are based on all current available data including from known international organizations. These classifications are subject to revision as more information becomes available.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures:

On contact with eyes No first aid should be needed.

On skin contact No first aid should be needed.

If inhaled Remove to fresh air.

On ingestion No first aid should be needed.

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing

media

On large fires use dry chemical, foam or water spray (fog). On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed

containers.

Unsuitable extinguishing

media

None known.

5.2 Hazards during fire

fighting

None known.



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 24.01.2012

Superseded date: 12.08.2009

DOW CORNING(R) SC 102 COMPOUND

Hazardous Combustion Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

5.3 Special protective equipment/procedures

A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear proper protective equipment.

6.2 Environmental precautions

Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or

other appropriate barriers.

6.3 Methods and materials for : containment and cleaning

Scrape up and place in a container fitted with a lid. The spilled product produces an extremely slippery surface.

up

7. HANDLING AND STORAGE

7.1 Advice on safe handling : General ventilation is recommended. Local ventilation is recommended. Avoid eye

contact. Do not empty into drains.

7.2 Advice on storage : Do not store with oxidizing agents.

Storage temperature: minimum 0 °C, maximum 32 °C

7.3 Specific uses : Refer to technical data sheet available on request.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Name CAS-No. Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Engineering Controls : Ventilation : Refer to Section 7.1



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 24.01.2012

Superseded date: 12.08.2009

DOW CORNING(R) SC 102 COMPOUND

Personal protection equipment

Respiratory protection : Suitable respiratory protection should be worn if the product is used in large quantities,

confined spaces or in other circumstances where the OEL may be approached or

exceeded.

Depending on the working conditions, wear a respiratory mask with filter(s) B or use a

self-contained respirator.

The choice of a filter type depends on the amount and type of chemical being handled in

the workplace. Regarding filter characteristics, contact your respiratory protection

supplier.

Hand protection : Gloves are not normally required.

Eye/face protection : Safety glasses should be worn.

Skin protection : Protective equipment is not normally necessary.

Hygiene measures : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking.

Additional information: These precautions are for room temperature handling. Use at elevated temperature or

aerosol/spray applications may require added precautions.

Environmental exposure

controls

Refer to section 6 and 12.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Paste

Colour : White

Odour : None

Flash point : > 100 °C (Seta Closed Cup)

Explosive properties : No

Specific Gravity : 2.34

Oxidizing properties : No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

10.1 Reactivity : None known.

10.2 Stability : Stable under normal usage conditions.

10.3 Possibility of hazardous :

reactions

None known.

4 of 8



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 24.01.2012

Superseded date: 12.08.2009

DOW CORNING(R) SC 102 COMPOUND

10.4 Conditions to avoid : None established.

10.5 Materials to avoid : Can react with strong oxidising agents.

10.6 Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely

burned carbon compounds. Formaldehyde.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

On contact with eyes : May cause temporary discomfort.

On skin contact : No adverse effects are normally expected.

If inhaled : No adverse effects are normally expected.

On ingestion : No adverse effects are normally expected.

Chronic toxicity:

On skin contact : No adverse effects are normally expected.

If inhaled : No adverse effects are normally expected.

On ingestion : No adverse effects are normally expected.

Toxicokinetics, metabolism

and distribution

No specific information is available.

Other Health Hazard

Information

This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the

current physical form of the product, which is not in a respirable form.

Product may emit formaldehyde vapour at temperatures above 150°C in the presence of air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to

eyes and the respiratory system. Exposure limits should be strictly respected.

Based on product test data.

2 Based on test data from similar products.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity effects

Very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. However, due to the physical form and water-insolubility of the product the bioavailability is negligible.

12.2 Persistence and degradability



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 24.01.2012

Superseded date: 12.08.2009

DOW CORNING(R) SC 102 COMPOUND

Solid material, insoluble in water.

12.3 Bioaccumulation

No bioaccumulation potential.

12.4 Release to waters / Mobility in soil

Fate and effects in waste water treatment plants:

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

Product and packaging

disposal

This material must be disposed of as hazardous waste. Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)

UN No. : UN 3077

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Zinc Oxide)

Class

Packing group : III

Labels

Sea transport (IMDG)

: UN 3077 UN No.

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Zinc Oxide)

Class

: III Packing group

Emergency Schedule : F-A

S-F (EmS)

Marine pollutant : Zinc Oxide



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 24.01.2012

Superseded date: 12.08.2009

DOW CORNING(R) SC 102 COMPOUND

Labels : miscellaneous

Air transport (IATA)

UN No. : UN 3077

Proper Shipping Name : Environmentally hazardous substance, solid, n.o.s.(Zinc Oxide)

Class : 9

Packing group : III

Labels : Miscellaneous dangerous goods

Apply Gross Wt Supplemental Label to Outer Package if shipping Limited Quantity

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Status

EINECS : All ingredients listed or exempt.

TSCA : All chemical substances in this material are included on or exempted from listing on the

TSCA Inventory of Chemical Substances.



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 24.01.2012 Superseded date: 12.08.2009

DOW CORNING(R) SC 102 COMPOUND

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

Source of information: Internal data and publically available information

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.,

H400 Very toxic to aquatic life., **H410** Very toxic to aquatic life with long lasting effects.