

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

1 of 3

Permabond A1042

Revision

Revision date 08-04-2010

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Permabond A1042

Company Permabond Engineering Adhesives Ltd

Wessex Business Park

Wessex Way Colden Common Hampshire

SO21 1WP United Kingdom

Telephone +44 (0)1962 711661

Fax +44 (0)1962 711662

Intended use Adhesives and/or sealants.

2. HAZARDS IDENTIFICATION

Main hazards Irritating to respiratory system.

Skin contact Prolonged or repeated exposure may cause irritation to skin and mucous membranes.

Eye contact Contact with eyes causes redness and discomfort which is transient.

Ingestion Unlikely to be hazardous if swallowed. No hazard in normal industrial use.

Personal precautions No precautions required to be mentioned.

Environmental precautions No environmental requirements.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
N,N-Dimethyl-p-toluidine	0.1-1%	99-97-8	202-805-4	T; R23/24/25 R33 R52/53
a,a-dimethylbenzyl hydroperoxide	1-3%	80-15-9	201-254-7	T;N;R21/22-23-34-48/20/22-51/53

4. FIRST AID MEASURES

Skin contact Wash with soap and water. If symptoms develop, obtain medical attention.

Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Get

medical attention if irritation persists.

Inhalation Move the exposed person to fresh air. If symptoms develop, obtain medical attention. Treat symptomatically and supportively. If symptoms develop, obtain medical attention. Ingestion

5. FIRE FIGHTING MEASURES

Extinguishing media Carbon dioxide (CO2), dry chemical.

Fire hazards Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon

dioxide, and unknown hydrocarbons.

Protective equipment Wear: Self-contained breathing apparatus.

Permabond A1042

Revision 9
Revision date 08-04-2010

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Surfaces contaminated with the product will become slippery.

Environmental precautions No environmental requirements.

Clean up methods Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled

containers for disposal.

7. HANDLING AND STORAGE

Handling Always replace cap after use. Never return unused material to storage receptacle.

Storage Keep in a cool, dry, well ventilated area. Avoid the absence of air, and metal

contamination.

Suitable packaging Do not repack.

Specific use This product is not recommended for use in joints which will be in contact with either

pure oxygen or steam.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection Not normally required.

Hand protection Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves

should not be worn. Gloves should conform to EN 374.

Eye protection Safety glasses, goggles or face shield to protect against splashing. Personal eye

protection should conform to EN 166

Protective equipment Uniforms, coveralls, or a lab coat should be worn. Wash hands before eating, drinking,

or using toilet facilities.

9. PHYSICAL AND CHEMICAL PROPERTIES

DescriptionLiquid.ColourBlue.OdourAcrylic.Flash point>100°CVapour pressure<5mm Hg</th>

Relative density 1.08

Water solubility Insoluble in water.

Viscosity ~8000 mPa.s

10. STABILITY AND REACTIVITY

Stability Stable.

Conditions to avoid Avoid the absence of air, and metal contamination.

Materials to avoid Metals and their salts, Reducing agents, Oxidizers, Free radical initiators.

Hazardous decomposition Thermal decomposition could produce carbon monoxide, carbon dioxide, and

products unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

Corrosivity Irritating to eyes.

Mutagenic effects None known .

Carcinogenic effects None known .

Further information The toxicological properties of this product have not been fully evaluated. Use of good

industrial hygiene practices is required. Avoid direct contact with skin or eyes. Do not

ingest or inhale.

Permabond A1042

Revision 9
Revision date 08-04-2010

12. ECOLOGICAL INFORMATION

Ecotoxicity No data is available on this product.

13. DISPOSAL CONSIDERATIONS

General information Waste disposal should be in accordance with existing Community, National and local

regulations.

Disposal of packagingEmpty containers may contain product residue; follow SDS and label warnings even

after they have been emptied.

14. TRANSPORT INFORMATION

Further information The product is not classifed as dangerous for carriage.

15. REGULATORY INFORMATION

Symbols Xi - Irritant



Risk phrases R37 - Irritating to respiratory system.

Safety phrases S24/25 - Avoid contact with skin and eyes.

16. OTHER INFORMATION

Text of risk phrases in

R21/22 - Harmful in contact with skin and if swallowed.

Section 3

R23 - Toxic by inhalation.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R33 - Danger of cumulative effects.

R34 - Causes burns.

R48/20/22 - Harmful: danger of serious damage to health by prolonged exposure

through inhalation and if swallowed.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Further information Directives 1272/2008/EC, 1999/45/EC and 91/155/EEC have been considered when

compiling this SDS. The information is provided for health and safety assessment by an industrial user. Reference should be made to any relevant local or national health, safety, and environmental legislation. This information does not constitute indication of

suitability for specific uses.

Revision This document differs from the previous version in the following areas:

16 - [].