

# Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 8

sds no.: 209260 V001.4

Revision: 31.08.2011

printing date: 06.03.2012

Loctite Super Glue Liquid

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### Product identifier:

Loctite Super Glue Liquid

#### Relevant identified uses of the substance or mixture and uses advised against:

Intended use: Super glue

## Details of the supplier of the safety data sheet:

Henkel Limited Technologies House Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (0)1442 278000 +44 (0)1442 278071 Fax-no.:

ua-productsafety.uk@uk.henkel.com

#### **Emergency Telephone Number:**

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture:

### Classification (DPD):

Xi - Irritant

R36/37/38 Irritating to eyes, respiratory system and skin.

MSDS-No.: 209260 Loctite Super Glue Liquid

V001.4

### Label elements (DPD):

#### Xi - Irritant



#### Risk phrases:

R36/37/38 Irritating to eyes, respiratory system and skin.

#### Safety phrases:

S2 Keep out of the reach of children.

S23 Do not breathe vapour.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### Additional labeling

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

#### Other hazards:

Sticks skin and eyelids together in seconds.

## **SECTION 3: Composition/information on ingredients**

#### General chemical description:

Cyanoacrylate Adhesive

### Base substances of preparation:

Cyanoacrylate

### Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components	EC Number	content	Classification
CAS-No.	REACH-Reg No.		
Ethyl 2-cyanoacrylate	230-391-5	> 80- < 100 %	Skin irritation 2
7085-85-0	01-2119527766-29		H315
			Specific target organ toxicity - single
			exposure 3
			H335
			Serious eye irritation 2
			H319

Only dangerous ingredients for which a CLP classification is already available are displayed in this table. For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

### Declaration of ingredients according to DPD (EC) No 1999/45:

Hazardous components	EC Number	content	Classification
CAS-No.	REACH-Reg No.		
Ethyl 2-cyanoacrylate	230-391-5	> 80 - < 100 %	Xi - Irritant; R36/37/38
7085-85-0	01-2119527766-29		

For full text of the R-Phrases indicated by codes see section 16 'Other Information'. Substances without classification may have community workplace exposure limits available.

V001.4

### **SECTION 4: First aid measures**

#### Description of first aid measures:

#### General information:

In case of adverse health effects seek medical advice.

#### Inhalation:

MSDS-No.: 209260

Move to fresh air, consult doctor if complaint persists.

#### Skin contact:

Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water.

Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate enough heat to cause a burn.

Burns should be treated normally after the adhesive has been removed from the skin.

If lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth.

Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

#### Eye contact:

If the eye is bonded closed, release eyelashes with warm water by covering with wet pad.

Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive.

Keep eye covered until debonding is complete, usually within 1-3 days.

Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage.

#### Ingestion:

Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).

#### Most important symptoms and effects, both acute and delayed:

EYE: Irritation, conjunctivitis.

SKIN: Redness, inflammation.

RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

# 

See section: Description of first aid measures

# **SECTION 5:** Firefighting measures

### **Extinguishing media:**

#### Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

## Extinguishing media which must not be used for safety reasons:

High pressure waterjet

#### Special hazards arising from the substance or mixture:

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

#### Advice for firefighters:

Wear protective equipment.

Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

V001.4

#### **Environmental precautions:**

Do not let product enter drains.

#### Methods and material for containment and cleaning up:

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Chapter 13.

#### Reference to other sections:

See advice in chapter 8

### **SECTION 7: Handling and storage**

#### Precautions for safe handling:

Open and handle container with care.

Avoid skin and eye contact.

Ensure that workrooms are adequately ventilated.

#### Hygiene measures:

Avoid skin and eye contact.

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

#### Conditions for safe storage, including any incompatibilities:

Ensure good ventilation/extraction.

For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C (35.6 - 46.4 °F)

Store in a cool place, max. storage temperature 30°C.

Store in a dry place.

Keep container tightly sealed and store in a frost free place.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

### Specific end use(s):

Super glue

### **SECTION 8: Exposure controls/personal protection**

### **Control parameters:**

Valid for

Great Britain

Ingredient	ppm	mg/m <sup>3</sup>	Type	Category	Remarks
ETHYL CYANOACRYLATE	0,3	1,5	Short Term Exposure		EH40 WEL
7085-85-0			Limit (STEL):		

### **Exposure controls:**

### Respiratory protection:

When processing large amounts.

Suitable breathing mask when there is inadequate ventilation.

#### Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0,1 mm, Perforation time < 30s). Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

#### Eye protection:

Goggles which can be tightly sealed.

### Skin protection:

Suitable protective clothing

MSDS-No.: 209260 Loctite Super Glue Liquid

V001.4

Page 5 of 8

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties:

Appearance liquid colourless
Odor irritating

pH No data available / Not applicable Initial boiling point > 100 °C  $(> 100\ 100$  °C) Flash point 80 - 93.4 °C (176 - 200.12 °F) Decomposition temperature No data available / Not applicable

Vapour pressure < 0,5 mbar

(25 °C (77 °F))

Density 1,05 g/cm3

Bulk density

No data available / Not applicable
Viscosity

No data available / Not applicable
Viscosity (kinematic)

No data available / Not applicable
Explosive properties

No data available / Not applicable
Solubility (qualitative)

Polymerises in presence of water.

(Solvent: Water)

Solidification temperature No data available / Not applicable Melting point No data available / Not applicable No data available / Not applicable Flammability Auto-ignition temperature No data available / Not applicable Explosive limits No data available / Not applicable Partition coefficient: n-octanol/water No data available / Not applicable No data available / Not applicable Evaporation rate Vapor density No data available / Not applicable Oxidising properties No data available / Not applicable

#### Other information:

No data available / Not applicable

### **SECTION 10: Stability and reactivity**

#### Reactivity:

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

### **Chemical stability:**

Stable under recommended storage conditions.

### Possibility of hazardous reactions:

See section reactivity

### Conditions to avoid:

None if used for intended purpose.

#### **Incompatible materials:**

None if used properly.

## Hazardous decomposition products:

carbon oxides.

# **SECTION 11: Toxicological information**

#### General toxicological information:

The preparation is classified based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

#### Inhalative toxicity:

Irritating to respiratory system

V001.4

#### Skin irritation:

Primary skin irritation: irritating

### Eye irritation:

Primary eye irritation: irritating

### Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
Ethyl 2-cyanoacrylate	LD50	> 5.000 mg/kg	oral		rat	OECD Guideline 401 (Acute
7085-85-0	LD50	> 2.000 mg/kg	dermal		rabbit	Oral Toxicity)
						OECD Guideline 402 (Acute
						Dermal Toxicity)

#### Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Ethyl 2-cyanoacrylate	slightly irritating	24 h	rabbit	OECD Guideline 404 (Acute
7085-85-0				Dermal Irritation / Corrosion)

#### Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Ethyl 2-cyanoacrylate	not irritating	72 h	rabbit	OECD Guideline 405 (Acute
7085-85-0				Eye Irritation / Corrosion)

#### Germ cell mutagenicity:

Hazardous components	Result	Type of study /	Metabolic	Species	Method
CAS-No.		Route of	activation /		
		administration	Exposure time		
Ethyl 2-cyanoacrylate	negative	bacterial reverse			OECD Guideline 471
7085-85-0	negative	mutation assay (e.g	with and without		(Bacterial Reverse Mutation
	negative	Ames test)	with and without		Assay)
		mammalian cell			OECD Guideline 476 (In vitro
		gene mutation assay			Mammalian Cell Gene
		in vitro mammalian			Mutation Test)
		chromosome			OECD Guideline 473 (In vitro
		aberration test			Mammalian Chromosome
					Aberration Test)

## **SECTION 12: Ecological information**

### General ecological information:

The preparation is classified based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following. Do not empty into drains / surface water / ground water.

## Persistence and degradability:

Hazardous components	Result	Route of	Degradability	Method
CAS-No.		application		
Ethyl 2-cyanoacrylate		aerobic	57 %	OECD Guideline 301 D (Ready
7085-85-0				Biodegradability: Closed Bottle
				Test)

### Bioaccumulative potential / Mobility in soil:

Hazardous components CAS-No.	LogKow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
Ethyl 2-cyanoacrylate 7085-85-0	0,776	, ,			22 °C	EU Method A.8 (Partition Coefficient)

Loctite Super Glue Liquid

V001.4

MSDS-No.: 209260

## **SECTION 13: Disposal considerations**

Page 7 of 8

## Waste treatment methods:

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

# **SECTION 14: Transport information**

#### Road transport ADR:

Not dangerous goods

### Railroad transport RID:

Not dangerous goods

### Inland water transport ADN:

Not dangerous goods

## Marine transport IMDG:

Not dangerous goods

### Air transport IATA:

Class: 9

Packaging group:

Packaging instructions (passenger) Packaging instructions (cargo)

UN no.: 3334 Label: 9

Proper shipping name: Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

VOC content 2,00 %

(VOCV 814.018 VOC regulation

CH)

MSDS-No.: 209260 V001.4

## **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

R36/37/38 Irritating to eyes, respiratory system and skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.