

STRADA-T-DN-OSL LENSES FOR OSRAM OSLON/SX LEDs







- Specially designed for Osram Oslon series of LEDs.
- Wide BATWING design with very and uniform light distribution. Planned to be used mixied with Strada-T-DW lenses for optimal streetlight patterns.
- ASYMMETRICAL design with excellent usable efficiency and beam control.
- Efficiently and easily fulfilling different requirements for urban and road lighting when mixed with Strada-T-DW.
- Comes with integrated positioning pins.
- Lens material optical grade PMMA with high UV and temperature resistance (105°C/220°F). Allows use of high current and temperature conditions.
- Best available optical efficiency, approximately 92%.
- Fastening to heat sink with or without PU foam adhesive tape of automotive grade, please select which suits the best for your needs.
- We advise customer to ensure the suitability and sufficiency of the bond in the end product. For example, mechanical stress, vibration and holes on the surface of the circuit boar weaken the strength of the tape.
- Please check fastening details from this link: (http://www.ledil.com/datasheets/DataSheet_TAPE.pdf)

LENS TYPES

| NAME | ORDERING CODE | FWHM Angle |
|----------------------|------------------------------|--------------|
| Strada-T-DN-OSL | C11415_Strada-T-DN-OSL | approx. ±56° |
| Strada-T-DN-OSL-TAPE | CA11416_Strada-T-DN-OSL-tape | approx. ±56° |

| NAME | ORDERING CODE | FWHM Angle |
|----------------------|---------------------------------|------------------------|
| Strada-T-DN-OSL | C11415_Strada-T-DN-OSL-SX | To be measured shortly |
| Strada-T-DN-OSL-TAPE | CA11416_Strada-T-DN-OSL-SX-tape | To be measured shortly |

Eulumdat & IES files available by request.


© Ledil Oy - PRELIMINARY - Subject to change without prior notice

Ledil Oy Tehdaskatu 13 FIN-24100 SALO, Finland www.ledil.com email: ledil@ledil.com FAX: +358-2-733 8001

2011-03-08




MEASUREMENT DATA & DRAWING




© Ledil Oy - PRELIMINARY - Subject to change without prior notice

Ledil Oy Tehdaskatu 13 FIN-24100 SALO, Finland www.ledil.com email: ledil@ledil.com FAX: +358-2-733 8001








© Ledil Oy - PRELIMINARY - Subject to change without prior notice





© Ledil Oy - PRELIMINARY - Subject to change without prior notice

Ledil Oy Tehdaskatu 13 FIN-24100 SALO, Finland www.ledil.com email: ledil@ledil.com FAX: +358-2-733 8001

2011-03-08