




Features:

- Conform to EN 60309-1 and -2 standards
- Body, insert and cover made of insulating, thermoplastic, self-extinguishing material
- PE...PV (IP44) types, RAL 7035 grey colour body, spring cover with operating voltage colour, entry with cable gland
- Fixing captive screws
- IP44 degree of protection (EN 60529)

Specifications:

Series	: PE16_pv
Gender	: Receptacle
Current Rating	: 16A
Connector Mounting	: Cable
Contact Termination	: Screw
Connector Type	: Standard Power Entry
No. of Outlets	: 1

Poles	Frequency Hz	Voltage V
2P + ⊕	50 and 60	200 ÷ 250
3P + ⊕		380 ÷ 415
3P + N + ⊕		200/346 ÷ 240/415



PE...PV	A	B	Ømin	Ømax
16A 2P + ⊕	146	74.5	7	16
3P + ⊕		84.5		
3P + N + ⊕		92.5	8	

Dimensions: Millimetres

Part Number Table

Description	Part Number
Coupler, 110V, 2P+E	PE1643PVA
Coupler, 240V, 2P+E	PE1663PVA
Coupler, 415V, 3P+E	PE1664PVA
Coupler, 415V, 3Pole, N+E	PE1665PVA

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.