

# Jack MCX

## Bulkhead, Straight, Crmip




### Specifications:


Connector Type	: MCX Coaxial
Body Style	: Straight Bulkhead Jack
Coaxial Termination	: Crimp
Impedance	: 50Ω
Frequency Max	: 6GHz
Connector Mounting	: Cable
Coaxial Type	: RG174, RG188A, RG31
Contact Resistance	: 1mΩ
Insulation Resistance	: 1,000MΩ
No. of Mating Cycles	: 500
Operating Temperature Max	: 155°C
Withstand Voltage	: 1,000V
Working Voltage	: 335V
Bodies	: Brass per JIS-C3604
Centre Contact	: Beryllium copper per ASTM B196 UNS C17300
Insulation	: PTFE per ASTM D1457 and ASTM D1710
Crimp Ferrule	: Brass per JIS-C2700
Connector interface per CECC 22220	
Part to be clean and free of burrs.	

# Jack MCX

## Bulkhead, Straight, Crmip



Description	Material	Finish
Nut	Brass	Gold
Washer		
Body		Gold 3 $\mu$ " Min.
Insulation	PTFE	None
Chassis	Brass	Gold 3 $\mu$ " Min.
Centre Contact	Beryllium Copper	Gold 30 $\mu$ " Min.
Crimp Ferrule	Brass	Gold



Dimensions : Millimetres (Inches)

### Part Number Table

Description	Part Number
Jack MCX, Bulkhead, Straight, Crmip	27-10L TGG

**Important Notice** : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com  
www.farnell.com  
www.newark.com

