



## General Information

<b>Kit Part Number:</b>	<a href="#">2110841-3</a>
<b>Description:</b>	Through Hole Female-on-Board Side Entry and Male-on-Board Connector Kit
<b>Application:</b>	Audio, Base Stations, Car Radios, Dashboard Systems, Navigation Systems, Phones, Set Top Boxes
<b>Family:</b>	Micro-MaTch
<b>TE Brand:</b>	AMP Products
<b>Solution:</b>	Off the Board
<b>Product Type:</b>	Wire-to-Board Connectors
<b>Number of Pieces:</b>	24
<b>RoHS:</b>	Yes

## Specifications

<b>Circuit Size(s):</b>	4, 6, 8, 10, 16, 20
<b>Current Rating:</b>	1.5A
<b>Mounting Style:</b>	Through Hole
<b>Orientation:</b>	Right Angle
<b>Pitch:</b>	1.27mm (.050")
<b>Tool Included:</b>	No
<b>Voltage Rating:</b>	230V
<b>Wire Gauge (AWG):</b>	28 AWG Ribbon Cable

## Product Highlights

The TE Connectivity Micro-MaTch connector family, with its contact spacing of 1.27mm offers a variety of wire-to-board and board-to-board interconnections. The Micro-MaTch contact concept prevents fretting corrosion, the traditional failure mode in tinplated connections. Relative movements caused by vibrations/thermal expansion between male and female contacts are absorbed by an additional positioning spring in the female part. By preventing movements on the contact spot, a gas tight connection can be guaranteed under all circumstances making the Micro-MaTch contact spring system absolutely fretting corrosion proof by its design

### Features and Benefits

- Wire connectors supplied on-tape and suitable for mass termination of 28 AWG [0.08 mm<sup>2</sup> to 0.09 mm<sup>2</sup>] ribbon cable
- Tin plated contact design
- Gas tight connections
- Fretting corrosion proof thanks to additional positioning spring member
- Full range of application tooling from hand tool to fully automated equipment
- Wire to Board, and Board to Board interconnection system

### Applications

- Car Radios
- Navigation Systems
- Dashboard Systems
- Base Stations
- Phones
- Set Top Boxes
- Audio equipment



**Bill of Materials**

Part No.	Qty In Kit	Description	Datasheet	P/N Details	Search Distributors Inventory
<a href="#">215464-4</a>	2	4 Circuit Male-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">215464-6</a>	2	6 Circuit Male-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">215464-8</a>	2	8 Circuit Male-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">1-215464-0</a>	2	10 Circuit Male-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">1-215464-6</a>	2	16 Circuit Male-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">2-215464-0</a>	2	20 Circuit Male-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">215460-4</a>	2	4 Circuit Female-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">215460-6</a>	2	6 Circuit Female-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">215460-8</a>	2	8 Circuit Female-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">1-215460-0</a>	2	10 Circuit Female-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">1-215460-6</a>	2	16 Circuit Male-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">2-215460-0</a>	2	20 Circuit Female-on-Board Connector	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>

**Recommended Tool**

Part No.	Included in Kit
<a href="#">734155-1</a>	No
<a href="#">734024-1</a>	No
<a href="#">734870-1</a>	No
<a href="#">734870-2</a>	No
<a href="#">733280-3</a>	No
<a href="#">91085-2</a>	No
<a href="#">91112-3</a>	No
<a href="#">733278-2</a>	No
<a href="#">677499-1</a>	No
<a href="#">677894-1</a>	No
<a href="#">677895-1</a>	No
<a href="#">677412-5</a>	No
<a href="#">1-677412-0</a>	No



<a href="#">677463-1</a>	No
--------------------------	----







Wire-to-Board Category

Kit Part No. **2110841-3**

### AMP Micro-MaTch Connector Kit

Through Hole Female-on-Board  
and Male-on-Board Connector

- 1.27mm Pitch
- 4, 6, 8, 10, 16 and 20 Circuits
- 1.5 Amps, 230 Volts
- Terminates with 28 AWG Ribbon Cable

Additional kits available at [www.products.kits.com](http://www.products.kits.com)

AMP Micro-MaTch, Through Hole Female-on-Board and Male-on-Board Connector are trademarks of the TE Connectivity Ltd. family of products.

©2012 TE Connectivity Limited. All rights reserved. Reproduction of this document without the written permission of TE Connectivity Limited is prohibited. This document is for informational purposes only and does not constitute an offer of any product or service. It is not intended to be used as a substitute for the actual product or service. It is not intended to be used as a substitute for the actual product or service. It is not intended to be used as a substitute for the actual product or service.

**24**  
pieces



Product Name: AMP Micro-MaTch  
Kit - 24 pieces  
by Waldom Electronics