



Features:

- It de-waters, protects against corrosion, lubricates and prevents squeaks on moving parts
- It quickly frees rusted and seized components

Applications:

Provides a 'one-stop' solution to the problems caused by water ingress and corrosion through out most industrial applications. Equally suitable for use in automotive, mechanical and electrical maintenance applications. The highly effective water displacing properties make it an ideal 'damp-start' solution for ignition systems. The protective film is non-conductive and operates at sub zero temperatures. It is safe to use on all metals, plastics and painted finishes.

Directions:

Spray from 20cm - 30cm and allow film to penetrate before proceeding.

Technical Information:

| | |
|-------------------|--|
| Appearance | Amber coloured liquid |
| Odour | White spirit |
| SG at 25°C | 0.79 |
| Pressure at 25°C | 5 Bar (Aerosol) |
| Discharge Rate | 1.2g/second (Aerosol) |
| Temperature Range | Operational from -20°C to +115°C |
| Flammability | Classified as extremely flammable under CHIP regulations |
| Flash Point | Not applicable in sealed Aerosol |

Storage:

The product may be stored at normal temperatures and has a shelf life of not less than 36 months with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flames.

Note:

Not suitable for use on live electrical equipment.

Part Number Table

| Description | Part Number |
|-------------------------------|-------------|
| Lubricant, WD, 400ml, Aerosol | PPC111 |

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.