

# High Speed HDMI Leads

pro-SIGNAL




## Specifications :

### Material

Cable Assembly Type : HDMI  
 Connector Type A : HDMI Plug  
 Connector Type B : HDMI Plug  
 HDMI Cable : (7/0.1BC × 1P + AM) × 4 Pcs + 7/0.1CCS × 6C + 7/0.12BC + AM + Black PVC Jacket.  
 OD : 5.5 ±0.2mm  
 HDMI 19 Pin Male : Soldering type, Black Insulation, Gold Plated Contacts, Nickel Plated Shell.  
 All Hood : Molded Black PVC

### Electrical

Conductor Resistance : 5Ω Max.  
 Insulation Resistance : 10MΩ Min.  
 Hi-Pot : DC200V / 1.01S  
 HDTV-DVD Test : 1,080P



L (mm)	Part Number
500 ±30mm	RP005
1,000 ±50mm	RP006
2,000 ±50mm	RP007
5,000 ±50mm	RP008
10,000 ±70mm	RP009

PIN OUT			
P1	P2		
1	1	BLUE	} RED AM
3	3	WHITE	
4	4	BLUE	} SILVER
6	6	WHITE	
7	7	BLUE	} BLUE AM
9	9	WHITE	
10	10	BLUE	} BROWN AM
12	12	WHITE	
13	13	GREEN	
14	14	PURPLE	
15	15	YELLOW	
16	16	ORANGE	
18	18	WHITE	
19	19	RED	

## Part Number Table

Description	Part Number
Lead, HDMI, High Speed, 0.5 Mtrs	RP005
Lead, HDMI, High Speed, 1 Mtrs	RP006
Lead, HDMI, High Speed, 2 Mtrs	RP007
Lead, HDMI, High Speed, 5 Mtrs	RP008
Lead, HDMI, High Speed, 10 Mtrs	RP009

2, 5, 8, 11, 17, SHELL DRAIN 2, 5, 8, 11, 17, SHELL

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com  
 www.farnell.com  
 www.newark.com  
 www.cpc.co.uk

pro-SIGNAL