

### Evaluation Boards

- [Overview](#)
- [Third-Party Boards](#)
- [Feedback](#)

### ARM Evaluation Boards

- [ARM7 Board Comparison](#)
- [ARM9 Board Comparison](#)
- [Cortex-M Board Comparison](#)

- [MCB1000](#)
- [MCB1200](#)
- [MCB1700](#)
- [MCB1800](#)

- [Specifications](#)
- [Knowledgebase Articles](#)
- [User's Guide](#)

- [Schematics](#)
- [MCB4300](#)
- [MCB9B500](#)
- [MCBNUC1xx](#)
- [MCBSTM32](#)
- [MCBSTM32C](#)
- [MCBSTM32EXL](#)
- [MCBSTM32F200](#)
- [MCBSTM32F400](#)
- [MCBTMPM360](#)
- [MCBTWRK60](#)


- [Microcontroller Prototyping System](#)

### C251/C51 Evaluation Boards

- [8051 Board Comparison](#)
- [MCB900 Evaluation Board](#)
- [MCB950 Evaluation Board](#)

## MCB1800

### Evaluation Board and Starter Kit



The Keil MCB1800 Evaluation Boards enable you to create and test working programs based on the NXP LPC1850 family of ARM Cortex™-M3 processor-based devices.

[\\$ Get a Quote](#)

The MCB1800 Evaluation Board is available in two different configurations:

- The MCB1850 Evaluation Board is populated with an NXP [LPC1850](#) device
- The MCB1857 Evaluation Board is populated with a NXP [LPC1857](#) device

### Features

- 180MHz ARM Cortex-M3 processor-based MCU in LBG256
- On-Chip SRAM: 136KB (LPC1857), 200KB (LPC1850)
- On-Chip Flash: 1MB dual bank (LPC1857), no on-chip Flash (LPC1850)
- On-Board Memory: 16MB NOR Flash, 4MB Quad-SPI Flash, 16 MB SDRAM, & 16KB EEPROM (I2C)
- Color QVGA TFT LCD with touchscreen
- 10/100 Ethernet Port
- High-speed USB 2.0 Host/Device/OTG interface (USB host + Micro USB Device/OTG connectors)
- Full-speed USB 2.0 Host/Device interface (USB host + micro USB Device connectors)
- CAN interfaces
- Serial/UART Port
- MicroSD Card Interface
- 4 user push-buttons + reset
- Digital Temperature Sensor (I2C)
- Analog Voltage Control for ACD Input
- Audio CODEC with Line-In/Out and Microphone/headphone connector + Speaker
- Debug Interface [Connectors](#)
  - 20-pin JTAG (0.1 inch)
  - 10-pin Cortex debug (0.05 inch)
  - 20-pin Cortex debug + ETM Trace (0.05 inch)



### Development Software

The MCB1800 Evaluation Board and Starter Kit includes the [MDK-ARM Lite Edition](#) Tools. These tools help you get started writing programs and testing the microcontroller and its capabilities. Sample applications that run on the MCB1800 evaluation board, and a Quickstart guide are included.

### Ordering Information

The MCB1800 is available as a stand alone evaluation board or as a [starter kit](#) which includes the [ULINK-ME](#) debug adapter.

- **MCB1850:** MCB1850 evaluation board
- **MCB1850UME:** MCB1850 starter kit (includes ULINK-ME)
- **MCB1857:** MCB1857 evaluation board - available Q3,12
- **MCB1857UME:** MCB1857 starter kit (includes ULINK-ME) - available Q3,12