

Spiral Compact Fluorescent Lamp

pro-ELEC

RoHS
Compliant



Features:

- Energy saving replacements for GLS mains voltage lamps
- Rapid start up (between 0.5 and 1 seconds)
- 8,000 hours average life
- Suitable for indoor and enclosed outdoor light fittings
- Colour temperature: 2,700k (warm white)
- Voltage: 220V to 240V
- Not suitable for use with dimmers, photocells or timer devices

Part Number Table

Description	Watts	GLS Equivalent	Dimensions - L x Dia. (mm)	Part Number
BC Fitting				
Fluorescent Lamp , Spiral, BC, 11W	11W	55W	113 x 42	11W SPIRAL B22
Fluorescent Lamp , Spiral, BC, 15W	15W	75W	128 x 42	15W SPIRAL B22
Fluorescent Lamp , Spiral, BC, 20W	20W	100W	138 x 52	20W SPIRAL B22
Fluorescent Lamp , Spiral, BC, 25W	25W	125W	155 x 53	25W SPIRAL B22
ES Fitting				
Fluorescent Lamp , Spiral, ES, 11W	11W	55W	113 x 42	11W SPIRAL E27
Fluorescent Lamp , Spiral, ES, 15W	15W	75W	128 x 42	15W SPIRAL E27
Fluorescent Lamp , Spiral, ES, 20W	20W	100W	138 x 52	20W SPIRAL E27
Fluorescent Lamp , Spiral, ES, 25W	25W	125W	155 x 53	25W SPIRAL E27

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-ELEC is the registered trademark of the Group. © Premier Farnell plc 2012.

www.farnell.com
www.cpc.co.uk

pro-ELEC