




CORE DIMENSIONS:

A	15.00 [.591]	+	0.23 [.009]
B	4.50 [.177]	+	0.08 [.003]
C	39.78 [1.566]	+	0.51 [.020]
D	7.16 [.282]	+	0.15 [.006]




CASE DIMENSIONS:

A	18.75 [.738]	+	REF.
B	5.04 [.198]	+	REF.
C	53.39 [2.102]	+	REF.
D	18.75 [.738]	+	REF.
E	1.95 [.077]	+	REF.

IMPEDANCE (Z)

Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	232 Ω	511 Ω	627 Ω
Minimum	- Ω	409 Ω	- Ω

Z vs. FREQUENCY
(REF. ONLY)



AGILENT E4991A Impedance/Material Analyzer
HP 16992A-Test Fixture. TEST REF. 3839

UNCONTROLLED DOCUMENT

NOTES:

1. ASSEMBLED PART #: 28A0592-0A2
2. CASE COLOR: BLACK-0A2.
3. CASE FLAMMABILITY RATING: UL94 V-2.
4. CASE MATERIAL: Halogen Free Nylon

DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird TECHNOLOGIES		
G	UPDATED Z SPEC	09/03/12	Jcai	PROJECT/PART NUMBER: 28A0592-0A2		REV	PART TYPE:	DRAWN BY:
F	UPDATED NOTE 3	09/15/10	JUN			G	FERRITE SNAP-ON	TMB
E	UPDATE COMPANY LOGO ADD NOTES 3&4	01/27/09	JRK			DATE:	SCALE:	MATERIAL:
D	UPDATE 100MHz MINIMUM VALUE	06/26/07	TMB			03/23/04	N.T.S.	Ferrite
C	UPDATE COMPANY LOGO	04/17/07	TMB			CAD #	TOOL #	
B	CHANGE CASE B DIM TO 5.04 [.198] ADD CASE DIMENSIONS "D" & "E" UPDATE NOTES AND TOLERANCES	03/28/07	TMB	28A0592-0A2-G	-			
A	ORIGINAL DRAFT	03/23/04	TMB					
REV	DESCRIPTION	DATE	INT					