

Your Connection to Electronic **Products and Components**

Best Selection

Best Availability



SPRING BEST SELLERS

Prices effective until May 1, 2010.





Premium Microfiber Cleaning Cloths

•See page 35

Order # 21-9255

5 Pack

\$9.99

TOOLS



LCD Wireless Inspection Wall Scope Camera with LCD

•See page 32

Order # 22-10570

MSRP \$299.00

ONLY \$159.00 **HDMI CABLE**





10' HDMI v1.3 High-Speed Cables

•See page 2

Order # 24-10110

MSRP \$39.95 Reg. \$9.99



•See page 26 •Limited quantities

Order # 58-13905 MSRP

Reg.

\$59.99

ONLY \$29.99 **CONNECTORS**



•See page 6

Order # 27-1605

Reg. \$125.00

\$**99**99

AUDIO/VIDEO **ACCESSORIES**



MCMCUSTOM AUDIO Component Video Balun

✓ Accommodates component video (Y/Pb/Pr)
✓ Provides path for SPDIF audio

- ✓ Convenient pigtail leads
- ✓ 400' max distance

•See page 14

Order # 50-7722

MSRP \$109.00

ONLY \$44.99

SECURITY PRODUCTS

DEFENDER" 420TVL Color Day/Night **Vandal Resistant Ball** Camera with IR LEDs

•See page 10

Order #

MSRP 82-13185 \$169.00



2.4GHz Wireless Optical Mouse

•See page 44

ONLY Order # 83-11619 \$14.99



COMPUTER PRODUCTS

USB Powered Computer **Speakers**

•See page 44

ONLY Order # 83-11754 \$16.99



MCMelectronics.com > 1-800-543-4330





HDTV **Premium** Cable Kit

The most popular 6' cables used in virtually all HDTV connections. Great all-in-one solution for connecting your

HDTV home theater system. Kit includes one each of the following: HDMI cable, component video/toslink audio cable assembly, composite video/stereo audio cable assembly, S-video cable and an HDMI/female-to-DVI-Imale adapter. Limited life-time warranty

Order # Reg. 24-10450 Swivel-to-Swivel Swivel-to-Straight





Stellar (1)





•Right-angle swivel connectors stay connected better by rotating a full 180° to facilitate installation in tight spaces behind source equipment •Reduces directional strain on cable •Low 11/4" profile from connection •HDMI v1.3 certified •28AWG •Gold-plated connectors •Triple shielding •10.2 Gbit/s bandwidth •Deep color, 120Hz frame rate, 1080p resolution, and lossless audio capable •7mm (O.D.)

Order #	Length	MSRP	Reg.	SALE			
Swivel-to-s	Swivel-to-swivel						
24-10495	1.5'	\$17.95	\$ 5.99	\$4.99			
24-10496	3'	24.95	9.99	6.99			
24-10497	6'	34.95	13.99	9.99			
24-10498	10'	49.95	14.99	11.99			
24-10499	25'	79.95	19.99	-			
Swivel-to-s	straight						
24-10500	1.5'	17.95	5.99	4.99			
24-10501	3'	24.95	9.99	6.99			
24-10502	6'	34.95	13.99	9.99			
24-10503	10'	49.95	14.99	11.99			
24-10504	25'	79.95	19.99	17.99			



want to say "thanks!" to each of you. We continue to thrive in an ever-changing industry because of customers like you.

If you design, install, repair or upgrade electronic systems or products - or just love electronic gadgets - we can support you with our 40,000+ stocked items and access to over 1,000,000 parts from our long list of suppliers. MCM is proud to be a key partner with businesses that range from large international corporations to small family owned and operated ventures. In addition, we serve an ever growing population of hobbyists and electronics enthusiasts who have found our selection and service hard to beat.

This is just a sampling of our huge line of products, so if you don't see what you want, just give us a call or visit our website. We'll look forward to hearing from you again, or for the very first time.



Wire and Cable

Get true 1080p resolution with HDMI cables from MCM.



Stellar⊚_{Labs}™ HDMI v1.3 **High-Speed Cables**

Just what you need to take advantage of full high-definition audio and video signals •Specially designed to support HDMI v1.3, highspeed, Cat 2 requirements Specifications: •24K goldplated connectors •Supports single-link bandwidth of 340MHz (10.2 Gbps) •High resolution support (full 1080p

at up to 120Hz refresh and WQXGA) •CEC system control support •Fully HDCP compliant

Order #	Length	MSRP	Reg.	SALE
24-10100	3'	\$19.95	\$4.99	\$3.99
24-10105	6'	24.95	6.99	5.99
24-10110	10'	39.95	9.99	7.99
24-10115	25'	69.95	17.99	12.99
			_	



·High-definition cables that allow you to tackle any professional install •CL3 in-wall rated •HDMI v1.3 certified •28AWG •Gold-plated connectors •Triple shielding •10.2Gbit/s bandwidth •Deep color, 120Hz frame rate, 1080P resolution, and lossless audio capable •Multi-color options for organization or personal preference

White	Blue	Red	Length	MSRP	Reg.	SALE
24-10055	24-10060	24-10070	3'	\$24.95	\$6.99	\$4.99
24-10056	24-10061	24-10071	6'	34.95	10.99	7.99
24-10057	24-10062	24-10072	10'	49.95	11.99	8.99
24-10058	24-10063	24-10073	25'	89.95	18.99	14.99
24-10059	24-10064		50'	149.95	29.99	24.99



Stellar@_{Labs}™ HDMI v1.3 Premium **High Speed Cables**

High performance home theater HDMI cables

suitable for use with the latest A/V receivers, highdefinition DVD players, set-top boxes and projectors These cables are specially designed to support HDMI v1.3, high-speed, Cat 2 requirements including 48 bit x.v.YCC with deep color, Dolby True HD, and DTS-HD Master Audio. Specifications: •24K gold plated connectors •Oxygen-free, 26AWG, twisted-pair wire with drain •Dual layer aluminum mylar foil shield, plus tinned copper braided shield •Supports single-link bandwidth of 340MHz (10.2Gbps) •High resolution support (full 1080p at up to 120Hz refresh and WOXGA) •CEC system control support •Fully HDCP compliant

Order #	Length	MSRP	ONLY
24-10160	3'	\$39.95	\$9.99
24-10162	6'	49.95	13.99
24-10164	12'	59.95	16.99
24-10166	25'	79.95	19.99



Nickel Plated "F" to "F" Patch Cables

·High-quality jumper cables •750hm •Ideal for cable, TV, and VCR connections Male connectors

Order #	Length	Reg.	SALE
33-544	3'	\$ 1.29	\$0.79
33-548	6'	1.49	1.29
33-1150	12'	2.39	1.89
33-4030	25'	3.99	2.99
33-4035	50'	6.00	5.00



Stellar⊚_{Labs}™ 1.5' A/V **Adapter Cable**

Used to breakout and extend the composite and stereo audio signals from

4-pole 3.5mm A/V outputs on many popular portable DVD, camcorder and MP3 players. Note: 4-pole pin-outs vary among devices. Please consult the manufacturer's specifications for 4-pole A/V jack pin-outs. Pin-outs for common devices noted below are subject to change.

Order #	Common devices	MSRP	Reg.	SALE
24-9770	Creative zen	\$12.95	\$ 5.99	\$4.19
24-9771	Standard camcorder	12.95	5.99	4.19
24-9772	iPod video/zune	12.95	5.99	4.19
24-9765	Standard DVD player	12.95	5.99	4.19



Stellar<u>© Labs</u>™

3.5mm 4-Pole AV **Extension Cable**



•Extend an existing 4-pole 3.5mm A/V cable, or connect from a 3.5mm 4-pole adapter cable •Low-loss spiral-wrapped dual

conductor provides excellent protection from EMI/RFI •Fully molded, gold plated connectors ensure superior strain relief and longevity

Order #	Length	MSRP	Reg.	SALE
24-10460	1½'	\$5.99	\$ 3.99	\$2.99
24-10461	3'	6.99	3.99	3.09
24-10462	6'	7.99	4.49	3.39
24-10463	12'	9.99	4.99	4.19
24-10464	25'	14.99	5.99	4.99
24-10465	50'	21.99	10.49	9.49
24-10466	75'	24.99	13.99	12.89
24-10467	100'	34.99	17.99	16.99



HDMI/DVI **Swivel Adapters**

·Adapt from HDMI to DVI, or vice-versa with a convenient swivel design ·Dual-axis swivel bends 180° up or down, and twists 360° •Eliminate strain from bulky standard adapters.



Order #	Description	MSRP	ONLY
24-10140	HDMI female to DVI male	\$29.99	\$9.99
24-10142	DVI female to HDMI male	29.99	9.99



BNC Patch Cables

Molded strain reliefs to ensure long life. Male BNC connectors on each end. Perfect for use with professional video equipment and closed circuit television (CCTV) applications.

Order #	Length	Reg.	SALE
75ohm			
24-1605	1'	\$ 4.79	\$3.69
24-1610	3'	4.99	3.89
24-1615	6'	5.49	4.29
24-1620	10'	5.49	4.69
24-5350	25'	14.99	12.69
24-1625	50'	16.99	15.99
24-1630	100'	22.99	19.99
50ohm			
24-1455	1'	4.49	3.29
24-785	3'	4.99	4.09
24-790	6'	5.49	4.69
24-795	12'	6.69	4.89
24-1515	30'	12.29	9.99



Female to Female S-Video Connector Connects two S-video cables together

Order # 27-1270 ONLY \$1.99

MCMelectronics.com

1-800-543-4330 Enter source code from back cover in web shopping cart to receive sale prices.





White RF Patch Cables

750hm patch cables with male "F" connectors at each end. White jacket to blend with decor inside as well as outside the house.

Order #	Length	Reg.	SALE
24-2545	3'	\$ 3.99	\$1.99
24-2550	6'	4.99	2.99
24-2555	10'	5.39	3.99
24-2560	25'	5.79	4.99
24-2565	50'	13.49	7.99



Bonded, tangle-free construction. Superior sound quality and accurate transfer of digital audio

source signals from DVD, surround sound receivers, digital cable boxes, and advanced gaming systems. Highquality precision-polished fiber optic connectors optimize signal transfer, while the PVC jacket adds flexibility and durability for years of listening enjoyment.

Order #	Length	MSRP	Reg.	SALE
24-9560	1½'	\$11.95	\$ 5.89	\$2.99
24-9561	3'	15.95	6.29	3.89
24-9562	6'	18.95	7.99	4.79
24-9563	9'	22.95	10.29	5.99
24-9564	12'	29.95	11.99	7.99



S-Video Cables

- •Bonded, tangle-free construction
- ·Individually shielded, low-loss, dual 750hm video coaxial conductors, which separate color

and brightness signals to maximize video signal transfer ·Long-lasting, corrosion resistant, gold plated barrel


connectors with fully over-molded, custom tooled strain relief.

Order #	Length	MSRP	Reg.	SALE
24-9360	1½'	\$7.99	\$3.49	\$2.45
24-9361	3'	8.99	3.99	2.99
24-9362	6'	11.95	4.99	3.99
24-9363	12'	13.95	5.99	4.99
24-9364	25'	26.95	10.99	9.99
24-9365	50'	42.95	15.99	14.99
24-9366	75'	59.95	20.99	19.99
24-9367	100'	68.95	26.99	25.99



·Bonded, tangle-free

construction •Individually shielded, low-loss, dual



Order #	Length	MSRP	Reg.	SALE
24-9371	3'	\$9.99	\$3.99	\$2.99
24-9372	6'	12.95	4.99	3.99
24-9373	12'	15.95	5.99	4.99
24-9374	25'	29.95	8.99	6.99

Wire and Cable

Patch cables you can depend on, at prices you can afford.



•Bonded, tangle-free construction •EMI/RFI

shielded, low-loss, 75ohm video coaxial wire helps reduce interference and noise, and accurately separate the component color signal (Y-Pr-Pb)•Bonded, tangle-free construction reduces cable clutter •Precision-polished fiber optic connectors for optimum signal transfer and corrosion resistance •Color-coded connectors for easy identification.

Order #	Length	MSRP	Reg.	SALE
24-9550	1½'	\$24.95	\$9.99	\$7.99
24-9551	3'	36.95	11.99	9.99
24-9552	6'	46.95	13.99	11.99
24-9553	9'	49.95	16.99	14.99
24-9554	12'	74.95	20.99	17.99



·Bonded, tangle-free construction •EMI/RFI shielded, low-loss, 75ohm

video coaxial wire helps reduce interference and noise, and improve resolution, color and brightness . Longlasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain reliefs •Color-coded connectors for easy identification

Order #	Length	MSRP	Reg.	SALE
24-9420	1½'	\$11.95	\$3.99	\$2.59
24-9421	3'	15.95	4.99	2.99
24-9422	6'	16.95	5.49	3.99
24-9423	12'	23.95	7.49	5.99
24-9424	25'	42.95	11.99	7.99
24-9425	50'	56.95	16.99	12.99



Composite Video Cables

·Bonded, tangle-free construction •EMI/RFI shielded, low-loss, 75ohm video coaxial wire helps reduce interference and improve resolution, color and brightness . Long-lasting,

corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain reliefs •Color-coded connectors for easy identification

Order #	Length	MSRP	Reg.	SALE
24-9410	1½'	\$6.99	\$ 2.19	\$1.69
24-9411	3'	8.99	2.49	1.99
24-9412	6'	11.95	3.99	2.89
24-9413	12'	13.95	4.49	3.49
24-9414	25'	29.95	8.99	6.99
24-9415	50'	44.95	12.99	9.99
24-9416	75'	62.95	16.99	13.99
2/1-0/17	100'	78 05	20.00	17 00

Nickel Plated RCA to **RCA Patch Cables**

32-4545

32-4550

32-4555

Review a product on MCM's website for a chance to win a

22" Coby HDTV thru June 2010. See website for rules.

•Made of high-quality, 750hm RG-59 cable •Molded strain relief •Male connectors			1
Order #	Length	Reg.	SALE
32-5270	1'	\$ 1.49	\$0.99
32-5280	2'	1.59	1.09
32-4540	3'	1.59	1.09

1.00

2.59

3.79



Features: •EMI/RFI shielded, low-loss, 75ohm video coaxial wire helps reduce interference and accurately separate the component color signal (Y-Pr-Pb) for better resolution and greatly improved color saturation •Oxygenfree copper wires produce crisp, clear audio signal transfer ·Long-lasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain reliefs •Color-coded connectors for easy identification.

Order #	Length	MSRP	Reg.	SALE
24-9440	1½'	\$19.95	\$ 7.29	\$5.99
24-9441	3'	25.95	9.49	6.99
24-9442	6'	27.95	11.59	7.99
24-9443	12'	54.95	12.99	9.99
24-9444	25'	65.95	19.99	16.99
24-9445	50'	88.95	27.99	24.99



Component Video Cables

·Bonded, tangle-free construction ·EMI/RFI shielded, low-loss, 750hm video coaxial wire helps reduce interference and noise, and accurately separate the component color signal (Y-Pr-Pb) for better resolution and greatly improved color saturation .Long-lasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain reliefs Color-coded connectors for easy identification

Order #	Length	MSRP	Reg.	SALE
24-9430	1½'	\$10.95	\$ 4.99	\$2.99
24-9431	3'	14.95	5.99	3.99
24-9432	6'	18.95	8.99	5.99
24-9433	12'	26.95	10.99	7.99
24-9434	25'	42.95	14.99	11.99
24-9435	50'	84.95	21.99	18.99
24-9436	75'	119.00	29.99	27.99
24-9437	100'	149.00	37.99	34.99
24-9438	150'	189.00	59.99	49.99

Stellar©_{Labs}™ **Premium Component** Video Cables

Precision engineered to provide superior picture quality and excellent signal integrity.

Features: •Oxygen free coaxial copper construction •Tangle free bonded wires •Gold plated, corrosion free split-lock ring RCA connectors •UL listed •Limited lifetime warranty

Order #	Length	MSRP	ONLY
24-8891	3'	\$59.95	\$15.99
24-8892	6'	65.95	18.99
24-8893	9'	80.95	21.99
24-8894	12'	85.95	24.99
24-8895	25'	119.00	29.99
24-8896	50'	159.00	34.99
24-8897	75'	299.00	42.99
24-8898	100'	399.00	54.99

MCMelectronics.com 1-800-543-4330



2



Wire and Cable

Minimize your signal loss and maximize your savings with quality A/V cables from Stellar Labs®.



SLV Series Stereo Audio Cables

•Bonded, tangle-free construction •Dual conductor 90% spiral-wrapped cable •Color-coded connectors •Dual RCA male plugs to dual RCA plugs

Order #	Length	MSRP	Reg.	SALE
24-9510	1½'	\$9.99	\$3.99	\$3.09
24-9511	3'	12.95	4.99	4.19
24-9512	6'	13.95	6.49	5.29
24-9513	12'	18.95	7.49	6.29
24-9514	25'	21.95	9.49	8.29
24-9515	50'	39.95	15.99	13.59
24-9516	75'	49.95	16.99	15.89
24-9517	100'	74.95	23.99	22.99
24-9518	150'	96.95	33.99	32.99





3.5mm Stereo Audio Cables

Adapt from one connection to another, or extend an existing cable connection. •Bonded, tangle-free construction •Low-loss, spiral wrapped dual conductor provides excellent protection against EMI/RFI

•Fully molded connectors provide excellent strain relief

Order #	Length	MSRP	Reg.	SALE
3.5mm ma	le to male			
24-9520	1½'	\$5.99	\$ 2.49	\$1.95
24-9521	3'	8.99	3.99	2.95
24-9522	6'	9.99	3.99	2.95
24-9523	12'	10.95	4.99	3.95
24-9524	25'	15.95	5.99	4.95
24-9525	50'	24.95	8.99	7.95
24-9526	75'	29.95	11.99	9.95
24-9527	100'	39.95	14.99	12.95
3.5mm ma	le to female			
24-9530	1½'	6.99	2.49	1.95
24-9531	3'	8.99	3.99	2.99
24-9532	6'	9.99	3.99	2.99
24-9533	12'	10.95	4.99	3.99
24-9534	25'	13.95	5.99	4.95
24-9535	50'	24.95	8.99	7.95
24-9536	75'	34.95	11.99	10.99
24-9537	100'	44.95	14.99	13.99



RCA "Y" Adapter Cables

·Divides a RCA input into two outputs

Order #	Description	Reg.	SALE
24-770	RCA jack to two RCA plugs	\$ 1.49	\$0.99
24-650	RCA plug to two RCA jacks	1.49	0.99



MCM Nickel Audio Patch Cables

These audio patch cables are made from shielded cable with 22AWG center conductor and 3.0mm outer

diamter. Use these cables in any audio application including home theater and mobile audio.

Order #	Length	Reg.	SALE
24-7080	1'	\$ 2.39	\$1.39
24-7090	3'	3.49	2.29
24-7095	6'	4.99	3.69
24-7100	10'	4.99	3.99
24-7105	15'	6.99	5.19
24-7110	25'	8.99	6.99



MCM

Stereo 3.5mm Extension Cables

Stereo 3.5mm audio extension cables for use with personal audio equipment. Molded strain reliefs. Nickel plated plugs.

Order #	Length	Reg.	SALE
24-6230	3'	\$ 1.89	\$1.39
24-6235	6'	2.69	1.59
24-1050	12'	3.49	2.29
24-6240	20'	4.49	3.79
24-6245	25'	5.99	4.79





Professional ¼" to ¼" Patch Cables

Noise-free ¼" male to male cables are ideal for interconnection between amplifiers and mixers, processors and source gear. They are also suitable for musical instrument use. Available in two conductor configuration, or three conductor TRS configuration for single channel balanced, or two channel unbalanced stereo use.

Terminated with durable, fully molded ¼" male plugs.

Order #	Length	MSRP	Reg.	SALE
Balanced				
24-9870	2'	\$6.99	\$ 3.89	\$2.49
24-9871	3'	7.99	4.49	2.79
24-9872	6'	9.99	4.99	3.69
24-9873	10'	13.95	6.99	5.19
24-9874	15'	13.95	7.19	5.49
24-9875	25'	13.95	9.99	7.99
Unbalanced				
24-9880	2'	6.99	3.49	2.49
24-9881	3'	7.99	3.99	2.79
24-9882	6'	9.99	4.49	3.69
24-9883	10'	13.95	6.49	5.19
24-9884	15'	13.95	6.59	5.39
24-9885	25'	19.95	8.99	7.99



Banana Speaker Cables

Speaker cables for use when connecting home theater equipment with banana type connectors for speaker terminals. Available in 16 and 18AWG with gold plated banana connectors. Sold one cable per package.

Order #	Length	Reg.	SALE
18 Gauge			
24-2600	6'	\$ 4.49	\$3.99
24-2605	10'	5.49	4.99
24-2610	25'	8.49	7.69
16 Gauge			
24-2625	6'	6.49	5.99
24-2630	10'	7.99	6.39
24-2635	25'	8.49	7.99
24-2640	50'	14.99	13.99



Stellar Labs™ Professional Balanced XLR Female to ½" Patch Cables

Balanced audio stage cables are ideal for professional sound and stage applications requiring balanced input to balanced source connections. High-quality, rugged and durable, these cables are constructed with noise-free, Lo-Z shielded wire, and terminated with reliable latch-lock, 3 pin XLR connectors, and fully molded ½" 3 conductor (TRS) male plugs.

Order #	Length	MSRP	Reg.	SALE
24-9830	2'	\$10.95	\$4.89	\$3.59
24-9831	3'	11.95	5.29	3.79
24-9832	6'	13.95	6.29	4.99
24-9833	10'	16.95	7.79	5.99
24-9834	15'	16.95	8.69	7.79
24-9835	25'	12.95	10.99	8.79



Stellar Labs™ Professional Balanced XLR Male to Female Patch Cables

High-quality, balanced audio stage cables are the ideal choice for professional sound applications including connections from balanced sources, like microphones, mixers and equalizers to balanced amplifier inputs. Rugged and durable, these cables are constructed with noise-free, shielded Lo-Z wire, and terminated with reliable latch-lock, 3 pin XLR connectors.

Order #	Length	MSRP	Reg.	SALE
24-9820	2'	\$11.95	\$ 5.49	\$4.59
24-9821	3'	12.95	6.69	4.99
24-9822	6'	14.95	7.69	5.79
24-9823	10'	17.95	8.89	6.89
24-9824	15'	18.95	9.39	7.19
24-9825	25'	29.95	11.99	9.49



1/4" Stereo Plug to RCA Plugs Cable

•¼" stereo plug to two RCA plugs used with amplifiers and mixers •6' length

Order # Reg. 24-1040 \$3.89





1/4" "Y" Adapter Cable


•¼" stereo plug to two ¼" stereo jacks •Allows simultaneous use of two pairs of headphones from one jack

Order # Reg. 24-690 \$5.99





MCMelectronics.com



Customer Service: 1-877-626-3532
Product Questions Email: tech@MCMelectronics.com
Quote Team: 1-800-543-4330

Email: quotes@MCMelectronics.com





RG-6/U Black Siamese Cable

RG-6/U coaxial cable with 18AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .275" nominal. Impedance: 75ohm nominal. 18AWG bare copper stranded wire, PVC jacket, color coded for easy polarity identification. Sequential foot marking every two feet.

Order #	Length	MSRP	(1-3)	(4-8)
24-10245	500'	\$129.00	\$99.99	\$94.99
24-10246	1000'	209.00	179.00	170.05



RG-6/U White Siamese with Copper Center

RG-6/U coaxial cable with 18AWG solid bare copper center conductor, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .280" nominal. Impedance: 75ohm nominal. Two 18AWG bare copper stranded wires in color coded PVC jacket for easy polarity identification. Sequential foot marking every two feet.

Order #	Length	MSRP	(1-3)	(4-8)
24-10250	500'	\$119.00	\$89.99	\$85.49
24-10251	1000'	199.00	159.00	151.05



RG-59/U coaxial cable with 20AWG copper covered steel, mylar foil and 60% aluminum braîd providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .240" nominal. Impedance: 75ohm nominal. Sequential feet marking every two feet.

Order #	Length	MSRP	(1-3)	(4-8)
Black				
24-10270	500'	\$39.00	\$24.99	\$23.74
24-10271	1000'	79.00	49.99	47.49
White				
24-10275	500'	39.00	24.99	23.74
24-10276	1000'	79.00	49.99	47.49



CL2 Rated In-Wall Speaker Wire

Two and four conductor commercial grade in-wall CL2 rated speaker wire features 41-strand, high-conductivity ETP bare copper conductors with ultra flexible PVC insulation. Features: •Low capacitance, oxygen-free, high conductivity wire •White PVC outer jacket •Color-coded two and four conductor inner jacketed wire •UL CL2 rated •RoHS compliant •Reel-in-pull box put-up

Order #	Description	Length	MSRP	(1-3)	(4-8)
2 Conductor	•				
24-10325	18AWG	500'	\$79.00	\$59.49	-
24-10326	18AWG	1000'	149.00	109.00	-
24-10323	16AWG	500'	139.00	95.49	-
24-10324	16AWG	1000'	199.00	169.00	-
4 Conductor	•				
24-10322	18AWG	500'	139.00	94.99	\$93.09
24-10331	18AWG	1000'	209.00	179.99	176.39
24-10340	16AWG	500'	189.00	149.99	146.99
24-10341	16AWG	1000'	329.00	279.99	274.39

Wire and Cable


Keep your network up and running with network cabling from Stellar Labs®.



BIRER

Ideal for today's high-speed voice, data and video applications the Stellar Labs® Cat 5e cable is UL approved, riser rated (CMR) and tested to meet both Cat 5e specifications and 350MHz bandwidth. **Specifications:** •Four unshielded twisted pairs •24AWG solid bare copper conductors •PVC outer jacket •High-density polyethylene individual conductor insulation •Complies with Cat 5e (EIA/TIA-568) standards •Rated to 350MHz headroom or above •RoHS compliant •Convenient and durable pull box

Order #	Color	Length	MSRP	ONLY
24-10515	Blue	500'	\$59.95	\$37.99
24-10505	Blue	1000'	99.95	64.99
24-10520	Gray	500'	59.95	37.99
24-10510	Gray	1000'	99.95	64.99





RG-6/U coaxial cable with 18AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .275" nominal. Impedance: 75ohm nominal. Sequential foot marking every two feet.

Order #	Length	MSRP	(1-3)	(4-8)
Black				
24-10205	500'	\$39.00	\$24.99	\$23.74
24-10206	1000'	79.00	45.99	43.69
White				
24-10210	500'	39.00	24.99	23.74
24-10211	1000'	79.00	45.99	43.69



RG-6/U coaxial cable with 18AWG copper covered steel, mylar foil and 60% aluminum braid conductor and dual mylar foil shields with 60%/40% aluminum braiding providing exceptional shielding. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .30" nominal. Impedance: 75ohm nominal. Sequential foot marking every two feet.

Oruer #	Length	MISHL	Reg.	SALE
Black				
24-10225	500'	\$49.00	\$34.99	\$29.99
24-10226	1000'	89.00	59.99	54.99
White				
24-10230	500'	49.00	34.99	29.99
24-10231	1000'	89.00	59.99	54.99
	~	2000		
	\rightarrow	7		_
	~	DV222		

.a<u>bs</u>™ RG-6/U Dual 18AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Impedance: 75ohm nominal. Black.

Stellar(6)

Order #	Length	MSRP	(1-3)	(4-8)	(9-up)
24-10215	500'	\$79.00	\$45.99	\$43.69	\$41.39
24-10216	1000'	109.00	79.99	75.99	71.99

Standard Speaker Wire

•Two conductor clear insulation, polarity identified by white stripe •Made in USA

Order #	Gauge	Length	(ea.)	(2-4)	(5-up)
24-310	24	50'	\$4.99	-	-
24-320	24	500'	27.49	-	-
24-330	24	1000'	49.99	-	-
24-340	18	50'	6.99	-	-
24-350	18	500'	59.99	-	-
24-360	18	1000'	119.00	-	-
24-370	16	50'	10.99	-	-
24-380	16	500'	84.99	-	-
24-390	16	1000'	159.00	-	-
24-110	12	50'	28.99	\$25.62	\$23.85
24-120	12	100'	42.99	40.80	39.51
24-130	12	500'	286.00	262.60	242.78



Stellar Labs® Cat 6 cable is the perfect choice for gigabit ethernet and other

high-bandwidth applications where lower crosstalk and system noise is critical. Verified to meet or exceed 550MHz performance, the Stellar Labs® Cat 6 cable also meets or exceeds ANSI/TIA-568-B.2-1 and ISO/IEC 11801 specifications. Specifications: •Four unshielded twisted pairs •23AWG solid bare copper conductors •PVC outer jacket •High-density polyethylene individual conductor insulation •Complies with Category 6 (ANSI/ TIA-568) standards •Rated to 550MHz headroom or above •RoHS compliant •Convenient and durable EZ-pull reel-in-a-box •Gray in color

Order #	Length	MSRP	(1-3)	(4-8)	(9-up)
24-10320	500'	\$92.00	\$64.99	\$63.69	\$61.74
24-10321	1000'	139.00	119.00	116.62	113.06




Low Voltage Wall Mounting Brackets

Ideal for any home theater or security system installation, these brackets accept any single or dual gang size wall plate. May be used for any Class 2 low voltage wiring application that does not require an electrical box. #28-6355 and #28-6356 have speed clips which allow easy mounting to existing wall board cut-out. #28-6357 and #28-6358 are designed for new construction use, and may be attached to either metal or wood studs. Open back design allows increased clearance, easing use with multiple conductor and coaxial cable.

Fig.	Order #	Description	Reg.	SALE
Α	28-6355	Single gang old work	\$ 1.49	\$0.86
В	28-6356	Double gang old work	2.49	1.76
С	28-6357	Single gang new work	0.99	0.89
D	28-6358	Double gang new work	1.99	1.59

MCMelectronics.com 1-800-543-4330





Amphenol® RFX™ BNC Type Adapters

Fig.	Order #	Description	ONLY
Α	27-1850	Female BNC to female BNC, bulkhead mount	\$4.59
Α	27-2925	Female BNC to female BNC	4.49
Α	27-1835	Female BNC to female BNC 50ohm	7.99
В	27-1840	Right angle BNC adapter	4.59
C	27-1845	BNC "T" adapter	4.59
D	27-2140	Female UHF to male BNC	16.99

MCM BNC Type Adapters

		,, ,	
Fig.	Order #	Description	ONLY
Е	27-410	Male BNC to male BNC	\$1.79
Α	27-435	Female BNC to female BNC	2.49
В	27-385	Right angle BNC adapter	2.39
С	27-390	BNC "T" adapter	2.99
F	33-510	Female BNC to male RCA	1.59
G	27-405	Female RCA to male BNC	0.99
Н	27-400	Male BNC to male RCA	1.69
J	27-440	Female BNC to male "F"	2.49
K	27-5680	Female "F" to male BNC	0.89
		(75ohm/50ohm)	
L	27-1425	Female BNC "T" adapter	1.99
M	27-4215	"F" female to BNC female	1.49
M	27-4220	"F" female to BNC	1.59
		female Gold	
N	27-4225	BNC male to "N" female	1.99
Р	27-4235	"N" male to BNC female	2.29

MCM **Hex Crimp Connectors**



"F" connectors for antenna, satellite and cable television installations. Anodized brass connector with large surface on the nut for "finger" tightening the connector. Configurations for indoor or outdoor use include "O" ring seal in the nut and silicone gel in the ferrule. Use with standard hex crimp tool (#22-100).

	Ι ,	,	
Order #	Туре	Reg.	SALE
Standard			
33-8765	RG-59	\$ 0.39	\$0.29
Weatherproo	of w/ "O" Ring		
27-5648	RG-59	0.27	-
27-5651	RG-6	0.39	-
33-8840	RG-6Q	0.49	-
Weatherpro	of w/ "O" Ring	and Silicone Gel	
33-8870	RG-6	0.49	-

Connectors

Get those hard-to-find connectors before you start the job.

MCM Universal Gold **Connector Adapter Kits**

Choose any two connector ends you need and screw them together with the universal adapter. Quickly assemble the exact adapter for any job. 40 piece kit includes two each male and female UHF, mini UHF, "N", BNC, TNC, SMA, "F", RCA and



six universals. Kits are in a soft zippered carry case.

Order #	Rea.	SALE
27-1605	\$ 125.00	\$ 99 99

MCM Weatherproof Compression "F" Connectors

The compression design of these connectors prevents moisture from entering from the rear of the connector and an "O" ring keeps moisture from entering through the nut. These connectors are ideal for CATV, MATV and satellite installations. Use with #22-3250 compression tool.

Order #	Description	Color	Reg.	SALE
33-7765	RG-6	Black	\$ 0.59	\$0.49
33-7770	RG-59	Black	0.59	0.49
33-7775	RG-6QS	Blue	0.59	0.49





"F" Type Adapters

•#27-5675 screw-on to push-on •#27-5670 right angle adapter •Minimum ten

Fig.	Order #	Description	Reg.	SALE
Α	27-5685	Female RCA to male "F"	\$0.89	-
В	27-5675	Female "F"	0.79	-
		to push-on male "F"		
С	27-5695	Female "F" to male RCA	0.89	-
D	27-5696	Female RCA to female "F"	0.89	-
Е	27-805	Female "F" to male 3.5mm	0.99	\$0.89
F	27-5670	Right angle "F" adapter	1.29	-
G	33-550	"F" type 75ohm terminator	1.29	0.79
Н	27-4245	"F" male to "N" female-nickel	1.49	1.29
Н	27-4250	"F" male to "N" female-gold	2.19	2.09



The "F" driver incorporates two tools into one. Socket end helps get the connector into tight spaces like multi taps and rear of VCRs and televisions. The threaded end is for "F" connector insertion for easy and secure "F"

nector termination.		SALE
der # -3085	Reg . \$ 3.99	\$ 2 99



BNC Male Multi-Fit Crimp Connector

Carry one connector for six different cables. Patent pending captive-

pin BNC male crimp connector will handle center conductor wire size of 18~26AWG. Comes with three crimp ferrules to fit the following cables: mini-coax, West Penn 825, RG-58, RG-59, RG-59 plenum, RG-6, RG-6 plenum, and RG-6QS.

ONLY

27-5530	
1	1

Order #

\$1.99

Bulk "Bean" Connectors Beans are commonly used in

alarm and telephone installations. Available with and without silicone gel for moisture protection. Color coded yellow (no gel) and white (with gel) for quick identification. 500 per package.

Order #	Color	Туре	Reg.	SALE
27-4611	Yellow	No gel	\$ 21.99	\$16.99
27-4616	White	Gel	27 99	19 99



MCM Barrel Plugs

Nine sizes •Solder type

Order #	(U.D.) x (I.D.)
27-1110	3.5mm x 1.2mm
27-1115	3.8mm x 1.0mm
27-1125	5.0mm x 2.1mm
27-1130	5.0mm x 2.5mm
27-1080	5.5mm x 1.5mm

	Order #	(O.D.) x (I.D.)
ı	27-130	5.5mm x 2.1mm
	27-135	5.5mm x 2.5mm
	27-1120	5.5mm x 2.8mm
	27-860	6.3mm x 3.0mm
П		

ONLY \$0.79(ea.)



Jacks	3 1	•	•
•Replaces	most DC	nower	iacks

•Replaces most DC power jacks				
Fig.	Order #	Туре	ONLY	
Non-she	eilded			
Α	27-5010	1.3mm	\$3.19	
В	27-4450	1.45mm	2.49	
C	27-750	2.1mm	2.49	
D	27-4920	2.1mm	2.49	
E	27-1970	2.1mm	2.49	
F	27-2000	2.1mm	2.49	
G	27-755	2.5mm	2.49	
E	27-1975	2.5mm	2.49	
D	27-2001	2.5mm	2.49	
<u>H</u>	27-4925	3.0mm	2.49	
Shielde	<u>d</u>			
J	27-5505	1.65mm	2.49	
K	27-5510	1.65mm	2.49	
L	27-5515	1.65mm	2.49	
M	27-5465	1.65mm	2.49	
N	27-5025	2.5mm	2.49	
Р	27-5150	2.5mm	2.49	
Q	27-5455	2.5mm	2.49	
R	27-5345	2.5mm	2.49	
S	27-5340	2.5mm	2.49	
T	27-5355	2.5mm	2.49	
U	27-5430	3.0mm	2.49	



MCMelectronics.com 1-800-543-4330

0r

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532 Product Questions Email: tech@MCMelectronics.com

Quote Team: 1-800-543-4330

Email: quotes@MCMelectronics.com

Audio and Video In-Line Couplers

Perfect for extending cable lengths.

Order #	Description	Reg.	SALE
27-4960	A/V coupler	\$ 1.09	\$0.99
CN00502	Dual female to female	1.59	1.09







MCM Audio Couplers

Stereo couplers work in both stereo and mono applications. Available in metal and molded plastic.

Fig.	Order #	Description	Body	ONLY
Α	27-5030	2.5mm	Metal	\$0.99
В	27-5035	3.5mm	Metal	0.99
C	27-5040	3.5mm	Plastic	0.99

Jack Plugs 3.5mm

High quality, shielded mono and stereo 3.5mm jack plugs with metal housings and strain reliefs.



CN00565: Mono. Nickel plated housing and contacts. CN00568: Mono. Gold plated housing and contacts. CN00567: Stereo. Black housings and nickel contacts. CN00566: Stereo. Gold plated housings and contacts. 27-3154: Stereo. Nickel plated housing.

Order #	Reg.	SALE
CN00565	\$ 1.79	\$1.29
CN00568	1.79	1.29
CN00567	1.79	1.29
CN00566	1.79	1.29
27-3154	1.29	0.99









RCA Type Couplers

Fig.	Order #	Case	ONLY	
Chassis n	nount, female to female			
Α	27-1085	Metal	\$1.49	
In-line, fe	emale to female			
В	27-230	Metal	0.99	
In-line, fe	emale to female			
C	27-240	Plastic	0.89	
In-line, male to male				
D	27-700	Metal	1.49	

Switchcraft[®] **RCA Type Metal Phone Plug**

•Mono •Solder-type terminals with built-in cable clamp •Mfr. #3502

ONLY Order # \$1.59

MCM UR Type Connector

•Used extensively in telecommunication and alarm systems •Similar to ScotchlokTM UR connectors •UR connectors are filled with a special sealant to protect against moisture and prevent corrosion •Ten per package





Connectors

The show must go on, so stock-up on pro audio XLR connectors and adapters.

XLR Adapters

Fig.	Order #	Description	Finish	ONLY
Α	27-4085	1/4" mono female to male XLR	Nickel	\$2.89
Α	27-4090	1/4" mono female to male XLR	Gold	3.69
В	27-4095	1/4" mono male to male XLR	Nickel	2.69
В	27-4100	1/4" mono male to male XLR	Gold	3.29
C	27-4110	1/4" mono female to female XLR	Gold	4.49
D	27-4115	1/4" mono male to female XLR	Nickel	3.19
D	27-4120	1/4" mono male to female XLR	Gold	4.19
Е	27-4125	1/4" stereo male to male XLR	Nickel	3.29
E	27-4130	1/4" stereo male to male XLR	Gold	3.59
F	27-4135	1/4" stereo male to female XLR	Nickel	2.89
F	27-4140	1/4" stereo male to female XLR	Gold	4.79
G	27-4145	RCA male to male XLR	Nickel	2.29
G	27-4150	RCA male to male XLR	Gold	2.99
Н	27-4155	RCA female to male XLR	Nickel	2.69
Н	27-4160	RCA female to male XLR	Gold	3.39
J	27-4165	RCA male to female XLR	Nickel	2.89
J	27-4170	RCA male to female XLR	Gold	3.99
K	27-4175	RCA female to female XLR	Nickel	2.99
K	27-4180	RCA female to female XLR	Gold	4.19





Closed End Connector

Order #	Color	Wire Gauge AWG	Qty Per Box	ONLY
28-858	Red	22~18	100	\$3.99
28-860	Blue	16~14	50	2.29
28-862	Yellow	12~10	50	2.29







Opaque nylon insulated disconnects. 100 per package.

	,	1	0
Fig.	Order #	Description	ONLY
Red 2	2~16 AWG		
Α	28-6028	.250 female	\$8.99
В	28-6031	.250 female	8.99
С	28-6034	.250 male	8.99
D	28-6037	.250 male	8.99
Blue 1	6~14 AWG		
E	28-6029	.250 female	8.99
F	28-6032	.250 female	8.99
G	28-6035	.250 male	8.99
Н	28-6038	.250 male	8.99
Yellov	/ 12~10 AWG		
J	28-6030	.250 female	8.99
K	28-6033	.250 female	8.99
L	28-6036	.250 male	8.99
M	28-6039	.250 male	8.99



•3 pin •Solder type •#27-685 requires ¼" mounting hole •#27-690 requires $\mbox{\em \%}$ " mounting hole

			0	
Fig.	Order #	Туре	Description	ONLY
Α	27-160	Male	In-line	\$2.39
В	27-165	Female	In-line	2.89
C	27-1460	Male	In-line, right angle	2.89
D	27-1465	Female	In-line, right angle	3.89
E	27-685	Male	Chassis mount	3.09
F	27-690	Female	Chassis mount	2.99

Terminal Strips

•10A current rating •Ma thei

lade of ermopla		E (3)		3
rder #	Terminals	Length	Reg.	SALE
3-710	4	21/4"	\$ 1.49	\$0.79

Order #	Terminals	Length	Reg.	SALE
28-710	4	21/4"	\$ 1.49	\$0.79
28-715	8	3%"	1.99	1.59
28-720	12	51/4"	2.39	1.99
28-725	16	6%"	2.49	2.09
28-730	20	8%"	3 49	3.29



Gold Plated Banana Plugs

Dual banana plug screw type

Dadi banana prag	seren type.	
Order #	Reg.	SALE
50-4435	\$ 2.49	\$1.99
50-4440	2.49	1.99



European Barrier Strips

•Molded plastic terminal blocks •Recessed set screws to prevent accidental contact •Great for alarm system installations •600V, 10A per circuit

Order #	Ternminals	AMP	ONLY
28-990	8 position	10A	\$1.99
28-995	12 position	10A	2.49
27-5726	12 position	17.5A	1.39
27-5731	12 position	24A	1.39







speco technologies

Four Channel **Covert Wall Mount**

The DVRWM Series of wall mounted DVRs looks like a normal electrical or alarm panel hanging on the wall in a utility area, but inside is a powerful Pentaplex H.264 networkable DVR. Features: •250Gb hard drive •Designed for network viewing •Analog output for initial settings •H.264 high-quality compression •Records @ 120fps •Pentaplex operation enabling simultaneous view live or playback while continuing to record, network transfer and archive •Free DDNS server for use with dynamic IP addresses •EZ record, copy and set-up •One audio input per camera •Back up to Thumbdrive® •IR remote control included

•Free CMS software •Free MAC software 3 •Dimensions: 11" (W) x 15" (H) x 4" (D) •See MCMelectronics.com for additional sizes and more details

Order # 82-13085

ONLY \$499.99



HIKVISION Series 2 Analog H.264 Four Channel DVR and Four Camera Kit

The HK-RA204 DVR combined with the DS-2CC102N-IR1 analog indoor/outdoor water resistant IR bullet cameras deliver high performance, rock-solid reliability and long recording times. The indoor/outdoor IR bullet cameras feature 30' IR illumination and a $\frac{1}{3}$ " Sony Super HAD CCD assures quality video and high reliability. Features: •H.264 video compression •250Gb preinstalled HDD •Up to 352 x 240 resolution •Supports one SATA HDD up to 1Tb •Four indoor/outdoor (IP66) IR cameras •Internet ready for remote viewing and cell phone access •Pentaplex operation •See MCMelectronics.com for more information

Order # HK-RA204P-250

ONLY \$639.00



Four Channel H.264 DVR Card Turn your PC into a sophisticated digital video security monitoring system. This

plug and play DVR card and software allows you to observe and record four cameras simultaneously, or add more cards to upgrade to 16 cameras. Other benefits include H.264 software compression, remote access via the web or network, motion detection with instant email notification, audio monitoring and fast display and recording times. Features: • Monitor up to four cameras simultaneously •Motion detection with instant email notification •Plug and play software with easy to follow user manual •Upgradeable to four cards in a PC for 16 cameras

Order # 82-13110

MSRP \$119.95

ONLY \$79.99

Security

Choose from a wide selection of the latest Pentaplex H.264 DVR DVRs from the brand names you can trust.



Alpha Series Networkable Eight Channel H.264 DVR and Camera Kits

Protect your home or business with this all-inclusive DVR and security set from Swann. Record up to 15 days of footage on the included 500Gb hard drive at 120fps, or login through the internet to watch a live video feed of your property. Features: •Durable, all-weather aluminum camera housing •High-quality video cameras with 420TVL CCD resolution •Infrared LEDs capable of high-image clarity up to 65' away at night •View and record up to eight channels simultaneously •BNC and VGA output •Equipped with remote viewing software to stream over the web remotely •H.264 recording technology means less storage needed and higher image quality Kits include: • Alpha DVR •Remote control •Alpha C5 cameras •50' BNC cables for each camera •BNC to RCA video cable •Software CD •Power adapters •Mouse •Mounting screws and plugs •Operating instructions •Theft deterrent stickers •Mfr. #SWA42-D3

Order # 82-13125

ONLY \$549.00



$\mathbf{D}_{\mathbf{F}}$ Four and Eight Channel H.264 DVR with 7" Motorized LCD Screen

✓ Remote access via network

✓ VGA output

Featuring the latest H.264 compression and an integrated motorized 7" LCD flip-up monitor, this pentaplex DVR is ideal for either small business or residential surveillance installations. Features: •Search by date, time, channel, or event •USB mouse support (mouse included) •352 x 288 (CIF) recording resolution •120fps (total) •PTZ controls •4x BNC audio input •Alarm output •Password protection •Alarm output •Remote control •USB back-up support •Remote access via network •Supports up to 1Tb SATA hard drive (not included) Power: •12V, 4A (AC adapter included) Video outputs: •1V p-p, 75ohm (BNC) •VGA (1366 x 768 max)

Ord	der#	Description	MSRP	ONLY
82-	-13100	Four channel	\$499.99	\$319.00
82-	-13105	Eight channel	609.99	429.00



Loaded with features and easy-to-install this two channel DVR supports up to 8Gb SD storage (SD card not included) and 15fps recording. Connect two cameras for simultaneous manual recording, or motion-activated jpeg snap-shots, or ten second AVI footage. Play-back video files from your SD card on your TV's video input. Includes 12VDC (500mA) power adapter and video patch cables.

Order # 82-12950

MSRP \$129.00

Reg. \$79.49

\mathbf{D} **High Resolution Quad Processor**

High resolution black and white quad processor that provides excellent picture quality. Two viewing modes, quad and sequential switching with three second dwell time. Four camera inputs with adjustable gain. Two outputs for monitor and VCR. **Specifications:** Power: 12VDC, 500mA via included adapter. Video: 1V p-p, 75ohm.

Order # 82-7850

MSRP \$169.00 **Reg.** \$94.99

666666



DEFENDER™ Color Quad Processor

High resolution color quad processor allows viewing of up to four cameras simultaneously. Two viewing modes, quad and sequential with three second dwell time. Adjustable gain control for each camera input. Specifications: Power: 12VDC, 500mA.

Video: 1V p-p, 750hm.

Order # 82-7860

MSRP \$259 00

Reg. \$177.00 SALE



DEFENDER Color Board Cameras

These board cameras are ideal for customized surveillance options and mounting arrangements. Features: •High-quality Sony Super-HAD CCD image sensor •420TVL

resolution •3.6mm lens with 1.0 lux sensitivity •Either a standard lens or flat pinhole lens option Specifications: •3.6mm lens •69° viewing angle •1.0 lux **Power:** 12VDC, 100mA (use #82-3950 adapter). **Output:** 1V p-p, 75ohm (BNC).

Order #	Lens Type	MSRP	Reg.	SALE
82-12830	Standard	\$99.95	\$69.99	\$59.00
82-12831	Flat pinhole	99.95	69.99	59.00



Miniature Color Cameras with Audio

Convenient, simple and covert, these miniature cameras are ideal for indoor surveillance applications. Features: •High-quality Sony Super-HAD CCD image sensor *Built-in microphone •Tough metal casing •Versatile mounting bracket •#82-12836 also features OSD controls for on-screen set-up Specifications: •3.6mm lens •69° viewing angle •1.0 lux Power: •12VDC, 120mA (Use #82-3950 adapter) **Output: •**1V p-p, 75ohm (BNC) Audio: •One-way mono (RCA)

Order #	Description	Resolution	MSRP	Reg.	SALE
82-12835	Standard resolution	n 420TVL	\$99.95	\$69.99	\$59.00
	High resolution + OSD	540TVL	149.95	89.99	-



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.



DEFENDER" Composite to VGA Video Convertor

Use your computer's CRT or LCD monitor for your security camera display! Better yet, you can use this convertor as a switch for displaying video input from up to three devices (security cameras, PCs, DVDs). Features: Female BNC, VGA and S-video inputs, female VGA output, NTSC and PAL input signal compatible, output resolution up to 1024 x 768 at 60Hz, four button panel (input, menu, freeze and resolution) allows control for brightness, contrast, saturation, hue, and resolution. 5V/1A DC power adapter and 4' VGA male-male cable included. (Monitor not included.)

82-10770

ONLY \$50.99



Wireless Pan/Tilt Color **D**PFENDER™ **Camera and Monitor**

Ideal for remotely monitoring an entire room, this 2.4GHz wireless color day/night P/T camera and portable 2.5 color LCD monitor/receiver increases the effective field of view and only takes seconds to install. Specifications camera: •480 x 234 resolution •2.4GHz wireless dual-diversity transmission up to 300' (open-air) •Nine IR LEDs for B&W nighttime illumination up to 20' •Integrated pick-up mic •Three channels 2.4GHz wireless in both camera and monitor to void possible interference •Channel scan in monitor support up to three cameras, looping ten second each •270° pan/120° tilt •Power: 9VDC (adapter included) **Receiver:** •2.5" color LCD display •Three channel reception •Volume/brightness control •2.5mm 3-pole A/V output and A/V cable (included) lets you connect to any TV • Power: 9VDC (adapter included), or four "AAA" batteries (batteries not included)

Order # 82-12875

MSRP \$239.00

For your convenience, an order form is located on page 25.

Swann PrivateEye™ Clock

•Every movement triggers a photo •Takes pictures from the hidden lens up to 15' (5m) with adjustable pinhole camera •View images on vour notebook via the camera's USB

connection •Transfer images by SD memory card to your cell phone or card reader •Works off AC power or battery (not included) •Automatically recharges batteries when plugged in •Time and date stamped on every image •Stops capturing images 3~5 seconds after motion ends •17,000+ images (60Kb) per 1Gb •Fully functional digital clock •Mfr. #SW211-CDP

Order # 82-12525

ONLY \$99.99

Security

Save time and money with handy CCTV field testing equipment.

speco technologies 2.5" LCD Hand **Held Test Monitor**

Save time on your CCTV installation with this 2.5' LCD test monitor. Powered by a lithium ion



can install a camera, test it, adjust the focus and the viewing angle all without having to climb down your ladder. Included adjustable wrist strap ensures that you do not drop the screen and keeps your hands free. Specifications: •480 x 234 resolution •BNC input •Nokia N23 rechargeable lithium ion battery •Two hour recharge time, four hour run time Includes: •Wrist strap, video cable, BNC adapter, AC adapter

Order # 82-13075 \$99.49



innovations in portable, hand held CCTV testers. With a new compact, 3.5" flip-up LCD monitor, and a new video signal meter, both testers still combine six primary functions into a single, easy to use device. The Rapport II Pro goes a step further with a "DVR" function that records to a SD card. Features: •3.5" color LCD monitor •Video signal meter and pattern generator measures composite video signal strength and displays both color bar and color raster (red, green blue) •Built-in digital multi-meter tests AC/DC voltage. resistance and continuity •Protocol analyzer and protocol controller •UTP cable tester. Comes complete with lithium polymer rechargeable battery for up to four hours of continuous use, 12VDC, 1.25A power adapter, car charger with 5' cord, carry-case for both tester and accessories, 4' BNC M/M patch cable, UTP terminating module and a 3' long set of test leads.

Order # Description MSRP Reg. SALE **82-11561** Rapport II \$749.00 \$549.00 **\$499.00** 82-11562 Rapport II Pro (with DVR) 849.00 659.00 629.00

DEFENDER 10.4" Color LCD Security Monitor

Front

Remote

Take advantage of true color brilliance in a space-saving design. Loaded with features, this active matrix TFT LCD security monitor is a great solution for both commercial and residential surveillance applications. See MCMelectronics.com for additional features

Order # 82-11540

Reg. \$339.00

DEFENDER 10.2" Color **LCD Security** Monitor

Ideal for security applications where compact size is desirable. Features: •Dual AV inputs

(AV1/AV2) •Front panel push-button controls •Builtin speakers (1W x 1W) •Key-

hole mounting slots on back Specifications: •Resolution: 800 x 480 •Brightness: 450cd/m2 •AV1 input: RCA composite and L/R audio •AV2 input: 3.5mm to 3RCA/"F" pigtail adapter (composite and L/R audio) •Power source: 12VDC (adapter included) •Power consumption: ~16W

Order # 82-12900 MSRP

ONLY \$199.95

DEFENDER 1 x 2 Distribution Amplifier

Provides two video outputs from one input to split video sources. Dual power operates on 12VDC or 24VAC. Includes 12VDC power supply.

Order # 82-9355

MSRP \$49.95



ONLY \$24.99

Stellar _{Labs}™ Video Ground

Loop Isolator

Specifications: •Insertion loss: <0.5db •Frequency response: 0~3db @ 10MHz •Input/output resistance: 750hm •Built-in 600VDC transient voltage surge suppression (12V RMS) •No power required (passive)

Order # 82-6131 MSRP

ONLY \$24.99

$oldsymbol{\widehat{D}}oldsymbol{DEFENDER}^*$ Wireless Outdoor Day/Night Bullet Camera Kit

Versatile and expandable this 2.4GHz wireless kit is easy to install in the home, office or retail setting and features an open-air transmission distance of about 300'. Specifications camera: •¼" CCD sensor •420TLV resolution •Waterproof IP66 rating •26 LEDs •35' night time viewing range •Built-in audio •Power: 12VDC, 350mA. Receiver: •2.4GHz frequency •Four-channel auto-switching •Normal and loopthrough video switch •Power: 8VDC, 190mA •Kit includes: Camera (#82-12861) with mount, mounting hardware and built-in microphone, a four channel receiver, two power adapters, and a 3' A/V cable (RCA)

	··· F · · · · · · · · · · · · · · · · ·	- /		
Order #	Description	MSRP	Reg.	SALE
82-12860	Wireless camera kit	\$149.00	\$ 109.00	\$99.00
82-12861	CCD D/N camera	109.00	79.99	-
82-12862	CMOS D/N camera	99.95	59.99	34.99



MCMelectronics.com 1-800-543-4330









Security

Make your next CCTV installation a huge success with accessories from MCM.

#82-13185

12VDC High

Output

Camera

Supplies

Power

#82-11350



DEFENDER Pan/Tilt Camera Mounts

Indoor and outdoor pan-only, and pan/tilt mounts commonly used for mounting cameras and housings that require remote control maneuverability. Specification: •Travel (Pan) bi-directional auto scan with two adjustable positive stops to change direction •Manually adjustable tilt angle •Pan speed: 5°/sec •Construction: ABS/aluminum Note: Outdoor P/T mount is water resistant.

Fig.	Order #	Description	Pan	Tilt	Max Load	MSRP	Reg.	SALE
Α	82-12425	Indoor pan-only mount	350°	90°	11 lbs.	\$49.95	\$ 15.99	\$12.99
В	82-12435	Indoor pan/tilt mount	350°	50°	22 lbs.	69.95	36.99	32.99
С	82-12440	Outdoor pan/tilt mount	350°	50°	22 lbs.	129.00	70.99	59.99
D	82-12445	Controller for pan, or P/T	-	-	-	49.95	29.99	29.99





CCTV Video/Power Installation Cables

Make your CCTV installations quick and easy with pre-made CCTV cables. Combination video/power with BNC or RCA type connectors 5.5 x 2.0 DC barrel connector for power (male/female).

Order #	Video Cable	Length	Reg.	SALE
24-5280	BNC	25'	\$9.99	\$8.99
24-5285	BNC	50'	14.99	12.99
24-5290	BNC	75'	17.99	16.99
24-5300	RCA	25'	9.99	8.99
24-5305	DCV.	50'	12.00	12 00



CCTV Installation Cables

Make your CCTV installation quick and easy with pre-made CCTV cables.

Combination video/power with BNC connectors for video and 18AWG twisted pair for power.

Order #	Length	ONLY
24-6605	25'	\$10.99
24-6615	75'	20.99
24-6620	100'	25.99
24-6625	150'	40.99



Order #

82-8485

Video Coax Surge Protectors

Protects valuable CCTV equipment from high voltage surges such as lightning strikes and voltage spikes. **Specifications:** Response time: 100ns. Max surge current: 5,000A. Insertion loss: <0.2dB. Dimensions:

3" x 1" x 1". Note: Ground lead must be connected to earth ground for proper operation and protection.

Reg.

	_
	#24-5361



CCTV DC Power Pigtail

Ideal for CCTV applications, these DC power pigtail cords are handy in the field when terminating and transitioning 2 conductor camera power. Also available in a female version. Specifications: •DC barrel plug and receptacle dimensions: 5.5mm x 2.1mm •Center positive •Colorcoded wires; red(+); black(-) •3' length •Tinned leads •26AWG.

Order #	Description	MSRP	(1-9)	(10-up)
24-5361	Male DC pigtail	\$10.99	\$3.99	\$2.99
24-5362	Female DC pigtail	10.99	3.99	2.99



12VDC, UL listed, CCTV distributed power supply designed with individually fused outputs for powering high output CCTV cameras and accessories.

Specifications: •Surge protected outputs with individual LED power indication •±10% voltage adjustment for long wire runs •100V~240V operation with appropriate UL or foreign CE power cord • Unique pre-drilled top mounting flange •Power on/off safety switch with LED •5' three conductor US power cord included.

Order # Dimensions	Outputs	Total Current	Current/ channel	Reg.	SALE
82-11309	4	4A	1A	\$69.99	\$59.99
8.0" x 9.5" x 3	.75"				
82-11310	9	4A	800mA	105.00	79.99
11.25" x 11.25	5" x 3.75"				
82-11311	16	8A	1.2A	147.00	129.99
11.25" x 11.25	5" x 3.75"				



DEFENDER"

Electronic Digital Safes

Great for hotels, businesses or home use, these safes feature heavy gauge steel construction with pre-drilled holes and mounting hardware, dual throw bolt locking systems, easy-to-use digital keypad entry with programmable codes, auto-locking function for incorrect entries (#82-12851 features LCD display), and two emergency over-ride keys. Requires four "AA" batteries (not included)

Order #	Cubic Foot	Dimensions (HxWxD)mm	MSRP	ONLY
82-12850	.40	310 x 200 x 20	\$59.95	\$39.99
82-12851	.55	350 x 250 x 250	89.95	59.99



's" Sony Super HAD CCD features night time infrared illumination, vandal resistant aluminum construction and versatile waterproof IP66 rated ceiling or wall mount ballturret design. DSP circuit for improved image quality. Specifications: •Electronic shutter •Automatic white balance Power: 12VDC, 300mA (#82-11350 and 82-13185); 500mA (#82-12400). Note: Adapter not included (#82-3950). Output: 1V p-p, 75ohm (BNC).

Order # Resolution LEDs Range (mm) MSRP Reg. SALE 45' 6.0 \$169.00 **\$69.49** -**82-11350** 420TVL 45' 3.6 169.00 59.99 **\$49.99 90**' 3.5~8 199.00 119.00 **99.99** 82-13185 420TVL 42 82-12400 480TVL

Waterproof Color Day/Night **Bullet Camera with IR LEDs**

✓ Waterproof

✓ 75' night-time illumination

Color day/night bullet camera features a 1/3" Sony Super HAD CCD image sensor and 35 IR LEDs. Features split glass technology to avoid IR reflection and an IP66 waterproof rated housing for exceptional outdoor protection. Also includes a versatile, ABS mounting

bracket. Specifications: •Resolution 380TLV •4.6mm lens •1.0 lux (0.0W/35 LEDs on) •Up to 75' night time IR range •Auto electronic shutter •Automatic white balance. Power: 12VDC, 370mA. Note: Power adaptor not included (use #82-3950). Output: 1V p-p, 750hm (BNC).

82-12370	\$8
	Day

Order #

Reg.

DEFENDER Weatherproof HQ1 Long-Range Varifocal Day/Night IR Camera

√ 150' night-time illumination √6~50mm varifocal lens

Specifically designed for outstanding image reproduction and sensitivity, the Sony 1/3 HQ1 CCD also incorporates a DSP sensor for exceptional picture clarity. 36 high-powered LEDs illuminate up to 150' at night, and a 6~50mm varifocal lens facilitates optimal FOV adjustment. Specifications: •1/3 HQ1 CCD •520TVL resolution •Externally adjustable 6~50mm varifocal lens •0.2 lux (0.0 lux with IR LEDs on) •IP66 Weatherproof rating •150' night time IR range •Rugged aluminum housing •DSP, AGC, AWB •Electronic shutter •Cable pass-through mounting bracket included Power: 12VDC, 500mA (IR on). Note: Adapter not included (#82-11321). Output: 1V p-p, 750hm (BNC).

Order # 82-12965

MSRP \$269.00

ONLY \$169.00



DEFENDER

High Resolution Day/Night Vandal Resistant Color Dome Camera with Varifocal Lens

✓ On-board OSD

✓ Motion sensing



Power Splitter 'Y" Adapters

Connect two cameras to a single

power supply. Single female 5.5 x 2.1mm to two male 5.5 x 2.1mm.

Order #	Length	ONLY	
24-5355	12"	\$1.99	
24-5360	24"	2.19	

Extremely versatile weatherproof color dome camera with 1/3" Sony Super-HAD CCD image sensor, 540TVL resolution, ultra low illumination (.002 lux w/sens-up), 3.8~9.5mm auto iris varifocal lens, and 12VDC or 24VAC switchable power. Features digital noise reduction (DNR) to improve nighttime image, and an on-screen display (OSD) menu to set-up a wide variety of functions, including motion detection with privacy masking (four programmable zones), mirror imaging, white balance, shutter speed, synchronization, and gain control. Also features a spot monitor connection on the PCB to connect a field-test monitor (#82-11545) Power: •12VDC/24VAC switchable Output: •1V p-p, 75ohm (BNC).

Order # MSRP 82-12160

Reg. \$209.00 \$349.00








Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532 Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330

Email: quotes@MCMelectronics.com



•Slim antenna sets on or near your TV with a stable flip-out stand •Efficient, directional design with ultra-low noise amplifier maximizes digital reception •20dB gain •Noise (max): <4 dB Includes: •Antenna •6' coax cable •9VDC power adapter

Order # 30-2210 ONLY \$19.99



for digital television and high-definition television broadcasts •Frequency range: 460~862MHz •30 elements •750hm "F" type connection •20dB •Up to 50 mile range

Order # 30-2155

MSRP \$39.95 ONLY \$19.99



UHF/VHF/HDTV Indoor Antenna

•An amplified UHF/VHF antenna that will receive all FM, DTV, and HDTV signals •Adjustable amplifier for better control on reception gain •"F" type input for connecting



external antenna, VCR, cable, or other source, or used stand-alone •Great for areas where an outdoor antenna is required for some stations, but nearby stations that are too strong require an indoor antenna •Frequency range: 40–860MHz •Max noise: 6dB •Max amplification: 28dB •Power source: 120VAC or optional 12VDC

Order #	MSRP	ONLY
30-2160	\$24.95	\$14.99



signal interference and improve average return loss for better reception and superior performance.

Order #	Mfr. #	Description	Reg.	SALE
30-2000	HDTVi	Non-amplified	\$39.99	\$29.99
30-2005	HDTVa	Amplified	49.99	41.99
		_	RA	TED

MCM HDTV Indoor Amplified Antenna

Ideally suited for indoor HDTV (UHF) off-air reception, this antenna features a low-profile boom design, rotational

elements for improved directional gain, and a 7~13dB adjustable gain control (power adapter included).

Order # 30-2100 Reg.



SATV/CATV

HDTV has never been so easy.



Split one HDMI source to distribute to multiple high-definition displays. Ideal for retail displays, entertainment venues, and multiple residential displays. Extends the range of HDMI compliant device by equalizing and boosting the HDMI signal up to an additional 50'. Specifications: •Input/output: HDMI v1.2a+, HDCP 1.0/1.1 •Video formats supported: VGA 1920 x 1200 and 1080p •Operating frequency: Up to 165MHz •External power supply (included): 5VDC for 110V

Dimensions (L x W x H) with feet Description SALE Order # Rea. 33-10540 1 x 2 \$179.00 \$49.99 \$39.99 10.625" x 7.18" x 1.83" 33-10542 249.00 119.00 99.99 17.323" x 7.893" x 1.748 33-10545 399.00 249.00 209.00 1 x 8



Composite/S-Video to HDMI Scaler

•Use your composite and S-video equipment with HDMI televisions, switches, receivers and more •Basic upscaling to 720P at 60MHz •Syncs audio and video channels •Works with any HDMI to DVI adapter •Dimensions: 6.1" x 2.75" x 0.90" •Includes 5V, 2A power supply



•Receives free Over-the-Air (OTA) digital television signals •Down-converts OTA HDTV signals for use with standard and enhanced definition TVs (480i/480p) •Compatible with all 18 ATSC signal formats •On-screen Electronic Program Guide support •A/V Output: coaxial (RF), S-video, composite video, RCA stereo audio •Includes remote

Order # 30-2202 ONLY \$49.99

Compact HDTV Antenna

•Extremely low profile design can be mounted indoors or outdoors •Extremely low noise amplifier is designed for the latest digital and highdefinition television reception •20dB gain •UV resistant case **Includes:** •Antenna •Flexible arm mounting base •Power inserter •AC adapter •Coax cable •Mounting hardware

Order # ONLY 30-2205 \$24.99

gh-Base

✓ SiliconDust

HD HomeRun ATSC Network Single HDTV Tuner

•Simply attach the HD HomeRun to a router and HDTV broadcasts become available to all PCs on your network •Record full 1080i broadcast resolution •Pause, rewind, fast-forward live TV •Schedule and record all your favorite TV shows •Expand with multiple HDHomeRun devices •Includes DVR software •Compatible with Windows® Media Center, SageTV®, VLC, XBMC, and many other media center software packages

Order # ONLY 831-7360 \$129.00



HDMI Scaling Media Center

•This six-input media center switch allows you to scale all source inputs to 1080p and send them over a single HDMI cable to your display •Perfect solution for utilizing older A/V equipment or PCs with new high definition displays •Switch among six sources: Two HDMI, two analog (composite, S-video, or component), and two VGA Specifications: •HDMI v1.3, HDCP (Input pixel clock rate: 25MHz~225MHz) •Supports video up scaling to 1080p (pixel clock rate: 25MHz~165MHz) •3D Y/C separation comb-filter •Aspect ratio: 4:3 or 16:9 •10 bits video processor for analog to digital conversion •IR remote control and manual control •Dimensions: 13½" x 6½" x 1½" •5VDC, 4A power supply (included)

 Order #
 MSRP
 ONLY

 33-10800
 \$429.00
 \$199.00







(**(** HDMI 1.3 Input Switch

•Easily switch between multiple

HDMI sources while running a single HDMI cable to your high-definition display •Extends the range of HDMI compliant device by equalizing HDMI signal •Included discrete IR remote (not included with #33-10532) •Auto sensing inputs allow switching between only active HDMI sources **Specifications:** •Output video: HDMI 1.3b + HDCP 1.0/1.1 •Video formats supported: Up to VGA 920 x 1200 and HD 1080P •Video amplifier bandwidth: 2.5Gpbs/250MHz •External power supply (included): 2A 5VDC for 110V (neither included nor required for #33-10532)


Order #	Description	MSRP	(1-4)	(5-up)
33-10532	2 x 1	\$59.95	\$19.99	\$19.25
33-10533	3 x 1	79.95	29.99	28.50
33-10535	5 x 1	109.00	44.99	43.25

Channel Master* TITAN 2TM Mast Mounted Preamplifiers

These amplifiers represent the ultimate in preamplifier performance. They are designed for use as an ultra low noise, ultra high gain preamplifier for deepest fringe applications and MATV headend applications. Their very high signal handling also makes them suitable for use as a mast mounted, ultra low noise distribution amplifier for use in small MATV systems. They may be configured for either separate or combined VHF and UHF inputs. They include a switchable FM trap.

Order #	Mfr. #	VHF Gain	UHF Gain	ONLY
33-8960	7777	23dB	26dB	\$67.99
33-8065	7778	16dB	234B	50 00





SATV/CATV


MCM carries the latest DIRECTV® equipment for the best in HDTV.

Slimline Dish and LNBF

•Dish kit includes mounting brackets, arm, mast, and DIRECTV' Slimline reflector •Use dish kit with any of the LNBF options •All LNBF units receive orbital 99°/101°/103° for all DirecTV® standard programming •5-LNBF units additionally receive 110°/119° for local HD programming in some areas •SWM options for running single wire from the dish to SWM compatible multi-switches and splitters

Order #	Description	ONLY
33-10990	Slimline dish kit with mounts	\$69.99
33-10992	3-LNBF, 4 outputs	39.99
33-10994	3-LNBF, 1 output (SWM)	89.99

Order #	Description	ONLY
33-10996	5-LNBF, 4 outputs	\$59.99
33-10998	5-LNBF, 1 output (SWM)	99.99





H21 High-Definition Receiver

With the DIRECTV® H21 receiver, you can access over 265 digital-quality audio and video channels from DIRECTV® in

both high-definition and standard definition Features: Versatile HDTV connection options include HDMI digital audio/video and component video, as well as standard composite video and RCA audio •1080i picture output resolution formats •Dolby® Digital 5.1 surround sound capable •MPEG-4 AVC capable Includes: •Access card •B-band convertor •Remote control and batteries •Component, S-video, and standard A/V cables •Phone and power cords •User guide •This equipment is for use only with DIRECTV® subscription television service and is subject to DIRECTV's® terms and conditions •Mfr. #H21

Order # 33-7703

Reg







High-Definition HR21 Receiver Add DIRECTV® and DVR Service

and you get the best choice and widest **DIRECTV** selection of high definition programming. Features: •Standard-definition (SD) and high-definition (HD) enabled •Simultaneous SD and HD output •Record up to 200 hours of SD, or up to 50 hours of HD programming •Two satellite tuners for access to SD and HD DIRECTV programming •14-day Advanced Program Guide® •Pause and rewind live TV for up to 90 minutes •Series Link® feature •One touch record, auto record, manual record, and bookmarks . Search and record •Interactive TV enabled. •Mfr. #HR21 •This equipment

service and is subject to DIRECTV's® terms and conditions				
Order #	Description	Reg.	SALE	
33-7704	HR21 high-def receiver	\$229.00	\$199.00	
33-7706	Dual ATSC add-on tuner	79.99	69.99	

is for use only with DIRECTV® subscription television



DIRECTV® Standard Receiver With the DIRECTV® D12 receiver,

you can access over 250 digital-quality DIRECTV channels, plus access interactive capabilities and a customizable on-screen program

guide. Explore and personalize all your viewing options quickly and easily with the included remote control. Features: •Interactive features include mix channels, DIRECTV® Active, and MiniGuide •Parental controls to set rating restrictions and spending limits •Programming options like CHOICE, DIRECTV® Spanish, XM satellite radio and pay per view movie and event channels Includes: • Access card • Remote controls and batteries •A/V and S-video cables •Phone and power cords •User guide •This equipment is for use only with DIRECTV® subscription television service and is subject to DIRECTV's® terms and conditions •Mfr. #D12-300

Order # 33-7701

Reg. \$94.99





The DIRECTV PlusTM DVR receiver lets you record up to 100 hours of programs, DIRECTV and pause or control live TV. With the R22 receiver you can automatically record an entire season of your favorite shows, find and record programs by title, actor, or director, listen to theater-quality Dolby® Digital sound, and schedule recording up to 14 days in

advance. Includes: •Access card •Remote controls and batteries •A/V and S-video cables •Phone and power cords •User guide •This equipment is for use only with DIRECTV® subscription television service and is subject to DIRECTV's® terms and conditions •Mfr. #R22 Order #

33-7702

Reg. \$129.00





TERK 5 x 8 Integrated Multi–Switch

LIMITED QUANTITIES

The BMS-58 allows up to eight satellite television receiver connections to a single multi-satellite dish and provides an additional off air antenna/cable input to integrate all television options. Simply connect the two SatA and SatB cables to the BMS-58 and run to the receivers SALE

Order # 33-9665

MCMelectronics.com



Customer Service: 1-877-626-3532

Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330

Email: quotes@MCMelectronics.com

Satellite Finder Meter

·Position and aim satellite dishes with ease •Connects between the LNB and satellite receiver or 13~18V power supply •Frequency

range: 950MHz~2.4GHz •Gain: 11dB •Operating range: 52~60dB LNB gain

Order # 33-10940

SALE



PERFECT 10™ Acutrac®22 Digital Satellite Signal Level Meter

The Acutrac®22 allows an installer to easily align a multi-feed system by displaying LNB A and LNB B signal strength measurement levels simultaneously. The Acutrac®22 features include: LCD display, selectable audio on-off tone, receiver voltage output, individual LNB current consumption, 22KHz tone and coax cable test. Acutrac®22 Pro also includes: Rechargable battery pack, leather case and AC/DC chargers. Mfr. #AcutracPro.

Order # 33-7395

Reg.



J-Pipe Mount

•Versatile all-in-one mount that can be used with antennas or satellite dishes . Can be mounted on the roof, wall, chimney or any other flat surface •J-pipe is reversible from mounting foot for a variety of positioning options •Gray weatherproof coating •38" mast height •15/8" mast diameter

Order # 33-10915

Reg.



ZINWELL 6 x 8 Multi-Switch

·Six satellite inputs: four inputs from 101°/110°/119° and 99°/103°; two flex port inputs from 72.5° and

95° for international and local programming •Passive unit powered by connected satellite receivers •Wide band frequencies: 250~750MHz, 950~1450MHz, and 1650~2150MHz

Order # 33-11007

ONLY \$69.99



Channel Master® **Satellite Diplexers**

The 4001IFD and 4002IFD diplexers are used for separating or combining satellite signals at 950~2150MHz with VHF/UHF signals at 54~806MHz. A DC

power pass is provided from the satellite port to the common in order to pass satellite receiver LNB voltage. The 4001IFD is Channel Master's standard performance diplexer. The 4002IFD offers higher performance (much greater stopband rejection) necessary when combining satellite and VHF/UHF signals on to one cable because LNB noise extends down into the UHF spectrum and can degrade UHF TV reception if not adequately filtered out before connection to the distribution cable.

Order #	Mfr. #	Reg.	ONLY
33-9415	4001IFD	\$4.49	\$3.49
33-9420	4002IFD	10.99	9.99



In-Line Surge Protector

Protect your cable modem, tuner. convertor, decoder, and satellite receiver from power surges and spikes caused by lightning strikes.

Plugs directly into coax line. Specifications: •Frequency range: 5~2,400MHz •Insertion loss: 1.5dB max •Max surge current: 5000A

Order # 33-10400

TERK

Volume Regulator

The VR-1 features

Reg. \$6.39



Advanced Digital Signal Processing technology that automatically adjusts sound levels without introducing additional noises. With response as quick as .002 seconds, the VR-1 delivers consistent audio levels when sudden loud noises such as explosions or commercials are present. The VR-1 is easy-to-install and is compatible with any A/V device. Mfr. #VR-1

Order # 33-9635

Reg. \$42.99



MuxLab VideoEase™ VGA Balun II Over UTP

VideoEaseTM VGA Balun II is a passive device that fully supports VGA and SVGA

(RGBHV) transmission via one Cat 5 UTP cable without the need for shielded twisted pair (STP) cable. This breakthrough technology allows VGA equipment to be deployed more easily in both new and pre-wire structured cabling environments. Used in pairs, sold individually.

Order #	Description	Mfr. #	Reg.	SALE
33-9601	PC side (HD15-male)	500040	\$74.99	\$69.99
33-9602	Monitor side (HD15-female)	500041	74.99	69.99
33-9603	Monitor side (HD15-male)	500042	74.99	69.99





- ✓ Accommodates compomnent video (Y/Pb/Pr) plus digital audio
- ✓ Active video amplifier circuit
- ✓ Loop through output send for multiple receivers ✓ IR remote path

Distribute high-definition component video and digital or left or right audio over extended distances using Cat 5e wire. Video and audio loop output to accommodate future expansion to additional Cat 5e transmitters and receivers. Supports 1080i video up to 300' with Cat 6.

Order #	Mfr. #	Description	Reg.	SALE
33-10255	Cat5TX	Transmitter	\$119.00	\$109.00
33-10256	Cat5RX	Receiver	119.00	109.00





High Performance Distribution Amps

✓ Single input with four or seven outputs

✓ Accommodates L/R line level audio and composite video

These high performance distribution amplifiers feature specifications such as a true one-to-one ratio, no signal loss, low noise, low distortion and unity gain.

,	,		, ,	
Order #	Mfr. #	Outputs	Reg.	SALE
33-6875	AV400	Four	\$59.99	-
33-6880	AV700	Seven	99.99	\$69.99

SATV/CATV

MCM makes A/V distribution a snap!








Channel Master* **Distribution Amplifiers**

•Commercial grade distribution amplifiers can be used for HDTV, CATV, off-air, analog, and digital RF distribution •Weather sealed housings



•Average noise figure: 2.8dB •50~1000MHz				#30-21	35	
Orde	r #	Mfr. #	Description	Gain	Reg.	SALE
30-2	124	3410	1-way	15dB	\$34.99	\$27.95
30-2	125	3412	2-way	11.5dB	39.99	31.95
30-2	130	3414	4-way	8dB	44.99	33.95
30-2	135	3418	8-way	4dB	59.99	44.95

50MHz~1GHz **Broadband Amplifier**



Order # 33-2675

Rea. \$149.00



Ground Isolation Transformer

5MHz~2.4GHz bandwidth for use in antenna, cable television and satellite systems. Reduces the effects of ground loops such as herringbone, beat and audio hum.

Order # 33-8700

Reg.



Stellar⊚_{Labs}™ Video Ground Loop Isolator

Ground loops Ground loops in composite video systems can cause video distortions such as herringbone and AC beat. Uniquely designed to eliminate ground loop

related distortions, this transformer features RCA femaleto-female connectors with a separate 9' RCA male-to-male pigtail cable that facilitates multiple installation configurations and helps reduce cable connector strain. Specifications: •Insertion loss: <0.5db •Frequency response: 0~3db @ 10MHz •Input/output resistance: 750hm •Built-in 600VDC transient voltage surge suppression (12V RMS) •No power required (passive)

Reg.


\$31.99

Order # **MSRP** 33-6927 \$59.95

Muxiab

VideoEase™ **HDTV Component** Video/Digital **Audio Balun**

The component video/audio balun allows one component video (YPbPr or RGB) signal and one



·Used in pairs, sold separately

Order #	Mfr. # Connectors		Audio	ONLY	
33-10060	500050	Male RCA	Digital	\$74.99	
33-10061	500051	Female RCA	Digital	74.99	
33-10062	500052	Male RCA	Analog	74.99	
33-10063	500053	Female RCA	Analog	74.99	



HDTV Adjustable **DATA** COMM Distribution Amplifier

•Instant cable provider signal strength indicator •Eliminates screw-on attenuators •Extends precise signal strength beyond typical "no-loss" distribution amplifiers •Specifically designed for HDTV broadcasting (VSB8 & QAM64) •Meets and/or exceeds cable modem and PPV requirements •Protects equipment against voltage insertion •Eight independent adjustable attenuators (range: 0~40dB) •Nominal gain per output: 3dB+ •Forward bandwidth: 54~1.2GHz •Return bandwidth: 5~42MHz at 5dB gain •Maximum output on all 8 ports: +25dBmV/CH •Typical noise figure: < 4.5dB •Surge protection on all 8 ports: 6KV/3KA

Order #	Mfr. #	Description	ONLY
33-11045	70-0039	HDTV adjustable distribution amplifier	\$199.00
33-11046	70-0019	Custom 19" rack adapter	39.99
33-11047	70-0041	Custom enclosure adapter	19.99



Stellar Labs™ SLV A/V RF Modulator

- ✓ Accepts composite video/line level audio source
- ✓ Selectable output on CH3 or CH4
- ✓ Auto switching between antenna and A/V source

The mini RF modulator is a compact, inexpensive modulator that will convert any composite video source to VHF for viewing on your TV on either channel 3 or 4. Its low signal loss enables it to deliver excellent picture and sound quality. This modulator allows you to connect additional A/V components, such as a DVD player or a gaming system, to your TV when there are no available RCA jacks. Inputs: Three RCA (composite video and stereo audio), one "F".

Order # MSRP 33-9775 \$19 99

Reg. \$12.99

MCMelectronics.com 1-800-543-4330



Home Audio

Save money and gain flexibility with baluns from MCM Custom Audio.



Audio/Video to Category 5 Balun System

This system allows installers to take advantage of Cat 5 (or higher) cable for interconnecting A/V components over long distances. Common signal formats such as composite video, RGB component video, S–video and line level audio can easily be sent considerable distances over UTP cable. Housed in compact ABS enclosures, baluns accept standard RJ-45 male connectors or unterminated UTP cable. Completely passive design, these units require no power. Sold individually, all baluns must be used in pairs. For complete information on all models, see MCMelectronics.com.

0	rder #	Type Ca	at 5 Connection	A/V Connections	Distance	Reg.	SALE
5	0-7710	Composite video	RJ-45	RCA female (yellow)	1000'	\$10.99	-
5	0-7720	Component video	RJ-45	RCA female (red/blue/green)	400'	39.99	-
5	0-7722	Component video,	RJ-45	RCA male pigtails (red/blue/green),	400'	44.99	-
		digital audio		female RCA (orange)			
5	0-7724	Stereo audio	RJ-45	RCA male pigtails (red/white)	1000'	21.99	-
	0-7725	Stereo audio	RJ-45	RCA female (red/white)	1000'	19.99	-
5	0-7730	Audio/composite video	RJ-45	RCA female (red/white/yellow)	400'	29.99	-
5	0-7732	Audio/composite video	RJ-45	RCA male pigtails (red/white/yellow)	400'	31.99	-
5	0-7742	Audio	Tooless IDC	RCA male	1000'	14.99	-
5	0-7748	Composite video	Tooless IDC	RCA male	1000'	10.99	-
	0-7768	Quad composite video	RJ-45	RCA female (yellow) x 4	1000'	29.99	-
5	0-7769	Quad composite video	RJ-45	BNC female x 4	1000'	29.99	-
5	0-10250	VGA video (PC side)	RJ-45	Female HD 15 connector	400'	44.99	\$35.99
5	0-10255	VGA video (Monitor side	e) RJ-45	Female HD 15 connector with male-male jumper	400'	44.99	35.99
	0-10265	VGA video (PC side)	RJ-45	Female HD 15 connector/single gang wallplate	400'	44.99	35.99
	0-10270	VGA video (Monitor side		Female HD 15 connector/single gang wallplate	400'	44.99	35.99
	0-10290	Audio/composite video	RJ-45	RCA female (red/white/yellow) single gang wallplate	1000'	26.99	22.99
5	0-10295	Component video,	RJ-45	RCA female (red/blue/green/orange)	400'	37.99	32.99
		digital audio		single gang wallplate			
	0-10285	Stereo audio	RJ-45	RCA female (red/white) single gang wallplate	1000'	18.99	15.99
	0-10287	Stereo audio	RJ-45	Female 3.5mm stereo jack on single gang wallplate	1000'	18.99	15.99
5	0-10280	Composite video	RJ-45	RCA female (yellow) single gang wallplate	1000'	13.99	11.99

MCM GUSTOM AUDIO



Active HDMI Over Dual Category 5 Balun Set

Complete kit consists of an active transmitter

and receiver set for sending HDMI signals over dual Cat 5e or Cat 6 cable runs. The transmitter unit connects to the HDMI audio/video device with a HDMI connection. The receiver is located near the HDTV display source and connected to the display source with a HDMI connection. Then, the transmitter and the receiver units are connected together with two Cat 5 cables that transmit a pristine high definition signal between the A/V device and the HDTV display up to 200' (720p). Power is required at the receiver end, UL listed AC adapter is included. Features: •Supports computer resolutions up to 1920 x 1200 (WUXGA), 12 bit color depth •HDMI version 1.3 compliant •H.D.C.P. (High Bandwidth Digital Content Protection) compliant Distances: •720p: 200' •1080i: 165' •1080p: 100' **Specifications:** •Video amplifier bandwidth: 2.25Gbps •Single link range: 1080p •Input video signal: 0.5~1.0V p-p •Input DDC signal: 5V p-p (TTL) •Data speed transfer: 10.2Gbps •Power requirements: 5VDC •Dimensions (each unit): 2" (W) x 1.88" (H) x 3.25" (D)

Order # 50-10245

MSRP \$199.00 ONLY \$84.99



MCMGUSTOM AUDIO



Swingplate™ Feed Through Wall Plates

Designed specifically for the A/V installation industry, this unique feed through wall plate features a swivel door for ease of use and improved appearance. It is ideal for situations where multiple cables are to pass through a finished wall, and not terminated at the plate. This is especially useful in pre-wire applications, as the wire can remain tucked into the wall, with the swing door neatly closed, until it is time to install equipment. Available in single or double gang sizes, plates are white color, and are compatible with standard electrical boxes and low voltage brackets. Call for larger quantity pricing.

Order #	Size	(1-3)	(4-11)	(12-24)	
50-10900	Single	\$1.79	\$1.59	\$1.45	
50-10910	Double	2.39	2.19	1.85	



MCNeustom Audio

Adaptiplate™ Keystone Decora Inserts

Multiple configurations allow selection from one to six connector inserts in a single gang plate size. Use alone or combine with others to provide exactly the plate configuration needed. Perfect when A/V connectors are combined with telephone and network keystone jacks. Insert #50-10780 or 50-10781 allows compatibility with all Adaptiplate $^{\rm TM}$ A/V hex connectors.

Order #	Openings	Color	MSRP	Reg.	SALE
50-10150	One	White	\$1.99	\$1.39	\$0.99
50-10151	One	Ivory	1.99	1.39	0.99
50-10155	Two	White	1.99	1.39	0.99
50-10156	Two	Ivory	1.99	1.39	0.99
50-10160	Three	White	1.99	1.39	0.99
50-10161	Three	Ivory	1.99	1.39	0.99
50-10165	Four	White	1.99	1.39	0.99
50-10166	Four	Ivory	1.99	1.39	0.99
50-10170	Six	White	1.99	1.39	0.99
50-10171	Six	Ivory	1.99	1.39	0.99

MCNCUSTOM AUDIO

Keystone Voice and Data Inserts Intended for use with the

AdaptiplateTM Keystone Decora Inserts, these voice and data inserts are also compatible with most keystone wall plates. Intended for telephone and LAN connections, they are ideal for use with the MCM Custom Audio Cat 5 Balun system. RJ-45 connector is Cat 5e rated. RJ-11 connector is 6P6C (six-conductor) type and is compatible with standard single, two and three line telephone wiring configurations.

Order #	Type	Color	MSRP	Reg.	SALE
50-10790	RJ-45	White	\$3.59	\$2.49	\$1.69
50-10791	RJ-45	lvory	3.59	2.49	1.69
50-10795	RJ-11	White	2.89	1.99	1.39
50-10796	RJ-11	lvory	2.89	1.99	1.39

MCM GUSTOM AUDIO



Adaptiplate™ HMDI Keystone Insert

Designed as part of the AdaptiplateTM Wall Plate System, this HDMI female-female coupler is

compatible with standard Keystone wall plates. It accepts a male connector at either side, allowing easy termination of HDMI cables at the wall. Keystone configuration allows endless flexibility in combining with other data, audio and video wall plate connections. It is also suitable as a free sanding HDMI coupler. White color.

us a rree samer.		P1011 111
Order #	MSRP	Reg
50-10805	\$19.95	\$9.9






MCMelectronics.com

Enter source code from back cover in web shopping cart to receive sale prices.

Home Audio

Stellar Labs® offers the ultimate style, performance and value.

NEW







SLA 150 Stereo Power Amplifier

·Specifically designed for use in distributed audio installations •Remote on/off triggering and signal sensing •Power output: 75W RMS x 2CH @4ohm, 150W RMS bridged •Model #SLA-150

Order # 50-4610

MSRP \$449 00

Reg. \$199.00

NEW!

SALE \$**169**00

Stellar Labs™ Compact Stereo Amplifier

This extremely small amplifier chassis is perfect for permanent installations. Typical applications include use with flat panel televisions to drive one or two pairs of speakers, digital signage installations, kiosk, POS and similar retail environments. Features: •20W RMS 80hm

stereo, bridgeable to 40W RMS mono •Fanless cooling for silent operation •Bass and treble controls •RCA unbalanced line level inputs •Detachable screw terminal balanced inputs, mic/line switchable Specifications: •Frequency response: 20Hz~25KHz •Total harmonic distortion (THD): 0.05% •Dimensions: 21/4" (H) x 73/4" (W) x 41/2" (D) •Mfr. #SLA40

Order # 50-4608

MSRP \$129.99

ONLY \$79.99

Sherwood

Distributed Audio Stereo Receiver

•Perfect for multi room background music •Allows connection of up to four pairs of speakers with A/B/C/D selection •Power output: 100W RMS x 4 channels (40hm) •Mfr. #RX-5502



Order #





Stellar@_{Labs}™

61/2" Ceiling Speaker Pair

•61/2" woofer, 1" tweeter •Power capacity: 40W/60W RMS/peak Frequency response: 65Hz~20KHz •Sold in pairs

Order # 50-10510

MSRP \$119.00

ONLY \$59.99



Contractor Series In-Wall and Ceiling Speakers

- •Polypropylene cone woofer with rubber surround •Pivoting silk dome tweeter •6dB/octave crossover •Rust proof perforated aluminum grill
- •Detachable phoenix style connector



55Hz~20KHz •Sold in pairs

Order #

NEW!



8" In-Wall Speaker Pair

•8" woofer, 1" tweeter •Power capacity: 55W/80W RMS/ peak •Frequency response: 55Hz~20KHz •Sold in pairs

Order #

50-10501

MSRP \$159.00

ONLY \$79.99



•61/2" woofer, 1" tweeter •Power capacity: 40W/60W RMS/ peak •Frequency response: 65Hz~20KHz •Sold in pairs

Order #

50-10500

MSRP \$119.00

ONLY \$59.99

NEW!



\$159.00

ONLY \$79.99



Dual 51/4" In-Wall Center Channel Speaker

·Provides isolated left and right audio channels from a single location •8" woofer, dual 3/4" tweeters •Power capacity: 40W/60W RMS/peak per channel •Frequency response: 50Hz~22KHz •Sold individually

Order # 50-10520

MSRP \$99.00

ONLY \$49.99





8" Single Point Stereo Ceiling Speaker


·Provides isolated left and right audio channels from a single location •8" woofer, dual 3/4" tweeters

•Power capacity: 40W/60W RMS/peak per channel •Frequency response: 50Hz~22KHz •Sold individually

Order # 50-10580

Reg.





•Passive 12dB/octave 200Hz low pass filter •Mounts within a standard 2 x 4 wall cavity •100W/200W RMS/peak per channel capacity •45Hz~200Hz response •Sold individually


Order # 50-10575

MSRP \$179.00

ONLY \$99.99







Visit our website for inventory clearance items. Check it out today because they won't last long at these prices.



MCNGUSTOM AUDIO

#555-9710

Box Top Mixer Amplifiers

✓ USB/MP3 reader

✓ 100W RMS output

✓ Five-band equalizer plus effects

Compact amplifiers are perfects as self contained PA systems for a single presentation or a small to medium size venues. What sets these apart is the built-in USB port which accepts standard thumb drives, and directly reads MP3 and WMA audio files. Combined with commonly available thumb drives which hold hours of music, these mixer-amplifiers become a self contained music system. MP3 features: •Backlit LCD display of file being played •Pushbutton control for play/pause, stop, repeat, track forward and reverse Features: . Bass, treble and reverb controls on each mic input •15V phantom power on all mic inputs •Master five band equalizer •L/R RCA style tape inputs with separate level control •Fixed L/R line level record output •Built-in echo effects •Rear panel effects send and returns Specifications: • Power output: 100W RMS •Mic inputs: 1/4" unbalanced, XLR balanced •Speaker outputs: Dual (parallel) 1/4", minimum impedance 4ohm total • Effects send and return: 1/4" each • EQ controls: ±12dB at 60Hz, 250Hz, 800Hz, 2KHz and 8KHz

Order #	Inputs	(H) x (W) x (D)	MSRP	Reg.	SALE
555-9700	Four	8" x 15.5" x 12"	\$199.00	\$149.95	\$99.99
555-9710	Six	8" x 17.5"x 12"	219.00	169.95	115.00
555-9720	Eight	8" x 20.25" x 12"	249.00	189.95	135.00

Dimoneione

VICIVAUSTOM AUDIO



Mic

Compact Microphone Mixer

Tabletop mixer is perfect for small applications where up

to four microphones need to be fed to a single input. It can also be useful in situations where an existing mixer does not have enough inputs. It will last up to ten hours on a standard 9V alkaline battery, or may be powered from an optional AC adapter. **Features:** •//" inputs and output •Rotary level control for each input •Built-in echo effects with adjustable delay and depth •Rugged sloped metal enclosure •Dimensions: $2\frac{1}{4}$ "(H) x 6" (H) x $3\frac{3}{4}$ " (D)

Order # 555-9730

MSRP \$29.95

ONLY \$19.99





MCNGUSTOM AUDIO

Balanced/Unbalanced Line Level Convertor

Two-way, stereo convertor provides total flexibility when interfacing consumer and professional audio equipment. Perfect when using tape decks, MP3 players, computer sound cards with mixing consoles, sound processors, professional preamplifiers and amplifiers. Two stereo channels simultaneously match balanced to unbalanced, and unbalanced to balanced equipment. Stereo Channel 1: L/R balanced female XLR inputs to L/R unbalanced RCA female outputs. Stereo Channel 2: L/R unbalanced RCA female inputs to L/R balanced male XLR outputs. Each stereo channel has its own level adjustment to compensate for line level differences between pro and consumer gear. Specifications: •Max output gain: +18dB balanced, +12dB unbalanced •Max input level: +22dB balanced and unbalanced •Power requirements: 12VDC, AC adapter included •Dimensions: $1\frac{3}{4}$ " (H) x $5\frac{6}{8}$ " (W) x $3\frac{6}{8}$ " (D)

Order # 555-8485

MSRP \$59.95 Reg.



Professional Audio

Make yourself heard and save with MCM Custom Audio.





MCMQUSTOM AUDIO

Four Output Headphone Amplifier

Perfect in small studio recording, education, home theater applications, or anywhere that multiple headphones must be driven. Single 1/4" stereo input accepts signal from line level source or headphone jack. Four 1/2" headphone outputs each have individual level controls. Specifications: •Max input level: +14dBv •Max output gain: 20dB per channel •Input impedance: 100KΩ per channel •S/N ratio: 90dB •THD: <0.008% •Power requirements: 12VDC, includes AC adapter •Dimensions: 1%" (H) x 4½" (W) x 2%" (D)

Order # 555-8480

MSRP \$59.95 Reg.

SALE

MCMCUSTOM AUDIO **Dual Channel**

Ground Loop Isolator

Ground loop problems in A/V systems normally appear as a hum in speakers or horizontal bars on video monitors. These problems typically occur when multiple components receive AC power from different locations, or because CATV, satellite or antenna systems provide a separate ground point. This isolator solves that problem by providing ground path isolation between components, while maintaining full frequency response. Features: •Rugged steel enclosure •RCA input and output connections •Fully independent L/R channels Specifications: •Frequency response: 10Hz~50KHz •THD: 0.01% •Dimensions: 1.50" (H) x 3.50" (W) x 2.50" (D) • Passive device, requires no power

Order # 50-9040 **MSRP** \$49.95 Reg. \$31.99

SALE

Replacement Stereo Headphones



Order # 35-460

MSRP Reg. \$4 95

PRO-LL Heavy-Duty Digital 1

Hi Fi Stereo Headphones

 These professional quality headphones are value priced and deliver great sound •40mm super thin diaphragm drive units •32ohm •Frequency response: 20Hz~20KHz •9' straight cord •Gold plated 3.5mm stereo phone plug •Gold plated 3.5mm to 1/4" adapter included •Display packaged for resale

Order # 35-445

MSRP \$24.95 Reg.

MCMaustom Audio **Phono Preamplifier**


Allows a turntable to be played through conventional line level inputs such as aux, tape, tuner or CD. It is also useful for operating

a turntable with a computer sound card, mixing console, or other professional equipment. Features: •L/R RCA female type inputs and outputs •Separate ground lug **Specifications:** •Frequency response: 30Hz ~ 20KHz •Înput level: 6mV •Output level: 500mV •SN ratio: >60dB •Requires 117VAC, 60Hz •Dimensions: 1½" (H) x $2\frac{5}{8}$ " (W) x $4\frac{7}{8}$ " (D)

Order # 40-630

MSRP \$24.95 Reg.


Heavy-Duty Tripod Speaker Stand



Order # 555-6256

Reg.

Tripod Speaker Stand



Order # 555-6251

\$2399

Speaker Stand Adapters

Designed for use with standard commercial tripod stands including

models from MCM. Because they install inside the speaker enclosure, the speaker may then be used with or without a stand. Constructed of 1/16" matte black finished steel. Includes mounting screws. Both sizes are sold individually #50-1835: •Inside diameter: 1% ", fits 1%" diameter pole •Required cutout diameter: 1% #50-1910: •Inside diameter: 11/6", fits 1" diameter pole •Required cutout diameter: 11/4"

Order #	Size	MSRP	Reg.	SALE
50-1835	Large	\$9.95	\$5.89	\$4.19
50-1910	Small	9 95	5.80	4 19

Microphone Stand with Die-Cast Base

High-quality mic stands are perfect for all stage performance and studio applications. Conventional cast iron base holds stand firmly in place. •Adjustable height 33"~61" •Overall weight: 9 lbs.

•%" x 27 thread •Available in black or chrome

Order #	Finish	Reg.	SALE
35-2005	Black	\$25.99	\$19.99
35-2006	Chrome	25.99	19.99



Full Size Stereo Headphones

40mm diaphragms deliver full rich sound expected from models at three times the cost. Straight 9 cord has 3.5mm plug and includes 3.5mm to ¼" adapter. Product is display boxed and is perfect for resale. Specifications: •Frequency response 20Hz~18KHz •SPL 105dB at 1KHz •Impedance 32ohm


35-972

Reg.



Order #









GROOVE Professional PMINI PC Mixing Software

Groove is a complete, easy-to-use and reliable professional mixing software that allows you to professionally mix, organize and navigate through your MP3, WMA, OGG Vorbis and WAV files to create the ultimate playlists, technical mixes and flexible background music. Features: •MIDI and keyboard controller support •Full featured mixer with 3 band EQ •Instant-start and cue with preview ·Looping with dedicated loop times ·Vinyl scratch emulation •Delay, flanger, phaser and reverb •High-quality mix session recorder System requirements: •Windows XP/Vista/7 •1.6GHz, 256Mb RAM

555-11230 \$99.99

Professional Audio

MCM now stocks a variety of Gemini professional DJ products.

gemini Passive and Active ABS PA/DJ Speakers These sturdy ABS housed speakers

are perfect for the traveling DJ, or as a permanent fixture in any club,

bar, or restaurant. Features: •Wide dispersion horn design •Titanium compression driver •13/4" pole mountable •Speakon input and output connectors •Max SPL: 132dB •Impedance: 8 ohm •Recessed smooth molded handle **Active speakers feature:** •XLR and ½ microphone input •Bass and treble tone control •Master volume •See MCMelectronics.com for more information

Order #	Woofer Size	(RMS/peak)	Response	(H) x (W) x (D)	ONLY
Active speakers					
555-11315	10"	100W/400W	60Hz~18KHz	19.7" x 14" x 10.6"	\$179.99
555-11320	12"	200W/800W	45Hz~18KHz	22.8" x 16.5" x 12.2"	229.99
555-11325	15"	300W/1200W	40Hz~18KHz	26.97" x 18" x 15.75"	279.99

MCMCUSTOM AUDIO

Two Way PA/DJ Floor Monitor Speakers

Floor monitor DJ and stage speakers provide versatility and solid sound performance on a tight budget. Angled cabinet places speaker at optimum position for near field monitoring, or stand on end for standard use. Features: •Piezo horn tweeters •ABS corner protectors •Recessed handles •Metal grills •Heavy-duty MDF cabinets Inputs: 1/4" input connections as well as binding posts

Order #	Woofer Size	Power capacity (peak)	Frequency Response	SPL	Dimensions (H) x (W) x (D)	MSRP	ONLY
555-10330	10"	400W	30Hz~20KHz	90dB	13" x 23" x 14"	\$99.00	\$44.99
555-10335	12"	500W	25Hz~20KHz	91dB	15" x 25" x 15.75"	119.00	54.99
555-10340	15"	600W	20Hz~20KHz	92dB	18.5" x 29.5" x 17"	138.00	69.99

MCMGUSTOM AUDIO Two-Way PA/DJ Speaker Systems

These rugged carpeted speaker systems are ideal for DJ and stage situations where durability, high power capacity and solid sound performance are required on a tight budget. Features: •Piezo horn tweeters •Metal corner protectors •Recessed handles •13/8" diameter pole mount •Metal grills •Heavy-duty MDF cabinets Inputs: 1/4" input connections as well as binding posts

Order #	Woofer Size	Power capacity (peak)	Frequency Response	SPL	Dimensions (H) x (W) x (D)	MSRP	ONLY
555-10300	8"	300W	35Hz~20KHz	89dB	17.5" x 11.5" x 10"	\$69.00	\$29.99
555-10305	10"	400W	30Hz~20KHz	90dB	20" x 15" x 12"	89.00	39.99
555-10310	12"	500W	25Hz~20KHz	91dB	23" x 15.5" x 14"	119.00	54.99
555-10315	15"	600W	20Hz~20KHz	92dB	25" x 18" x 16"	139.00	69.99



MCMGUSTOM AUDIO

Sound Reinforcement Subwoofers

Ideal for use in a larger scale venue, these 15" subwoofer systems provide high SPL level and low frequency levels. Features: • Recessed handles

•13/8" diameter pole mount on top of cabinet •Metal grills •Heavy-

duty MDF cabinet Specifications: Inputs: 1/4" input connection as well as binding posts •Sold individually

	Power capacity		Frequency		
Order #	Size	(peak)	Response	MSRP	ONLY
555-10317	12"	600W	25Hz~800Hz	\$119.00	\$44.99
555-10320	15"	700W	20Hz~500Hz	129.00	59.99
555-10325	18"	1000W	20Hz~500Hz	159.00	99.99



Three Piece PA/DJ Speaker Package

•Two 10" trapezoidal loudspeakers and 15" powered subwoofer • Efficient MDF bandpass 1\%" stand mountable subwoofer enclosure with wheels •Three channel power amplifier and active crossover built-in to subwoofer •230W RMS on subwoofer channel, frequency response of 100Hz~20KHz •85W RMS per satellite channel, frequency response 35Hz~100Hz •400W total RMS and 800W peak power •120dB total continuous SPL •Individual channel sensitivity and volume controls •Balanced XLR and 1/4" inputs •SpeakonTM outputs for satellite channels (cables included) • Variable speed fan • Full protective metal grill •Black painted finish with rubber feet

Order # ONLY 555-11330 \$559.99

gemini[®]

Professional Table Top CD Player

Gemini's CDJ-203 is the ideal professional table top CD player for DJs that require all the essential

features and stylish design at a cost effective price. Features: •Audio CD and CD-R compatible •Extra large jog wheel •Anti-shock using RAM buffer memory •Two selectable jog modes pitch bend/search •Instant-start and cue with preview •Single and continuous play modes ·Seamless loop with reloop •Pitch bend via jog wheel or buttons •Three mode time selection •Frame accurate search ·Large blue backlit LCD display ·Variable pitch control

Order # ONLY 555-11200 \$149.99

gemini

Professional Table Top CD/MP3/USB Player

Gemini's CDJ-600 professional CD/MP3/USB tabletop CD player gives you the ability to play MP3 files from any USB storage device and built-in scratch effect. Features: •Audio CD,CD-R, and MP3 compatible •Plays MP3 and WAV files from USB storage device •Anti-shock using RAM buffer memory •Extra large jog wheel •Two selectable jog modes •Scratch effect mode •Instant-start and cue with preview •Single, continuous and repeat play modes •Seamless loop with re-loop •BPM read out •Pitch bend via jog wheel or buttons •Two mode time selection •Frame accurate search ·Variable pitch control with three settings

ONLY Order # \$269.99 555-11205









#555-11284 #555-11282

gemini[®] Professional DJ Road Cases

•Ten upper rack spaces •Black carpeting •Metal corners, spring handles and removable lid •Front and rear access with doors •DJ equipment not included

Dimensions (\ Order #	Lower Weight	Rack Spaces	ONLY
22.5" x 13.25"	x 20.75"		
555-11280	31 lbs.	2	\$89.99
22.25" x 19" x	20.75"		
555-11282	42 lbs.	6	119.99
22.5" x 23.5" x	c 20.75"		
555-11284	44 lbs.	8	129.99
22.5" x 37.75"	' x 20.75"		
555-11286	67 lbs.	16	179.99

MCMelectronics.com 1-800-543-4330



NEWI Professional Audio NEWI

MCM now stocks a huge assortment of Behringer professional sound products.

XENYX Series Mic/Line Mixers

Featuring the same sonic characteristics of the mega-console desks of the 60s and 70s that made music history, along with the new XENYX mic preamp that matches the sound quality, transparency, headroom and even the dynamic range of boutique-style, stand-alone mic preamps, the XENYX analog mixer series offers a tremendous amount of capabilities. See MCMelectronics com for detailed specs.



#555-10795

*Can be powered by two 9V batteries (three if phantom power is used)

		Total	Mono/Stereo	Mix	Mic	Channel	Channel	Effects		FX		
Order #	Mfr. #	Inputs	input channels	Buses	Preamps	EQ	Effects Int/ext	Returns	USB	Presets	Metering	ONLY
555-10730	2442FX	24	8/4	4/2	10	3 band	2/2	4 stereo	Yes	100	12 LED	\$349.00
555-10735	2222FX	22	8/4	2/2	8	3 band	1/3	3 stereo	Yes	100	12 LED	299.99
555-10740	1832FX	18	6/4	3/2	6	3 band	2/1	2 stereo	Yes	100	12 LED	279.99
555-10745	1622FX	16	4/4	2/2	4	3 band	1/1	2 stereo	Yes	100	12 LED	219.99
555-10750	1222FX	12	4/4	2/2	4	3 band	1/1	2 stereo	Yes	100	12 LED	219.99
555-10765	1202FX	12	4/4	2/2	4	3 band	1	1 stereo	-	100	4 LED	99.99
555-10775	1002FX	10	2/4	2/2	2	3 band	1	1 stereo	-	100	4 LED	89.99
555-10755	1204FX	8	4/2	2/2	4	3 band	1/1	2 stereo	Yes	100	8 LED	179.99
555-10760	1204	8	4/2	2/2	4	3 band	0/2	2 stereo	Yes	-	12 LED	129.99
555-10770	1202	12	4/4	2/2	4	3 band	1	2 stereo	-	-	4 LED	79.99
555-10780	1002	10	2/4	2	2	3 band	1	-	-	-	4 LED	69.99
555-10785*	1002B	10	2/4	2	2	3 band	2	-	-	-	5 LED	99.99
555-10790	802	8	2/2	2	2	3 band	1	1 stereo	-	-	4 LED	59.99
555-10795	502	5	1/2	2	1	2 band	-	-	-	-	4 LED	44.99





Feedback Destroyer Pro Feedback Suppressor/ Parametric EQ

Using an ultra-fast feedback detection algorithm, the FBQ2496 automatically and "intelligently" locates up to 20 feedback frequencies per channel. Features: •24 bit/96KHz feedback suppressor/parametric EQ •Locates and destroys up to 20 critical frequencies per channel •Up for 40 fully parametric filters •Ultra-narrow notch filters •Open MIDI architecture for future software updates •Balanced inputs and servo-balanced outputs with XLR and 1/4" connectors •Mfr. #FBQ2496 •See MCMelectronics.com for more information

Order # 555-10985



ONLY \$149.00

EuroLive Powered 600 Watt PA Speaker

BEHRINGER

✓ Digital processor ✓ Integrated mixer

These high-power 600W two-way PA sound reinforcement speaker systems feature an integrated mixer. Features: •Two mic/line inputs with individual volume controls and peak

LEDs •Extremely powerful long-excursion driver provides incredibly deep bass and acoustic power •State-of-the-art 1.75" titanium-diaphragm compression driver for exceptional high-frequency reproduction •Ultra-wide dispersion and large format exponential/conical horn with multi-cell aperture throat ·Line output enables linking of additional speaker systems

•13/8" pole mountable •Can be used as a floor monitor

Frequency

·Ergonomically shaped handles

555-10835	B415DSP	15"	40Hz~20KHz	\$499.00
555-10830	B412DSP	12"	45Hz~20KHz	399.00
		9		Digital These e

igital Two-Way Monitor Speakers

nese extremely compact nearfield monitors feature ultra-high resolution 24 bit/192KHz D/A converters, allowing you to connect directly to your digital signal sources and eliminate annoying analog line-loss and hum forever. Whether you connect to your computer sound card, keyboard, or MP3 player, you will enjoy exceptional sound quality with great dynamics. Features: •Digital optical and coaxial inputs •Analog 3.5mm and RCA inputs

•Individual volume, bass, and treble controls •¼" headphone output •Magnetic shielding Mfr. # Power Output Frequency Range ONLY Order #

50Hz~25KHz

ONLY

Mfr. # Power Output Frequency Range ONLY 555-10890 MS20 2 x 10w 65Hz~25KHz





Low-Noise Line Mixer

The RX1602 is an incredibly versatile 16-channel line mixer that works perfectly for monitoring

multi-track recording projects, submixing multiple keyboards, sub-mixing samplers or mixing a small live set-up. Features: •Dedicated balance and level controls plus +4/-10 level selection per channel •Monitor/FX send control per section with global master send control for flexible monitoring, recording or effects applications •Two seven-digit LED level meters and individual level control for left and right main mix signal •1/4' TRS main mix outputs plus easily headphone with dedicated level control •Mfr. #RX1602

Order # 555-10710

ONLY \$129.99





EuroRack Pro 12 Input Mic/Line Rack Mixer

The EuroRack Pro RX1202FX 12 channel mic/line mixer comes loaded with a 24 bit multi-FX processor and eight built-in studio-grade IMP "invisible" mic preamps Features: •130dB dynamic range for 24 bit, 192KHz sampling rate inputs •Ultra-wide 60dB gain range Integrated 24 bit digital stereo FX processor •Two band EQ and clip LED on all channels •Four balanced highheadroom line inputs •Two aux sends per channel •CD/ tape inputs assignable to main mix or control room/phones outputs •Separate control room, phones and stereo CD/tape outputs •Balanced main mix XLR outputs •Switchable +48V phantom power for condenser microphones

Order # ONLY 555-10715 \$199.99





Low-Noise Four-Channel Line Mixer

Despite its ultra-compact size, this four-channel line mixer is big on features, yielding the highest sonic quality at all output levels. Features: •Input level control for each channel •Ultra low-noise 4580 operational amplifiers •Highquality components and exceptionally rugged construction ensure long life •12VDC adapter included •Mfr. #MX400

Order # 555-10725 \$29.99



UltraLink Pro Eight Channel Splitter/Mixer

The UltraLink functions as a splitter, line mixer or level conditioner. Regardless of your

application, the MX882 keeps your signal paths short and clean. Features: •Eight in/two out line mixer, two in/eight out line splitter •Each channel can operate independently in mixer or splitter mode •Usable as six in/six out level matching amplifier or direct inject box •Converts levels between -10dBV and +4dBu •Extremely wide bandwidth from 5Hz~200KHz for audio purity •Six mono in, six mono out, two main inputs and two outputs •Four/eightsegment input/output level meters for all channels

555-10720

ONLY \$99.99







system ideally suited for home studios, multimedia applications, keyboard and vocal monitoring, and more •Powerful 4" woofers and high-resolution tweeters powered by two 8W amplifiers •Dedicated volume, bass, and treble controls •RCA and 3.5mm inputs •Frequency range: 80Hz~20KHz •Mfr. #MS16

Order # 555-10895

\$69.00



555-10885 MS40 2 x 20w



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532

Email: quotes@MCMelectronics.com

Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330



Order #

51/4" Sealed **Back Midrange**

This driver represents the reintroduction of



Order # 54-615

Reg. \$12 99





highly popular Pyle PDMR5, this 6½" driver features outstanding efficiency, high power capacity and sealed back design, making it at home in countless professional sound, home theater and autosound applications. Specifications: •Cone material: Treated paper . Voice coil: 1" aluminum . Magnet weight: 25 oz. •Power capacity: 150W/300W RMS/peak •Impedance: 80hm •Sensitivity: 93dB •Frequency response: 200Hz~5KHz •Mfr. #PDMR6

Order #	(1-3)	(4-up)
54-616	\$14.99	\$14.20

GEIN SOUND # 💥

Compression Midrange with Horn

Highly efficient horn midrange is excellent for PA, DJ and

sound reinforcement speaker systems.

Features: •Large 10 oz. ceramic magnet •Attached horn assembly •Rigid non-resonant molded body construction •Attached 2.2µF crossover capacitor **Specifications**: •Power capacity: 50W/150W RMS/peak (when properly crossed over) •Frequency response: 1K~8KHz •Efficiency: 105dB (W/M) •Nominal impedance: 80hm **Dimensions:** •Front flange: 31/8" (H) x 101/2" (W) •Required cutout: 31/8" (H) x 91/2" (W) •Mounting depth: 81/2" •Magnet diameter: 31/8" •Model #GH-3910 •Limited quantities

Order #	MSRP	ONLY
555-0180	\$24.95	\$5.99

Piezo Horn Tweeter

Highly efficient horn tweeter is perfect for replacement use or new designs in pro sound cabinets and automotive speakers. The naturally high impedance at low frequencies eliminates the need for a crossover, and the absence of a voice coil renders this driver virtually burnout proof. Specifications: •Power capacity: 75W/150W RMS/ peak •Frequency response: 2500Hz~25KHz •Efficiency: 94dB (W/M) Dimensions: •Front flange: 33/8" (H) x 73/8 (W) •Required cutout: 21/4" (H) x 61/4" (W) •Mounting depth: 4" • Model #KSN125T • Limited quantities

Order #	MSRP	ONLY
555-0190	\$14.95	\$1.19

Speaker Components

MCM has all you need to build, repair or upgrade your PA speakers.

✓ 50W/100W RMS/Peak Versatile driver offers high-power capacity and wide frequency response making it ideal in applications including full range and midbass in compact monitors. Large vented magnet, heavy-duty voice coil and thick aluminum cone provide tremendous durability in high SPL applications. Features: •Aluminum cone •Synthetic dust cap •Rubber surround •Stamped steel basket •1' copper voice coil •17.7oz. magnet Specifications: •Power capacity: 50W/100W RMS/peak •Sensitivity: 86dB (W/M) •Impedance: 80hm •Re: 6.60hm •Le: 0.48mH •Frequency response: 65Hz~17KHz •Fs: 65Hz *Qts: 0.365 *Qes: 0.436 *Qms: 2.25 *Vas: 3.15 (liters) *Xmax: 2.25mm *Overall frame diameter: 4.13" (pincushion) •Required cutout: 3.66" •Mounting depth: 2.5"

Order # 55-1856 \$14.99 \$13.50

MCNaudio select™

4" Full Range Monitor Driver

✓ Perfect for compact monitors

✓ Thick rigid aluminum cone



✓ Suitable in vented or sealed enclosures

✓ 125W RMS power capacity

Popular replacement driver is ssuitable in compact sealed enclosures as a midrange, or use as a woofer in vented boxes. Features: •20 oz. bumped and vented magnet •1.5" copper voice coil on a fiberglass former •Paper cone with treated cloth surround Specifications: • Power capacity: 125W/250W RMS/program •Frequency response: 50Hz~5KHz •Fs: 55Hz •Sensitivity: 96dB (W/M) •Re: 6.60hm •Oms: 6.29 •Oes: 0.71 •Ots: 0.65 •Vas (I): 50.56 •See MCMelectronics.com for detailed specifications including response curves and dimensions •Mfr. #10-125

Order # \$44.99 55-2820



Sovereign Series 12" Prosound Woofer

✓ Suitable for vented or sealed enclosures **EXIVE** 200W RMS power capacity

Sound reinforcement woofer provides good power handling and high-efficiency. It is ideal for use as a mid bass woofer in medium sized vented enclosures, or as a midrange in a small sealed enclosure. Features: •38 oz. vented magnet •2.0" copper voice coil on a fiberglass former •Paper cone with treated cloth surround Specifications: •Power capacity: 200W/400W RMS/ program •Frequency response: 45Hz~4KHz •Fs: 45Hz •Sensitivity: 98dB (W/M) •Re: 5.1ohm •Qms: 7.1 •Qes: 0.472 •Ots: 0.44 •Vas (1): 104.8 •See MCMelectronics.com for detailed specifications including response curves and dimensions •Mfr. #12-200

ONLY 55-2830 \$64.99

Sovereign Series 15" Prosound Woofer

✓ Ideal for vented two-way enclosures ✓ Perfect for monitors and bass guitar

■ 250W RMS power capacity Sound reinforcement woofer provides good power handling and outstanding

efficiency. It is perfect for general purpose use in all two-way pro sound applications. Features: •34 oz. vented magnet •2" copper voice coil on a fiberglass former •Paper cone with treated cloth surround Specifications: •Power capacity: 250W/500W RMS/program •Frequency response: 40Hz~3KHz •Fs: 43Hz •Sensitivity: 97dB (W/M) •Re: 6.2ohm •Qms: 7.18 •Qes: 0.81•Qts: 0.73 •Vas (I): 144 •See MCMelectronics.com for detailed specifications including Order # response curves and dimensions •Mfr. #15-250



✓ Suitable in vented or sealed enclosures ✓ 100W RMS power capacity

Popular replacement driver is suitable in compact sealed enclosures as a midrange, or use as a woofer in vented boxes. Features: •20 oz. bumped and vented magnet •1.5" copper voice coil on a fiberglass former •Paper cone with treated cloth surround Specifications: • Power capacity: 125W/250W RMS/program •Frequency response: 50Hz~7KHz •Fs: 65Hz •Sensitivity: 93dB (W/M) •Re: 6.9ohm •Qms: 12.8 •Qes: 0.67 •Qts: 0.64 •Vas (I): 19.5 •See MCMelectronics.com for detailed specifications including response curves and dimensions •Mfr. #6-100

ONLY Order # \$34.99 55-2800



Popular replacement driver is suitable in compact sealed enclosures as a midrange, or use as a woofer in vented boxes. Features: •20 oz. bumped and vented magnet •1.5" copper voice coil on a fiberglass former •Paper cone with treated cloth surround **Specifications:** •Power capacity: 125W/250W RMS/program •Frequency response: 50Hz~7KHz •Fs: 65Hz •Sensitivity: 93dB (W/M) •Re: 6.70hm •Qms: 6.6 •Qes: 0.75 •Qts: 0.68 •Vas (I): 19.5 •See MCMelectronics.com for detailed specifications including response curves and dimensions •Mfr. #8-125

Order # \$39.99 55-2805



\$71.99

MCMelectronics.com 1-800-543-4330



NEW!



Show your passion for electronics and your sense of humor.



Men's Humorous Durable T-Shirts

Express your love for electronics to the world with these t-shirts from MCM. Featuring a 50/50 cotton/polyester blend, these pre-shrunk ultra durable t-shirts are made to last. Imported.

Order #	Size	ONLY
A) Size Matters		
995-490M	M	\$9.99
995-490L	L	9.99
995-490XL	XL	9.99
995-490X2	2X	12.99
995-490X3	3X	12.99
B) Real men don't re	ad manuals	
995-495M	M	9.99
995-495L	L	9.99
995-495XL	XL	9.99
995-495X2	2X	12.99
995-495X3	3X	12.99
C) Not User Friendly		
995-500M	M	9.99
995-500L	L	9.99
995-500XL	XL	9.99
995-500X2	2X	12.99
995-500X3	3X	12.99

Order #	Size	ONLY
D) I void warranties		
995-505M	M	\$9.99
995-505L	L	9.99
995-505XL	XL	9.99
995-505X2	2X	12.99
995-505X3	3X	12.99
E) Cable Tie		
995-510M	M	9.99
995-510L	L	9.99
995-510XL	XL	9.99
995-510X2	2X	12.99
995-510X3	3X	12.99
F) Why pitch it, when	n I can fix it?	
995-515M	M	9.99
995-515L	L	9.99
995-515XL	XL	9.99
995-515X2	2X	12.99
995-515X3	3X	12.99

Order #	Size	ONLY
G) Professional Duc	t Tape Technician	
995-520M	M	\$9.99
995-520L	L	9.99
995-520XL	XL	9.99
995-520X2	2X	12.99
995-520X3	3X	12.99
H) Grounded Guy		
995-525M	M	9.99
995-525L	L	9.99
995-525XL	XL	9.99
995-525X2	2X	12.99
995-525X3	3X	12.99





ShuBee™ **Shoe Covers**

Saves hassles for homeowners and service technicians

alike. Features: • Protect customer carpets and flooring while protecting shoes from dirt and contamination •Increases safety on slippery surfaces •Professional quality disposable shoe covers fit up to a size 18 boot •Nonmarking material •Available in a waterproof design to protect from paint spills, mud, and other moisture •Indoor and outdoor use •Fresh citrus scent •50 pair per box

Order #	Description	Color	(1-4 boxes)	(5 boxes-up)
21-7508	Original	Blue	\$29.99	\$28.25
21-8610	Original	Black	29.99	28.25
21-7509	Waterproof	Blue	29.99	28.25



OCC™ 700 Series Safety Glasses •Sporty, half frame •High impact lenses with 99% UV absorption •Soft, temple tips •Soft nosebridge •OCC logo on temple •Metallic gun metal gray frame and temples

Fig	. Order #	Mfr. #	Description	ONLY
Α	108-4230	078371-62183	Clear anti-fog lens	\$9.99
В	108-4235	078371-62184	Gray anti-fog lens	9.99
C	108-4240	078371-62185	Indoor/outdoor	9.99
			mirror lone	



•Protects against dangerous noise levels while providing clear-sounding digital audio entertainment •Ultracomfortable design plugs with a NRR 26dB •Convenient, easy-access volume control with a volume limited to 82dB •Mfr. #078371-61273

Order #	ONLY
108-4260	\$39.9



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532

Features:

✓ 50/50 cotton/polyester blend

✓ Ultra durable Gildan® 5.6 oz. pre-shrunk tee

Product Questions Email: tech@MCMelectronics.com

Quote Team: 1-800-543-4330 Email: quotes@MCMelectronics.com

Walls®

Heavy-Duty Insulated Overalls

Stay protected with these ultra-durable overalls from Walls® Features: • Medium weight 100% cotton canvas exterior with 100% polyester lining Durable water resistant finish •Medium weight fiberfill insulation •Nine exterior pockets plus hammer loop •One interior mesh pocket perfect for cell phone •Adjustable elastic

suspender straps Double knee patches

for reinforcement •Adjustable leg hem and take-up snaps

•Ankle to hip leg zipper •Imported Note: •MCM recommends that you order up a size for optimal fit

Order #	Size	ONLY
995-310M	M	\$59.99
995-310L	L	59.99
995-310XL	XL	59.99
995-310X2	2X	59.99
995-310X3	3X	64.99

Walls[®] Waterproof Hooded

Stay protected from the elements and dry with this stylish waterproof jacket from Walls® Features:

·Bonded polyester fleece lining with polyester exterior •Fully sealed waterproof zippers and seems •Detachable hood •Underarm ventilation

openings •Cuffs with hook-n-loop adjustment •Four exterior pockets with one interior pocket •Imported Note: •MCM recommends that you order up a size for optimal fit

Order #	Size	ONLY
995-320M	M	\$99.99
995-320L	L	99.99
995-320XL	XL	99.99
995-320X2	2X	99.99





Walls® work wear is the wearable tool, be sure you're dressed for the job!

Just like having the right tool for the job, you should have the right work gear for optional comfort and protection. All of our new work gear has the features your need to perform your best:

- Heavy-duty fabrics
- ✓ Extra room across the shoulders for maximum maneuverability
- ✓ Plenty of convenient pockets

Walls® Durable Long Sleeve Shirt

Built to last, this work shirt from Walls® will withstand the punishment brought on by any jobsite. Features: •Durable 4.5 oz. 66% cotton and 34% polvester blend •Two chest pockets with flaps •Long shirt tail hem •Yoked back •Triple needle stitching •Left pocket has pen slot •Imported

Order #	Size	ONLY
995-385M	M	\$19.99
995-385L	L	19.99
995-385XL	XL	19.99
995-385X2	2X	19.99
995-385X3	3X	24.99

Walls® Relaxed Fit Heavy-Duty Jeans

These durable jeans are made to withstand harsh jobsite conditions. Features: • Prewashed ultra durable 14.5 oz. 100% cotton stone washed denim •Relaxed fit style Traditional five pocket design •Imported

Order #	Size	ONLY
995-325	32 x 30	\$19.99
995-330	34 x 30	19.99
995-335	36 x 30	19.99
995-340	38 x 30	19.99
995-345	40 x 30	19.99
995-350	42 x 30	19.99
995-355	32 x 32	19.99
995-360	34 x 32	19.99
995-365	36 x 32	19.99
995-370	38 x 32	19.99
995-375	40 x 32	19.99
995-380	42 x 32	19.99



Walls **Heavy-Duty** Coveralls

Protect yourself

and your clothing with these durable coveralls from Walls®. Features: •Pre-shrunk 100% cotton •Triple needle stitching for strength and durability •Seven exterior pockets ·Banded waist with elastic inserts .Snap

- closures at neck Adjustable leg hem with take up snaps
- Adjustable cuffs •Imported **Note**: MCM recommends
- that you order up a size for optimal fit



Size	ONLY
M	\$49.99
L	49.99
XL	49.99
2X	49.99
3X	54.99
	M L XL 2X

Walls **Heavy-Duty Hooded Coat**

Stay protected with this ultra-durable work coat from Walls®. Features: •Medium-weight 100% cotton canvas exterior with 100% polvester lined sleeves •Durable water resistant finish ·Lined hood with drawstrings •Medium

weight polyester insulation •Two exterior pockets plus two interior pockets •Imported Note: •MCM recommends that you order up a size for optimal fit

Order #	Size	ONLY
995-315M	M	\$49.99
995-315L	L	49.99
995-315XL	XL	49.99
995-315X2	2X	49.99
995-315X3	3X	54.99

Corded Ear Plugs

This reusable, multiflange designed earplug fits securely in the ear canal and provides reliable protection. The bright orange color



wearing their earplugs. Features: •Soft cloth cord keeps earplugs around neck •Can be washed and reused many times •Includes a convenient storage case with chain to keep earplugs clean and protected . Noise reduction rating: 24dB

Order #	(1-4)	(5-up)
108-4005	\$1.39	\$1.25



General Utility Plus

An all-purpose performance work glove that is abrasion resistant. Features: •Extensive asphalt reinforcement for greater durability •Knuckle protection on single piece hand backing •Terry cloth brow wipe on back of thumb . Double stitched for extended life ·Incredibly ergonomic design for greater dexterity and natural feel •More durable than leather

Order #	Size	(1-2)	(3-up)
21-8620	Small	\$19.99	\$19.19
21-8622	Medium	19.99	19.19
21-8624	Large	19.99	19.19
21-8626	X-large	19.99	19.19
21-8628	XX-large	19.99	19.19



·Helps protect yourself from dust caused by sanding, grinding, processing minerals, coal, iron ore, flour, and various other substances •20 pieces per box



ONLY \$14.99









Wireless Audio/Video Transceiver

The VideoConnection uses state of the art 2.4GHz technology to transmit crisp clear video and audio signals through the walls and between the rooms in a house. The hidden high gain antenna reduces interference. Use the VideoConnection to send the audio/video signals from a satellite receiver, VCR, camcorder, DVD or other video source to a TV in a different room.

Order # 33-4725

Reg.



Digital Video Stabilizer

State of the art integrated circuit makes perfect copies of any video tape. Compatible with all types of VCRs and TVs. Lightweight and compact. Requires one 9V battery (not included).

Order #	(1-4)	(5-up)
80-4280	\$21.99	\$19.95



Universal Remote Control Extender

•Extends the range of any remote control and operates

through walls and floors from up to 120' away •Free standing units works with most remote controls and A/V components •Installs easily and is expandable Includes: •Remote transmitter and receiver, AC adapters and IR blaster cable •Mfr. #LFIRX

Order # 80-5703

ONLY \$32.99







Universal Remote

•RC64 DIRECTV brand universal remote control **DIRECTV** •Operates DIRECTV

standard receivers, HD receivers or DIRECTV DVRs • This is a true one size fits all solution regardless of brand or age of equipment •Also operates up to three additional devices including TV, DVD and CD or audio •Two "AA" batteries included

Order #	(1-9)	(10-up)
80-7015	\$19.99	\$17.55







DIRECTV Universal Remote RF

•RC64 DIRECTV brand universal remote control •Includes RF capability for operating receivers anywhere within the home (not all receivers are RF capable) Operates DIRECTV standard receivers, HD receivers or DIRECTV DVRs •This is a true one size fits all solution regardless of brand or age of equipment •Also operates up to three additional devices including TV, DVD and CD

or audio •Includes RF antenna and two "AA" batteries

Order #	(1-9)	(10-up)
80-7020	\$24.99	\$23.55

A/V Accessories

Don't be left without a storm warning, pick-up a hand crank radio today!



First Alert

Crank Power Radio

The First Alert CR-200 crank radio gives you power and light in emergencies. Features: • Receives AM/FM/NOAA channels •Crank power charges internal NiMH battery so it is always ready Super bright triple LED light •Rugged weather resistant design •Mfr. #CR-200

> Order # (1-9) (10-up) 80-6950 \$22.99 \$19.95



7" Widescreen TFT Portable DVD/CD/MP3 Player

The best in digital entertainment goes on the road, with this ultra-portable DVD/CD/MP3 player. Incorporating anti-skip circuitry and multiple source inputs, our compact player allows you to enjoy music and movies wherever you go. A 7" widescreen display, easy-to-use navigation controls, and built-in headphone jack offer a convenient, private viewing experience. Features: •7" widescreen TFT LCD color display •DVD, DVD±R/RW, CD, CD-R/RW, JPEG, and MP3 compatible •Compact portable design with anti-skip circuitry •Dolby digital decoding •AV outputs for use with home theater systems •Integrated stereo speakers •Headphone jack for private listening •Multiple language, subtitle, and camera angle support •Parental lock controls Included accessories: •Stereo earphones •Remote control •Two "AAA" batteries •Rechargeable battery pack (built-in) •UL AC adapter

Order # 80-7210

ONLY \$69.99



Wireless Cable TV Kit

to watch cable or satellite TV on a main television and at the same time send the signal to a second TV. That TV can then watch channels independently of what is being viewed on the main TV. Features: •Send cable, satellite, DVDs, TiVo, DIRECT TV® and more to televisions anywhere in the

home •Watch a different channel than the main TV . No additional cable boxes or video distribution required •No wires to run, no holes to drill

·Works through walls, floors, doors and windows •Four selectable frequencies to eliminate the interference •Extra receivers available for multiple TVs

Order # 80-7265

Reg. \$189.95



2.4GHz Wireless USB Audio System

This wireless USB audio system allows you to stream audio from your computer at distances up to 150'. A simple three step process is all it takes for you to be able to listen to your playlist on any set of powered speakers, AV receiver, or a set of headphones. Features: •CD quality 16 bit/44.1KHz stereo •No driver required •RCA and 3.5mm audio output Includes: •AC adapter (for receiver) •RCA to 3.5mm cable

ONLY Order # 80-7300 \$39.99



Paper CD Sleeve

- •100 sleeves per bag
- Paper material with clear window and flap
- (10 bags-up)

83-11252



SONY. Big Button **Universal Remote Control**

The channel surfing solution! Packed with features that put you in charge of your TV. Features: •Controls two devices, TV and cable box •Large buttons and simplified functions for ease of use Ergonomic design fits comfortably in your hand •Three minute memory backup •Requires two "AA" batteries, not included (#292-015) •Mfr. #RM-EZ4

Order # RM-EZ2

ONLY \$9.99



SONY

Universal Remote Control

•Controls up to seven components •Pre-programmed codes are compatible with most brands •Easy-to-use button layout •TV, VCR, DVD on-screen menu •Recall function •Memory back-up function prevents code numbers being erased •Requires two "AA" batteries, not included •Includes: Manual, component code number list and warranty card

Order # RM-V310

ONLY \$13.99



SONY HD Radio™ Receiver

Experience more choices, crystal clear

sound, and no subscription fees. Enjoy music the way it was meant to be heard with AM stations that can deliver FM sound quality and FM stations that sound like your favorite CDs. With static-free sound and an easy-to-read dot matrix LCD for viewing important information, the XDR-F1HD receiver is the perfect choice for adding HD radio reception to a home audio system. Includes remote control.

Order #	(1-9)	(10-up)
XDR-F1HD	\$99.99	\$97.95



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.



•A complete entertainment and navigation system in one simple-to-install package •Fully motorized multi-position drop screen with last angle memory •OS 2.6.x Linux based software 400MHz processor for fast recalculation times and route options •Sirf Star III chip set with integrated GPS antenna •Touch screen navigation •Navteq 2D and 3D American and Canadian full maps with turn-by-turn instructions •View navigation screen during radio or CD playing. •2Gb SD card with seven million points of interest •Safety cameras, speed limit, toll roads and school alert system •DVD, CD, MP3, MP4, DVD-RW, CDR, CDRW player •AM/FM with 18 pre sets •50W (max) x 4 MOSFET power •Dual RCA outputs and dual A/V inputs •Pre set EQ •Full function remote control Limited quantities

Order #	Mfr. #	Size	MSRP	ONLY
58-13530	AVN-421	4.3" oversized single DIN	\$749.00	\$279.00
58-13535	AVN-721	6.5" double DIN	1399.00	399.00




PowerAcoustik 8" Touch Screen CD/DVD/AM/ FM In-Dash Receiver

•Fully motorized four-position drop screen with last angle memory •Electronic touch screen functions •DVD/DVD-RW/VCD/CD/CDR/CDRW/MP3/MP4/DivX •USB mini input for MP3, DiVx, Xvid and MP4 files •SD card adapter for USB input •Audio and video auxiliary input •AM/FM with 30 pre sets •Four 50W MOSFET amplifer •Dual RCA outputs •Variable subwoofer volume control •One auxiliary video input for back-up camera (sold separately) •One RCA video output •Pre-set EQ options •Resolution: 1440 x 234 •Panel brightness 350 NIT •Oversized DIN mount •Full function remote control •Mfr. #AVN-421 •Limited quantities

Order #		ONLY
Oluci #	MSRP	
58-13540	\$899.00	\$229.00

ACOUSTIC RESEARCH 25' Subwoofer Cable



	•	
Order #	MSRP	ONLY
58-13605	\$24.99	\$6.99





Special

Purchases!

Limited Quantities

7" Digital Photo **Share Media Player**

Display photos and videos of your family, friends and relatives with this PhotoShare 7XL digital photo album and frame! There's no need to go through photo albums or search for video clips! Its portable design lets you take your digital files everywhere you go! (requires optional battery). **Features: •**White design with black frame •7" TFT LCD screen •Digital photo album and display frame •Note: Li-polymer battery not included. Add the optional battery for portable use. •Plays JPEG, MP3, MPEG1, MPEG2, MPEG4, AVI and DIVX formats • Memory card reader •16:9 and 4:3 switchable aspect ratio Limited quantities

Order #	MSRP	ONLY
58-13295	\$99.95	\$37.99

DVD Player with 1080i Up-Conversion

Featuring progressive scan and upscaled 1080i HDMI output, this DVD player provides high-quality video output that brings out the best in your DVDs. Features: •1080p HDMI upconverts to high-definition for sharper images •Progressive scan component video for optimized image quality •Plays CDs, including MP3, WMA, and JPEG files burned onto CD-Rs or DVD-Rs •Mfr. #DVP3962 •Limited quantities


•Factory refurbished

Order #	MSRP	UNLY
58-13485	\$59.99	\$29.99

PHILIPS 8.5" Portable **Divx DVD**

Player with iPod® Dock Portable movies

dazzle on the versatile swivel



ONLY Order # MSRP 58-13490 \$99.99 \$199 99



7" Portable Divx DVD Player with iPod® Dock

Portable movies dazzle on the versatile swivel screen of the 7" (diagonal) widescreen DCP750. DVDs and iPods® aren't the only media it can handle. Display digital photos or play Divx movies through the memory card reader and a broad range of video-based media including DVD+-R and DVD+-RW formats, SVCD, VCD and MPEG4. The docking station also charges your iPod® while viewing. The built-in, rechargeable battery delivers up to 2.5 hours of playtime and remote control adds simple navigation while traveling. Features: •7" LCD swivel 16:9 screen •SD card slot for movies and digital photos •Compatible with DVD+R/-R, CD-R/-RW, MP3, DivX •iPod® docking: play movies and recharge select iPod® devices (NOT compatible with iPod® Touch, iPhone®, 60Gb and 80Gb iPod® Classic, or 4Gb and 8Gb iPod® Nano) •Mfr. #DCP750 •Limited quantities •Factory refurbished

Order # **ONLY** 58-12780 \$79.99

RСЛ

50' 18 Gauge Speaker Cable

·Connects speakers to your audio video receiver or amplifier •Copper provides maximum conductivity for accurate sound reproduction •Clear sheath •50' of usable wire

Order # ONLY **MSRP** 58-13060 \$3.99 \$14.99



RCA

100' 16 Gauge Speaker Cable

·Connects speakers to your audio video receiver or amplifier •Copper provides maximum conductivity for accurate sound reproduction •Clear sheath •100' of usable wire

Order # ONLY MSRP 58-13065 \$8.99 \$29.99



Die-Cast **Unidirectional Microphone**

Take advantage of this tremendous buyout! Perfect for PA systems, computers, and other professional sound systems. Specifications: •Unidirectional •Mesh wind guard •Frequency response 80~12,000Hz •Impedance 6000hm •Weight .5 lbs. •Die-cast zinc alloy housing •On/off switch Includes: •15' XLR to 1/4" cable •1/4" to 3.5mm adapter •Plush leather travel bag •Mfr. #DM-68A ·Limited quantities

Order #	MSRP	ONLY
58-13695	\$39.99	\$9.99

MCMelectronics.com 1-800-543-4330





Special Purchases! Limited Quantities

MSRP ONLY

\$2.49

Looking for even more hot deals? Check out the Special Purchases page on our website.

AUDIOWOX® 15 Mile Two-Way **Radio with Race Scanner**

•15 mile range for keeping in touch wherever you are, you can also monitor racecar channels for listening to drivers at the track

·Selectable voice operated transmitter for automatic voice transmission, and hands-free operation 15 GMRS and 7 FRS channels, with 38 privacy codes, provides 836 combinations to help eliminate interference •Includes dual desktop charger for

\$22.99

simultaneously charging, and swiveling belt clips for easy carrying •Powered by rechargeable NiMH batteries with long-standby times and no-memory effect •FCC license required •Mfr. #GMRS7015RC •Limited quantities

Order # **MSRP** 58-12965 \$69.99



•Accurate within 33' •Coupled with navigation software, this unit will make any Bluetooth device a GPS powerhouse Includes rechargeable

Li-Ion battery and car charger Features: •Bluetooth 1.2 compatible •65 channel receiver •Three LED indicator lights

Limited quantities

ONLY MSRP \$29.99 \$129.95



IUS 20% MORE

ECHSPRAY



TECHSPRAY

Envi-Ro-Tech Duster

•Formulated with HFC-134a, this exceptionally pure, moisture-free, inert gas removes particles without the use of harmful solvents •Nonflammable •Non-ozone depleting •Odorless •Zero residue •80 psig at 25°C (77°F) •12 oz. can •Mfr. #1671-12S •Limited quantities

Order 58-13735 \$5.99 **PHILIPS** 3.5mm Headphone "Y" Adaptor

•Allows connection of two sets of headphones to a single output source •Perfect for MP3 player, portable DVD player, etc. •Mfr. #P72037 •Limited quantities

Order # ONLY **MSRP** 58-13755 69¢



Splits one 3.5mm headphone jack into two allowing you to easily share your audio with another listener Specifications: •10" length •Gold connectors •Molded connectors •Shielded cable •Limited quantities

Order # ONLY MSRP 58-13805 \$3.99 \$11.99



•Supports high-capacity SD flash memory Includes: •Three "AAA" rechargeable batteries and charger •USB, A/V, and component video cables •Carrying pouch •Full photo and video editing software suite •Mfr. #DXG-569VK •Limited quantities

Order # ONLY **MSRP** \$89.99 58-13835 \$179.99



PHILIPS RG-6/U Cable

•250' and 500' spools of RG-6/U cable ·18AWG copper covered steel with mylar foil •Impedance 75ohm nominal

 Limited quantities MSRP ONLY 250' spool \$29.95 \$9.99 500' spool 49.99



Order #

Tool-Less "F" Connectors for RG-6

•Two piece design •Gold-plated •Rubber washers included for waterproofing •Two per package •Limited quantities

ONLY Order # MSRP 58-13935 \$2.99 59¢



PHILIPS

PHILIPS

World Power Adapter and Surge Protector

•Lightweight, compact design is perfect for travel •Adapter plugs for Europe, Asia, Australia and US outlets •Designed for 110V and 220V portable devices, does not convert power simply converts plugs •360 joules surge capacity •Mfr. #PML2000 Limited quantities

ONLY MSRP **58-12620** \$19.95 \$4.99





MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532 Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330 Email: quotes@MCMelectronics.com

Length

Order #

58-13010

58-12980

Multi/Crimp Strip Tool

•Cuts wire •Strips 10~22 gauge wire ·Crimps insulated



and non-insulated wire •Cuts bolts •Limited quantities

Order # 58-12535

MSRP \$14.95 ONLY \$1.99

(on ba

100' RG6 "F" to "F" Coaxial Cable

Connects an audio/video source to a TV, HDTV or A/V receiver. •Black •100' •Twist-on "F" connectors •Mfr. #VHB6100 •Limited quantities

Order # 58-13675

ONLY \$2.99



Note: The Standard Terms and Conditions of Sale appearing in MCM's current catalog apply. Product listings, specifications, availability and pricing are subject to change without notice. MCM reserves the right to make changes and corrections without notice. Every effort has been made to provide accurate technical and product information. Occasionally we make the names and postal addresses of our customers available to highly screened companies that offer products and services that may be of interest to you. If you do not want to receive these offers, please let us know by contacting MCM at 1-800-543-4330.



Mail/Fax Order Form Copy this form to mail or fax! Attn: MCM Account Re Attn: MCM Account Representative

ode

mer # ack cover)	Media Code A002	Source C

Bill To:	
Company Name	
Name (First, MI, Last)	
Street	
City, State, Zip	
Phone # Fax #	
Purchase Order #	
Check Here For: No Backorders Ship Order Complete (may result in delay of order)	
Payment Method Visa Wastercard Discover American Expr IMPAC Government Visa Met 30 (Note: Monthly late of 11% on past due balant	fee
Name (As it appears on credit card)	,
Card Number	
Charge Card CVV Code Expiration Date	
Card Holder Billing Address	
Card Holder Signature Card Holder Phone #	
E-Mail Address	
Would You Like To Receive E-Mail Specials?	

	Code AUUZ	(on back cover)		
Ship To:				
Company Name		·		
Name (First, MI, Last)				
Street				
City, State, Zip				
Phone #		Fax #		
Ship Via	Ground Service	Next Day Air* Two Day Air*		
order. See the chart belo If split shipments are rec Packaging and shipping All orders with in-stock i shipping methods will st times: Web orders by 2:(Friday. Expedited/air ship	ing charge is based w for the packaging juired or items are c rates are subject to tems ship within 24 inp the same day if u 00 p.m. (ET) and phopping is subject to c	on the total merchandise value and/or weight of the and shipping charges on your orders under 50 lbs. on backorder, no additional fees will apply. change. hours. All in-stock items on orders with expedited/air sing our preferred carrier and received by the following one or fax orders by 3:00 p.m. (ET), Monday through redit approval and carrier selection. Unless otherwise service through the carrier of our choice.		
Our packaging and shipping rates for sta orders under 50 lbs.:	andard over 2 conta Charc	Any Ground order over 50 pounds or any air shipment 25 pounds may be charged carrier chart rate. You will be cted if your shipment cannot use the chart to the left. les are for the continental United States, Hawaii, Alaska,		
Order Value <50lbs. \$0~\$19.99		, Puerto Rico and APO/FPO locations. Fraud prevention,		
\$20~\$39.99		approval, order volume, system problems, weather tions, and other variables can affect processing. Orders		
\$40~\$59.99		d on weekends and holidays will be shipped the next		
\$60~\$99.99	\$13.99 busin	ess day pending payment authorization.		

\$15.99 \$100~\$199.99 FREE FRFF

FREE

\$200~\$299.99

\$300~\$399 99

\$400~\$499.99

\$500~\$999.99 \$1,000 and over

*Expedited Shipping: 2nd day air fee is \$18 plus chart rate to left. Next day air fee is \$36 plus chart rate to left. Free shipping offers do not apply to expedited/air shipping. Contact your account representative for additional details. Continental US only, no PO boxes. Additional charge for larger items.

DI EASE DO NOT SEND CASH OR PERSONAL CHECKS

DI EASE DRINT OR TYPE WITH COMPLETE INFORMATION

LEASE DO NOT SEND CASH ON PENSUNAL CHECKS			L FININT ON TIFE WITH CONFELTE INFORMATION		
MCM Part No.	Quantity	Description	Page No.	Unit Price	Total
		101			
		NA An			
		THAM			
ales Hours:		Secured online ord	ers:	Subtotal	
Innday - Friday 8.0	N a m - 8·00 n m	(FT)		0.1	

Saturday, 9:00 a.m. - 3:00 p.m. (ET)

Will Call Window

Hours: Monday~Friday 9:00 a.m.~5:30 p.m. (ET) Will call window is available for pick-up of your order. Please allow three hours from the time your order is placed to pick it up. Ask your account representative for more details. Located at 405 South Pioneer Blvd., Springboro, Ohio 45066.

After hours ordering on recorder, call 1-800-543-4330. In Dayton, Ohio call 434-0031 and ask for the Sales Department. For product questions call 1-800-824-8324 or fax your product questions to 1-800-765-6960, or e-mail tech@MCMelectronics.com Monday~Friday: 8:00 A.M.~ 5:00 P.M. (ET)

MCMelectronics.com

Phone: 1-800-543-4330 Fax: 1-800-765-6960

Email Orders: orders@MCMelectronics.com Mail Orders: MCM Electronics, 405 S. Pioneer Blvd., Springboro, OH 45066

Phone: 1-800-543-4330

Quotes:

Email: quotes@MCMelectronics.com

Subtotal	
Sales Tax*	
Packaging and shipping (From chart above)	
Expedited Shipping (Optional)	

*Customers in Ohio, California, Nevada, Minnesota and Indiana or shipments into any of those states must add applicable sales tax.

© 2010 MCM Electronics, Inc.

Total



MCM has great prices on power accessories, from portable power products to protecting your home theater.

Universal AC Power Replacement Cord

This universal AC power replacement cord is perfect for use with small electronics such as radios or boom boxes. •Mfr. #AH1U •Limited quantities

58-13665

\$1.99



12VDC/DC Switching Adapter

•Comes with six barrel connectors and is adjustable to seven different voltages •Choose from 1.5, 3, 4.5, 6, 7.5, 9, or 12V •Built-in fuse for overload protection and supports up to 2000mA •Mfr. #JAD-2000

·Limited quantities

Order # 58-12600

MSRP \$19.99 UNIA \$4.99



JENSEN

USB Power Adapter

·Works with iPod® shuffle, nano and video as well as most USB charged devices •110V~120VAC standard rate charger for an overnight battery

charge •Includes an AC power adapter •Limited 1-year warranty •Mfr. #JP2101 •Limited quantities

Order # 58-13030

MSRP \$24.99 ONLY \$2.99



Order # 58-13115

MSRP

15 Outlet **Power Pack**

•Three pack of power protection •Includes six outlet surge protector, six outlet power strip and three outlet wall adapter •720 joules of surge protection with lighted switch Power strip includes right angle low

profile plug ·Limited quantities

> ONLY \$7.99



EARHUGGER PowerPod 4-in-1 Cell **Phone Charger**


•Perfect for travelling ·Charge your cell phone from the following: Wall, car, USB port or 9V battery •Includes cellular tips for most

LG, Motorola, Samsung and Blackberry with mini USB tip •Mfr. #CCT-8352 •Limited quantities

58-13145

MSRP \$33.72

ONLY \$7.99



Premium power cords transfer

power to audio video components better while improving performance even in a system where little care has been taken in the installation, such as power cords running parallel to audio video cables. These high performance cables eliminate noise from the power cord and shield equipment from radio frequency interference and electromagnetic interference prevalent in all homes Features: •Noise and interference protection technology •Oxygen-free copper twisted conductors •24K gold plated contact surfaces •Hermetically sealed molded ends ·Heavy-duty precision machined connectors

Mfr. #AP803N •Limited quantities ONLY Order # **MSRP** 58-13620 \$5.99 \$39.99



EARHUGGER PowerPod 4-in-1 iPod® Charger

·Perfect for travelling Charge your iPod from the following: Wall, car, USB port or 9V battery •Includes tips for most regular iPods, iPod Shuffle and Blackberry with mini

USB tip •Also compatible with cellular charging tips from #58-13145 •Mfr. #MP3-8370 •Limited quantities

Order # 58-13150

MSRP

\$7.99



Order # 58-13830

 Switchable voltage, 3V, 4.5V, 6V, 7.5V, 9V or 12V •1000mA

AC/DC Adapter

Universal

output (1A) •12 changeable tips included •UL and CUL listed ·Limited quantities

ONLY \$5.99



PHILIPS Theater Director Surge Protector

If your home theater equipment is valuable, surge protection is a must. MCM has negotiated a terrific price on the Philips Home Theater Director surge protector. With up to \$500,00 of equipment coverage you can rest assured your home theater is in good hands. **Features:** •4300 joules of power protection •80dB EMI/RFI noise filtration •S-OV surge technology for faster surge response •Eight outlets •Two sets of coax protection •Two always on outlets •Mfr. #SPP4200WA/17 •Limited quantities

Order # 58-13245

MSRP \$199 99

ONLY \$59.99



MSRP

This powerful battery back-up offers a compact and lightweight design to easily fit anywhere. Features: •10 minute runtime •Data line/phone protection •6' USB cable included •330VA, 165W •Auto shutdown software •6' power cord •Audible alarm •Limited quantities

Order # 58-13905

MSRP

ONLY \$29.99



A perfect power solution for a garage, shop, or workbench, this outlet strip has 12 outlets spaced 3" apart and has an overall length of 36". Features: •3' power cord •Illuminated power switch with 15A circuit breaker •Can handle up to 1875W •Heavy-duty metal housing •Includes mounting brackets •Mfr. #100519 •Limited quantities

ONLY Order # 58-13910 \$24.99



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Looking for a replacement laptop? MCM has laptops from both Sony and Gateway at prices that will fit your budget.

Special Purchases! Limited Quantities



750 Watt ATX **SATA Power** Supply

✓ ONE PCIe power

•750W total power •120mm fan •Sleeved cables •16" 20+4 pin ATX power connector •16" 4 pin 12V power connector •Four 4 pin power connectors •Two SATA power connectors •Small floppy power connector •6/8 pin PCI Express power connector Power specifications: •115/230V •+3.3V - 28A +5V - 30A, +12V - 22A, +12V - 22A, -12V - 0.6A, +5Vsb - 2A •Dimensions: 3.25" (H) x 6" (W) x 5.5" (D) •Mfr. # PWR-AK750 •Limited quantities

Order # **MSRP** \$79.95 58-13775 \$39.99

800 Watt ATX SATA Power Supply



Four SATA power

•800W total power •120mm fan Sleeved cables •16" 20+4 pin ATX power connector

•16" 4 pin 12V power connector •16" 8 pin 12V

power connector •Four 4 pin power connectors •Four SATA power connectors •Small floppy power connector •Two 6/8 pin PCI Express power connector •Two 9/8 pin PCI Express po •Mfr. # PWR-AK800 •Limited quantities

ONLY **MSRP** 58-13780 \$59.99 \$99.95



USB 2.0 Docking Station

This USB 2.0 docking station provides a convenient and simple way to connect all of your external peripherals to your laptop or netbook. Features: •PS/2 keyboard/mouse input •IEEE-1284 parallel printer input •Serial input •Two USB 2.0 ports •Plug & play •USB or AC powered •Includes: USB 2.0 cable, driver CD, and AC adapter

Limited quantities

ONLY Order # MSRP \$39.99 58-13800 \$59.99



(2) HITACHI 40Gb IDE 3.5"

•7200RPM •2Mb cache •Low noise •Low power consumption

·Factory refurbished ·Limited quantities

Order # 58-13900

Hard Drive

MSRP \$44.99

ONLY \$26.99

Dual Core 2.0GHz 15.4" Notebook

Featuring a 2.0GHz AMD Turion 64 X2 Dual-Core mobile processor, DVD±RW burner and 802.11b/g wireless technology, this Gateway M-1634u notebook delivers fast mobile computing at home, office, school or anywhere. Features: •Windows Vista Home Premium •AMD Turion™ 64 X2 Mobile Technology TL-60 2.0GHz, 512Kb X2 L2 cache •15.4" Ultrabright WXGA TFT •1280 x 800 max resolution •4Gb DDR2 667MHz memory •ATI Radeon X1270 graphics •320Gb 5400rpm SATA hard drive •8x multi-format dual layer DVD-RW •5-in-1 memory card reader •HDMI output •Three USB 2.0 ports •1.3mp webcam •Weighs only 6.25 lbs. •90 day manufacturer warranty •Mfr. #M1634U


Limited quantities

GGateway

Order # 58-13765

MSRP \$749.99

ONLY \$499.00



14.1" Notebook A perfect mix of

power and style, the VAIO CS notebook is a slim, lightweight PC weighing only 5.7 lbs. Featuring Sony's patented XBRITE-ECO™ LED backlit LCD technology, which delivers razor-sharp details and crisp, bold colors; all while consuming less power. Features: •Windows Vista Home Premium 64 bit •Intel Centrino Core 2 Duo T6400 2GHz CPU •4Gb DDR2 PC2-6400 RAM •250Gb SATA hard drive •DVD±RW drive •Intel 4500MHD graphics •14.1" LCD •1280 x 800 max resolution •802.11a/b/g/n wireless interface •Flash memory reader •Three USB 2.0 inputs •90 day manufacturer warranty •Mfr. #VGN-CS215J/W •Limited quantities

Order # ONLY **MSRP** 58-13770 \$799.00 \$1199.00

USB 2.0 to IDE/SATA Drive Adapter

•Creates a bridge between a USB port and one SATA, ATA or ATAPI based hard drive •Work on hard drives without installing them in a case •One touch back-up capability allows easy backing up of important files •Supports all existing IDE/ATAPI devices such as a CD-ROM, CD-RW, DVD-ROM and 2.5 and 3.5 IDE and SATA hard drives •Note: Do not plug in 2.5" HDD and 3.5" devices at the same time •Limited quantities

Order # 58-12405 **MSRP** \$49.95

ONLY \$19.99



2.1MP Digital Camera

•Great value! •2.31MP digital camera with a 2" LCD screen •2x digital zoom •Perfect for students, beginners or bargain hunters •Internal memory holds 16 photos •Includes camera only •Limited quantities

ONLY Order # **MSRP** \$29.99 58-13266

Accessories

ONLY Order # Description Battery charger with four "AA" batteries 2Gb CF memory card \$15.99



Beno 22" 1080P LCD Monitor

•Screen size: 21.5" •Resolution: 1920 x 1080 •Contrast: 1000:1 •DVI and VGA inputs •Inputs: DVI and HD-15 •Mfr. #G2220HD •Limited quantities

Order # 58-13560

ONLY \$169.95

MCMelectronics.com 1-800-543-4330



Enter source code from back cover in web shopping cart to receive sale prices.



Test Equipment

Tenma, the technician's choice for over 25 years.



2 YEAR LIMITED WARRANTY

✓ 6" monochrome CRT display

Features: •Dual channel •Dual trace •2KV acceleration voltage •High sensitivity 1mV/div •Display modes: CH-1, CH-2, DUAL, ALT, CHOP, ADD, CH-2 INV •Input coupling: AC/GND/DC •CH-1 output signal •Sweep modes: A, X–Y, X10 magnification •Trigger modes: AUTO, NORM, TV-V, TV-H • Trigger sources: CH-1, CH-2, ALT, LINE, EXT •Trigger slope: + or - •Z axis input for intensity modulation •Power requirements: 115/230VAC, 50/60Hz •Includes two 10:1 probes and manual

Order # 72-6800

\$299.00

Combination 8MHz Oscilloscope/DMM

✓ 160 x 160 dot matrix monochrome display ✓ Built-in 3999 count DMM

✓ USB interface with data logging software

Compact hand held unit provides outstanding DMM performance plus added functions of a single channel oscilloscope. **DMM features:** •Voltage, current, resistance, capacitance and frequency measurement $\cdot 10M\Omega$ input impedance •Continuity buzzer Diode test scope features: •8MHz bandwidth •40MS/s sample rate •160 x 160 pixel monochrome display . Normal, free run and single shot trigger modes •Ten screen and set-up memory General features: Backlit display with adjustable brightness and contrast •Sleep mode •Low battery indicator Includes: •Test leads •Alligator clip adapters •AC adapter •Requires four "AA" batteries, not included •For complete details see MCMelectronics.com

Order # 72-8400

MSRP \$349.00

ONLY \$249.00



Hand Held DSO Oscilloscope/DMM

Compact hand held units provide outstanding two channel color DSO oscilloscope performance plus added functions of a full featured True RMS digital multimeter. **Scope** features: •Bright high-resolution 3.8" color TFT-LCD display •Advanced trigger functions •Adjustable trigger sensitivity •USB storage •Fully isolate scope and DMM inputs **DMM features:** •Measures AC/DC voltage and current, reisitance and capacitance •4,000 count display •Diode and continuity test Included accessories: •Two 10:1 oscilloscope probes •Standard DMM probes •Aluminum carry/storage case •USB cable with software •Internal Li-ion battery pack with included AC charger •See MCMelectronics.com for complete specifications

Specifications	#72-8470	#72-8474	
Oscilloscope			
Bandwidth	20MHz	100MHz	
Sample rate (real time)	100MS/s	500MS/s	
Rise time	≤17.5ns	≤3.5ns	
Resolution		xels, 4096 colors	
Record length		nts on each channel	
Time base range	5ns/di	v~100s/div	
Vertical sensitivity		V/div (at input)	
DC gain accuracy	±5%	±3%	
Max. input voltage	400V (p-p) CAT II		
Trigger type	Edge, video		
Trigger mode	Auto, normal, single		
Sampling mode	Normal, peak detection, average		
DMM			
Input impedance	10ΜΩ		
Max input voltage	400VAC, 400VDC		
Max input current	10A AC, 10A DC		
AC frequency range:	40H:	z~400Hz	
General			
Power requirements		C, 1500mA	
- · · · · · ·		0/60Hz AC adapter included	
Battery life	Six hours		
Dimension	7" (H) x 4.5" (W) x 1.6" (D)		
Weight	22.75 oz.		
ONLY	\$599.00	\$799.00	



20MHz Oscilloscope with Function Generator

✓ Internal 1MHz function generator

✓ 6" monochrome CRT display

*Features: *Dual channel *Dual trace *2KV acceleration voltage *High sensitivity 1mV/div
*Display modes: CH-1, CH-2, DUAL, ALT, CHOP, ADD, CH-2 INV *Input coupling:
AC/GND/DC *CH-1 output signal *Sweep modes: A, X–Y, X10 magnification *Trigger modes: AUTO, NORM, TV–V, TV–H *Trigger sources: CH-1, CH-2, ALT, LINE, EXT •Trigger slope: + or - •Z axis input for intensity modulation •Power requirements: 115/230VAC, 50/60Hz •Includes two 10:1 probes and owners manual

ONLY Order # **MSRP** 72-6805 \$369.00



Dual Channel Digital Storage Oscilloscopes

This series of digital storage oscilloscopes provides a cost effective combination of performance and ease of use in a highly portable and compact instrument. Models feature real time sampling rates of 500MS/s and are

available with bandwidths from 25MHz~200MHz. Features: •Color LCD display •Edge, pulse and video triggering on channel CH-1 and CH-2 •Rising and falling edge triggering •8 bit A/D convertor, two channels sampling simultaneously •Separate USB host and device ports (device port only on #72-8395) •RS-232 port •Quiet convection cooling •See MCMelectronics.com for complete specifications

Specifications				
Order #	72-8395	72-8390	72-8385	72-8380
Bandwidth	25MHz	40MHz	100MHz	200MHz
Real time sampling rate	250MS/s	each channel, 500N	VIS/s both channels	s combined
Equivalent sampling rate		250	GS/s	
Input				
Input coupling		AC, DC o	or Ground	
Input impedance		1MΩ ±2%	%, 18±3pF	
Probe attenuation		1x, 10x, 1	00x, 1000x	
Max input voltage		400V (AC + DC pea	ak, 10:1 attenuation	1)
Channel interval		≥4	0:1	•
Channel time delay (type	pical)	15	0ps	
Horizontal			•	
Interpolation		Sine	e(x)/x	
Records	De	epth: 25K each char	nnel, Length: 2 x 5	12K
Scan range (S/div) 20	ns/div-50s/div	10ns/div-50s/div	5ns/div-50s/div	2ns/div-50s/div
Vertical				
Analog bandwidth	25MHz	40MHz	100MHz	200MHz
Selectable bandwidth I	imit	201	MHz	
Trigger				
Rise time	<14ns	<8.7ns	<3.5ns	<1.8ns
Trigger sensitivity	DC~1	10MHz: 0.5div, 10M	1Hz~max bandwidt	h: 1div
Trigger level range	Inte	ernal: Display cente	r ±10div, external :	±1.6V
Pre trigger capability	Normal mod	e / scan mode, pre-		y time trigger.
			th is adjustable.	
Release range		100ns	s ~ 1.5s	
Video triggering				.,
Trigger sensitivity		nternal: 2div peak v		
Trigger type		pports NTSC and Pa		
		Line range:1~525 (NTSC), 1~625 (PA	L)
General				
Display			lor LCD	
Resolution	= 01 (11) 10		40 pixels	
Dimensions	5.9" (H) x 12	.6" (W) x 5.1" (D)		6" (W) x 11.5" (D)
Weight			. (2.6KG)	
Power Requirements		100VAC~240VAC,	45Hz~440Hz, 30V	1

Order #	Bandwidth	MSRP	ONLY
72-8380	200MHz	\$1750.00	\$1150.00
72-8385	100MHz	1425.00	749.00
72-8390	40MHz	1050.00	499.00
72-8395	25MHz	699.00	359.00



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532

Product Questions Email: tech@MCMelectronics.com

Quote Team: 1-800-543-4330 Email: quotes@MCMelectronics.com



Digital Multimeter with Temperature

✓1,999 count display

✓ Measures capacitance ✓ Measures °F and °C temperature

Full function multimeter offers a

variety of ranges for every service application, including Fahrenheit and Celsius temperature measurement. Measures AC/DC voltage, AC/DC current, resistance, capacitance frequency and temperature. Features: •Continuity buzzer •Data hold •Full

icon display •Sleep mode •Low battery display •Included standard test leads, plus separate short leads for accurate capacitance checking •Includes standard 9V battery and owners manual •Meets 1000V

CATH Standards	
Order #	MSRP
72-7725	\$49.95





Compact Clamp Meter with Frequency

√3,999 count display ✓ AC/DC current measurement

Perfect for general purpose applications. •1" clamp diameter •Diode test

•Continuity buzzer •Includes zipper case, test leads, owners manual •Requires one 9V battery (#292-035), included

Specifications	Range	Accuracy
DC voltage	400mV, 4V, 40V, 400V, 600V	±(0.8% +1)
AC voltage	4V, 40V, 400V, 600V	±(1% +5)
DC current	40A, 400A	±(2% +3)
AC current	40A, 400A	$\pm(2.5\% +5)$
Resistance	400Ω, 4ΚΩ, 40ΚΩ,	±(1% +2)
	400ΚΩ, 4ΜΩ, 40ΜΩ	
Frequency	10Hz ~ 100MHz	$\pm (0.1\% +3)$
Duty cycle	0.1 ~ 99.9%	

Order # **MSRP** ONLY 72-7224 \$89.00

Test Equipment

See for yourself how Tenma measures up.



Benchtop True RMS Multimeter with USB

✓ 6,000 count LCD display

✓ True RMS measurement

✓ USB interface and data logging software

✓ AC and battery operation

Ideal for the service bench or in the classroom, this unit measures AC/DC voltage and current, resistance, capacitance, frequency, transistor h_{FF} and temperature. It also provides diode and audible continuity test. Features: •AC or battery operation •6000 count, 3³/₄ digit display •USB and RS-232 serial interfaces •Fused current measurement to 10A •AC or AC+DC TRMS measurement •Backlit display •10Mohm input impedance •Ultra sensitive 3,000Mohm input impedance on 600mV range •Switchable auto/manual range •Detailed 50 page instruction manual •Includes test leads, alligator clip adapters, temperature probe, RS-232 interface cables and software

Specifications DC voltage		Range	Accuracy
		600mV, 6V, 60V, 600V, 1000V	±(0.3%+1)
	AC voltage	600mV, 6V, 60V, 600V, 1000V	±(0.5% +2)
	DC current	60μA, 6mA, 60mA, 600mA, 10A	±(0.5%+1)
ĺ	AC current	60μA, 6mA, 60mA, 600mA, 10A	±(0.8%+2)
	Resistance	600Ω, 6ΚΩ, 60ΚΩ, 600ΚΩ, 6ΜΩ, 60ΜΩ	±(0.5%+1)
	Capacitance	6nF, 60nF, 600nF, 6μF, 60μF, 600μF, 6mF	±(2%+5)
	Temperature	-40°C~1000°C -40°F~1832°F	±(1%+3) ±(1%+3)
	Frequency	10Hz~50MHz	$\pm(0.05\%+3)$
	Input impedance	$10M\Omega$ (3G Ω on 600mV range)	
	Dimensions	A^{1}/A^{-} (H) \vee R^{1}/A^{-} (M/) \vee 11" (D)	

Dimensions 4¼" (H) x 8½" (W) x 11" (D) Order #

MSRP Reg. 72-1015 \$249.00





✓ 40,000 count LCD display

✓ True RMS measurement

✓ USB interface and data logging software

✓ AC and battery operation

Ideal for the service bench or lab where high accuracy is important. This unit measures AC/DC voltage and current, resistance, capacitance, frequency, and temperature. It also provides diode and audible continuity test, as well as 4~20mA loop testing. Features: •Dual 4,000 count, 3½ digit sub displays •40 segment analog bargraph •Data logging of 9,999 readings •Fused current measurement to 10A •AC or AC+DC TRMS measurement •Backlit display •10M ohm input impedance •Ultra sensitive 4,000M ohm input impedance on 400mV range •Switchable auto/ manual range •Detailed 70 page instruction manual •Includes test leads, alligator clip adapters, temperature probe, RS-232 and USB interface cables and software

Specifications	Range		Accuracy	
DC voltage	400mV,	4V, 40V,400V, 1	000V ±(0.025%+	5)
AC voltage	4V, 40V	, 400V,1000V	±(0.4% +30))
AC bandwidth	100KHz	!	- 1	
DC current	40μA, 4 400mA	000μA,40mA, , 10A	±(0.1%+15)
AC current	40μA, 4 400mA	000μA,40mA, , 10A	±(0.7%+15)
Resistance	400Ω, 4 4MΩ, 4	ΙΚΩ, 40ΚΩ,400Κ ΟΜΩ	Ω, ±(0.3%+40)
Capacitance	40nF, 40 4mF, 40		100μF, ±(1%+20)	
Temperature	-40°C~ -40°F~1		±(1%+30) ±(1.5%+50)
Frequency	- ,	00Hz, 4KHz, 40ł z, 4MHz, 40MHz,	, , , , , , , , ,)
Input impedan	ice 10MΩ (4GΩ on 400mV	range) -	
Dimensions	4" (H) x	95/8" (W) x 113/4"	(D) -	
Order #	MSRP	Reg.	SALE	
72-1020	\$399.00	\$261.00	\$19900	_

 $(\epsilon$

588.0

True RMS Multimeter with USB Interface

✓ 19,999 count display with bargraph

✓ Dual secondary displays ✓ True-RMS measurement

✓ USB interface with

data logging software Full function multimeter offers a variety of ranges for every service application, It measures AĈ/DC voltage, AC/DC current, resistance, capacitance, temperature frequency and duty cycle. Triple display features ½" primary digits and dual ¼" secondary displays, plus an analog bargraph and

numerous on-screen icons Features: •Selectable auto/manual range •Data logging and data recall •Peak hold •Max/min mode •Relative mode •Data hold •4~20mA current loop measurement Dual level backlit display •Sleep mode Kit includes: •4' opto-coupled USB cable •Data logging software •Standard test leads •Short clip leads for accurate capacitance measurement •Alligator clip adapters •Standard 9V battery •Soft case •Detailed instruction manual

Order # MSRP Reg. \$159.00 72-7730 \$199.95



True RMS Clamp Meter

- ✓ 5,999 count display
- ✓ True RMS measurement
- ✓ AC/DC current measurement

Perfect for applications where higher accuracy is critical. This compact clamp meter measures AC/DC voltage, AC/DC current, resistance and frequency. Features: •5999 count autoranging display •Backlit display •True RMS AC measurement •AC surge current measurement •10MΩ input impedance •Diode test •Continuity buzzer •Max hold •Data hold •Full icon display •Sleep mode •Low battery indicator •Includes zipper case, test leads, owners manual •Requires one 9V battery (#292-035), included

Specifications	Range	Accuracy
DC voltage	6.6V, 66V, 600V	±(0.8% +1)
AC voltage	6.6V, 66V, 600V	±(1.2% +5)
DC current	66A, 1000A	±(1.5% +8)
AC current	66A, 1000A	±(2% +8)
Resistance	660Ω, 6.6ΚΩ, 66ΚΩ, 660ΚΩ, 6.6ΜΩ, 66ΜΩ	±(1% +2)
Frequency	660Hz~66MHz	$\pm (0.1\% +3)$
Duty cycle	0.1~99.9%	

Order # **MSRP** Reg. 72-7228 \$149.00







web shopping cart to receive sale prices.



Digital Speaker Impedance Meter

Avoid costly service calls and amplifier damage by verifying actual speaker system impedance prior to operation. Ûnlike conventional volt/ohm meters, which measure DC resistance, this unit utilizes an internal 1KHz oscillator to measure true impedance. Accurately measure speaker lines that utilize impedance matching volume controls, switchers, transformers and

passive crossovers. Large digital display features 1" characters for easy viewing. Rotary selector provides x1 (0–20 Ω), x10 (0~200 Ω) and x100 (0~2K Ω) scales. Rugged, double insulated case is CATIII rated for use up to 100V. Dimensions: 8" (H) x 3½" (W) x 2½" (D). Includes test leads, carry case and owners manual. Requires six "AA" batteries (#292-015), not included.

Order # 72-6947

MSRP \$299.00 ONLY \$149.95

Test Equipment

MCM stocks the instruments you need for a variety of residential and commercial applications.



RATED

Compact Digital Sound Level Meter

Ultra compact sound level meter measures less than 6" in length, including the windscreen, and provides full 40~130dB measuring range. Perfect for numerous types of measurement including sound system testing and noise level monitoring. Features: •Simple one-button operation •Selectable MIN/MAX hold •Large ¾" digit LCD backlit display •Threaded insert which accepts standard tripod mount •Auto power off •1999 count display with 0.1dB resolution •Removable windscreen •Includes manual and 9V

battery **Specifications:**•Frequency range: 31.5Hz~8KHz •Frequency weighting: A •Microphone element: ½" electret condenser •Sample rate: 0.5 seconds •Time weighting: 125mS •Accuracy: ±3.5dB @ 1KHz, 94dB •Dimensions: 5½" (L) x 2" (W) x 1½" (D)

Order # 72-935

Reg. \$29.99

BK PRECISION ELECTRONIC TEST INSTRUMENTS In-Circuit ESR/DCR

Specifically designed to measure ESR (equivalent series resistance) on capacitors in the range of 0.47µF to 2200µF, in or out of circuit. The ability to trouble shoot in-circuit

Capacitor Tester

saves time and makes the 881 a must for anyone that tests or trouble shoots printed circuit boards. **Features:** •100KHz output test frequency •15mV p-p output test voltage (will not turn on an solid-state devices) •Automatically discharges the capacitor under test •Microprocessor controlled •One-handed tweezer test probe included •One year warranty •Visit MCMelectronics.com for complete specifications

Order # 73-1000

ONLY \$203.70




FLUKE_® 114/115/117 True-RMS Multimeters

Multimeters for every application! 114 is the electrical multimeter tool for troubleshooting and "go/no-go" testing. It includes a feature to eliminate inaccurate readings caused by 'ghost" (stray) voltage. 115 is the multimeter for field service technicians and is the solution for a wide variety of electrical and electronic testing applications. 117 is the electrician's multimeter with integrated non-contact voltage detection. It's the ideal meter for demanding settings like

commercial buildings, hospitals and schools. All three meters include: •Resistance and continuity •Large white LED backlight to work in poorly lit areas •Min/max/ average to record signal fluctuations •Cat III 600V safety rated •Digital display: 6000 counts, updates 4/sec

Order #	105-650	105-655	105-660	105-275
Fluke model	114	115	117	ToolPak (TPAK)
VoltAlert™			•	
AutoVolt/LoZ	•		•	
Current		10A	10A	
Diode		•	•	
Capacitance		1nF~9,999μF	1nF~9,999μF	
Frequency		.1Hz~50KHz	.1Hz~50KHz	
ONLY	\$129.95	\$156.95	\$186.95	\$33.49





Non-Contact Infrared Thermometer ✓ 20:1 distance to spot ratio ✓ Measures -25°F-1200°F/ -32°C-650°C ✓ Adjustable emissivity Simply point the unit and squeeze the trigger to provide fast, accurate surface temperature measurement. Attached laser pointer provides immediate verification of aim Features: •°C/°F measurement •Backlit

four digit display •Temperature data hold •MAX/MIN/DIF/AVG temperature display •Tripod mount •Sleep mode **Specifications:** •Display resolution: 0.1 •Display accuracy: ±1.8° or ±2% •Repeatability: ±0.5° or ±0.5% •Response time: 250mS •Spectral response: 8µm~14µm •Display hold: 8 seconds •Emissivity: Digitally adjustable from 0.10~1.0 by 0.01 •Requires one 9V battery (#292-035), included

Order # 72-823

MSRP \$149.00 Reg.

\$**79**99



Compact Digital Sound Level Meter

✓ Compact Size

✓ A and C weighting

✓ Selectable fast/slow response time

Compact sound level meter measures less than 9" in length, including the windscreen, yet provides selectable response time and frequency weighting. It is perfect for sound system testing, speaker system measurement and environmental noise level monitoring. Features: •Selectable MAX hold and data hold function •Two measurement ranges •Large ' digit LCD backlit display •Threaded insert which accepts standard tripod mount •Auto power off •1999 count display with 0.1dB resolution •Removable windscreen •Includes manual and 9V battery **Specifications:** •Frequency range: 31.5Hz~8KHz •Measurement range: 30~100dB (low), 60~130dB (high) •Microphone element: 1/2 electret condenser •Sample rate: 0.5 seconds •Time weighting: 125mS (fast), 1 sec. (slow) •Accuracy: ±1.4dB @ 1KHz, 94dB •Dimensions: 81/4" (L) x 21/4" (W) x 11/4" (D)

Order # 72-942 MSRP \$169.00

Reg. \$69.99 \$**59**99



MCMelectronics.com

Enter source code from back cover in web shopping cart to receive sale prices.



Test Equipment

Tenma switch mode power supplies offer high efficiency in a compact, lightweight design.

Switch Mode Laboratory DC Power Supplies

Precision adjustable supplies are ideal for test, measurement and service applications where tight voltage and current regulation are critical. Highly efficient switch mode design delivers outstanding performance from an

extremely compact footprint. Unique separate output ON/OFF control allows voltage and current setting, with the supply output turned off. Features: •Backlit four digit LCD display •Simultaneous display of voltage and current •Auto selecting constant voltage (CV) and constant current (CC) modes *Ultra quiet convection cooling *Short circuit, overload, over voltage and thermal protection •84% efficiency at maximum output •RoHs compliant

Model	72-8340		72-8345	72-8350
Voltage range	1.0 ~ 60.0VDC		1.0 ~ 36.0VDC	1.0 ~ 20.0VDC
Current range	0~1.6A		0~3A	0~5A
Voltage regulation				
Load (from 10~100%)	50mV		50mV	70mV
Line (from 90~132VAC)	20mV		20mV	20mV
Ripple and noise (rms)	5mV		5mV	5mV
Ripple and noise (p-p)	noise (p-p) 50mV 30mV		30mV	
Current regulation				
Load (from 10~100%)	20mA		20mA	20mA
Line (from 90~132VAC)	20mA		20mA	20mA
Ripple and noise (p-p)	20mA		20mA	20mA
Dimensions/weight	6" (H) x 2.8" (W) x 9.8" (D)/4.4 lbs.			
Order #	Model	MSRP	Reg.	ONLY
72-8340	1~60V, 0~1.6A	\$229.00	\$179.00	\$105.00
72-8345	1~36V, 0~3.0A	229.00	179.00	105.00
72-8350	1~20V, 0~5.0A	229.00	179.00	105.00



Multiple Outlet DC Power Strip

Convenient when a number of permanent items are connected to a power supply, while others are routinely added and removed. Attached 8AWG cable is terminated with gold plated, color-coded spade lugs. Binding posts accept spade terminals, bare wire, single or paired banana plugs. This unit is divided into two independent sections, with a combined total current capacity of 35A. Section One: •Two sets of heavy-duty, individually fused binding posts, current capacity 35A each, total max combined capacity 35A •0~35A analog ammeter Section Two: •Six sets of 10A binding posts, 15A max total capacity •15A fuse •0~15A analog ammeter •Lighted rocker switch Other features: •Isolated steel case •Separate ground lug •Dimensions: 2½" (H) x 3½" (W) x 13" (L)

Order #	MSRP	Reg.
72-6627	\$74.95	\$47.99

Dual Output Bench Power Supply

Laboratory grade power supply provides

adjustable 0~30VDC output, and 0~3A

adjustable current limiting, on each of

two isolated channels. Four independent three-digit LED displays simultaneously show output voltage and current for each channel. Features: • Auto series or parallel tracking operation •Constant voltage and constant current operation •Overload and reverse polarity protection •Temperature controlled variable speed fan •Very low ripple and noise •Power requirements: $AC100V/120V/220V/240V \pm 10\% 50/60Hz$ Includes test leads and owners manual

TENNA



10A Variable Autotransformer

Gives you the ability to vary line voltage between 0~130VAC. Perfect way to safely troubleshoot power supplies, regulators, output sections, etc. Built-in ammeter

shows current draw to help identify shorts before they can cause costly component failures. Replaceable fuse protection. Three prong grounded cord and socket provides convenience and safety.

1 YEAR LIMITED WARRANTY

Specifications

Order # 72-110	MSRP \$199.00	Reg. \$169.00	\$1 39 00	
Fuse	10A AGC (included)			
Current	10A, 1.3KVA			
Output	(
Input		120V, 60HZ		



Specifications

Output voltage (each channel)	0~30VDC
Output current (each channel)	0~3A
Tracking series output	0~60V, 0~3A
Tracking parallel output	0~30V, 0~6A



Order # MSRP Rea 72-7245 \$329.00 \$359.00



High Current Switch Mode Power Supplies

High current supplies are fully adjustable to 15VDC, making them suitable for communications racks, HAM radio stations, autosound display and servicing. Efficient switch mode design provides high current, with minimal heat, in a compact lightweight package. Whisper quiet fan cooling ensures reliable, long-term operation. Dual digital display simultaneously shows output voltage and current. Front panel binding posts accepts banana plugs or spade terminals, providing convenient access. #72-7655 features banana jacks on the front panel for loads up to 5A, and heavy-duty stud posts on the rear panel handle loads to 60A. Features: •Bright LED display •Large 5/8" digits •Display accuracy to 0.1V, 0.1A •Excellent load and line regulation •Low ripple and noise •Overvoltage, overload, temperature and short circuit protection •Detachable IEC power cord •#72-7655 also provides remote sensing and voltage adjustment capabillity.

0	rder #	Voltage Range	Output Current	MSRP	Reg.	SALE
7	2-7655	1~15VDC	60A	\$399.00	\$314.00	\$259.00
7	2-7665	3~15VDC	40A	299.00	261.00	199.00
7	2-7670	3~15VDC	25A	199.00	167.00	129.00



Isolated Variable AC Power Supplies

Variable AC supplies combine the safety benefits of an isolation transformer with the service advantages of a variable autotransformer. •Provides isolation from the AC line when servicing "hot" chassis equipment •Protects AC powered test equipment •Variable 0~145VAC output ·Safely troubleshoot power supplies, regulators and output circuits •Minimize damage to associated components •Dual analog meters simultaneously display output voltage and current •Independent line input and variable output fuses provide protection to the variable supply and the equipment under test •Output fuse may be changed to a lower value, allowing service tech to set current limit Grounded 6' line cord and outlets

Specifications	;	#72-1097	#72-10	198
Input voltage		100~	127VAC	
Output voltag	je	145VAC (with	110VAC in	put)
Max output c	urrent	3.5A	7A	
Line fuse (in		6A	10A	
Output fuse (included)	5A	9A	
Output outlet	S	One	Two	
Dimensions (H x W x D)		5¾" x 91/8" x 9"	61/8" x 117/8	" x 101/4"
Weight		131/4 lbs.17	¾ lbs	
Order #	Descriptio	n MS	RP	ONLY
72-1097	3.5A	\$249	.00	\$189.00
72-1098	7.0A	399	.00	319.00

MCMelectronics.com 1-800-543-4330



NEW!

Tools

Don't let poor quality tools stall your project. Check out MCM's best value Duratool products!

Ceiling Saver Platform ·Save on costly repairs and stay safe by using the Ceiling Saver™ during your next attic installation •The platform is portable enough to carry up ladders and through any attic access and unfolds to provide a stable 12" x 48" textured working platform •Protects ceilings from dropped tools and accidental step-throughs •21/2" grooves seat securely on 24" spaced rafters •Made from durable high-impact plastic •Supports up to 250 lbs.

Order # 22-10580

ONLY \$69.99



LCD Wireless Inspection Camera

•Inspection camera utilizes a flexible 37" shaft and 2.3" color LCD monitor to allow you to get a clear view in constricted areas •Take a peek inside of walls, under appliances, into plumbing, and other areas to find obstructions, lost tools, or to estimate damage

- •Monitor operates on handle, or detaches for up to 30 meters of wireless operation •Monitor has A/V in and out •Adjustable twin-LED light on tip •Camera-end and shaft are IP67 rated and waterproof up to 1 meter •Couple up to four additional shaft extensions for 189" maximum length
- ·Includes mirror, hook, and magnetic attachments
- •Powered by rechargeable Li-Ion battery (included), and four "AA" batteries (not included)

Order #	Description	MSRP	ONLY
22-10570	Wall scope with LCD	\$299.00	\$159.00
22-10575	38" shaft extension	39.99	19.99



JONARD Magnepull **Magnetic Cable Retrieval System**

·Powerful magnets allow you to guide cable exactly where you want it .Pulls cables through drywall and even insulation in seconds •Reduces cable fishing time by 70% •Eliminates wall damage from misplaced holes in the wall •Easy-to-use in confined spaces •Reduces time spent in the attic **Kit includes:** •Retriever unit •Drop magnet with pull line •Jack chain •Instructional

DVD •Convenient carrying case

Order # 22-10655 \$129.00



frame holds cable reels up to 16" wide and 24" 1" metal tubing with black

1.5V battery (included)

finish •Unit can be used to carry and store your cable reel

Order #	(1-9)	(10-24)	(25-49)	(50-up)
33-10900	\$24.99	\$23.70	\$21.81	\$19.63

60 LED Rechargeable Work Light

•Hook for hanging •Rubberized grip makes it easy to hold •Rechargeable 7.2V, Ni-MH battery lasts 3 to 4 hours continuous use per charge •Built-in charge indicator light and overcharge protection •Includes AC and DC chargers •Shatterproof plastic housing protects LED bulbs from damage •LED brightness: 12,000 MCD x 60 LEDs

Order # 22-9502 Reg.



·Calipers for reading outer and inner diameters ·Dial calipers give you a simple, analog reading, available in SAE or metric •Shock proof •Hardened stainless steel Includes protective case

Order #	Length	Graduations	MSRP	ONLY
22-10710	6"	1/1000 inch	\$39.99	\$14.99
22-10712	150mm	.02mm	39.99	14.99
22-10714	12"	1/1000 inch	69.99	34.99
22-10716	300mm	02mm	69 99	34.99



·Calipers for reading outer and inner diameters •Digital LCD display gives a clear and accurate reading •Switch between metric and SAE with a touch of a button •Reads in increments of 0.0005" and .01mm •Hardened stainless steel •Includes protective case •Uses SR44

Order #	Length	MSRP	ONLY
22-10720	4" (100mm)	\$44.99	\$17.99
22-8582	6" (150mm)	49.99	24.99
22-10724	8" (200mm)	59.99	28.99
22-10726	12" (300mm)	7/ 00	44 00



	use •Folds fl			
rder #	(1-9)	(10-24)	(25-49)	(50-up)
3-10900	\$24.99	\$23.70	\$21.81	\$19.63



Creep-Zit Fiberglass Wire Running Kit

The Creep-Zit is "THE TOOL" that makes conventional fish tape obsolete and has a use in every wire/cable install job, residential or commercial. Consists of five 6' (30' total) green fiberglass rods .159" dia. retaining their memory to straight, making it go where you want, not where it wants. Four of them have a male connector on one end and a female connector on the other so they can be screwed together. The fifth one has a female connector on one end and a bullet shaped head with cross hole (bullnose) at the other end. The cross hole in the bullnose is designed to attach the wire (or the ball chain included in the kit when fishing inside walls) to it. An eggbeater (wisp) shaped head with male connector (also part of the kit) is used as a guide to keep the rods from getting stuck on obstacles and to provide a "wheel" to "creep" from side to side when turning the rod with your hand. The kit is stored in a convenient PVC heavy-duty carrying case. Rod end connectors are not covered under warranty.

Order #	Description	Reg.	ONLY
22-2665	Creep-Zit	\$89.99	\$84.99
22-3148	Replacement connector set	16.99	15.99
22-3149	Screw-on bullnose	21.99	20.99
22-9554	Screw-on Drag-Zit magnetic tip	15.99	14.99
22-9556	Screw-on J-Tip	11.99	10.99



Crescent® 148 Piece Professional Tool Set

·All tools in this industrial quality tool set meet astringent new ANSI/ASME specifications •The 72-tooth ratchets require only a 5° swing •Large quick push-button release must be engaged to remove sockets • Ergonomic designed 1/4", 3/4", 1/2" quick-release ratcheting drivers •Wide selection of standard and deep sockets in the most common SAE and metric sizes •12 point designed sockets help ensure maximum torque •12 piece combination wrench set (6 SAE, 6 metric) •Set also includes drivers, pliers, hex keys and more •Includes high

Order # 96-1965





impact plastic case

36" Mechanics Creeper

•Padded bed reduces repair time while adding comfort •25/8" off

garage floor for maximum clearance under vehicles •Creeper rolls easily on six swivel casters •36" (L) x 17" (W) •Headrest is 10½" (L) x 4" (W) •Mfr. #20301

Order # 22-10910

ONLY \$24.99



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532

Product Questions Email: tech@MCMelectronics.com

Quote Team: 1-800-543-4330 Email: quotes@MCMelectronics.com



Tools

More power for less cash!



8" and 5" 10" and 5 10" and 8

179.00

Professional Multi-Cart

•8-in-1 professional equipment carts change shape and length to easily accommodate any sized equipment •Textured powder coat finish is extremely tough and environment friendly •Non-skid frame bed surface resists load slippage •Expandable frame adjusts to load size •Spring loaded wingbolts won't vibrate out •Caster brake •Stair climbers •Foldable sides rotate and lock into place by pressing release cables •Expandable frame accommodates innumerable cargo

sizes and shapes						
Order #	Mfr. #	Length	Sides (Height)	Load Cap.	Wheels	ONLY
22-9870	CART-R2	26"-39"	25" and 20"	350 lbs.	6" and 4"	\$99.99
22-9875	CART-R6	28"-42.5"	24" and 24"	500 lbs.	4" and 4"	129.00

22-9880	CART-R8	34"-52"	32" and 32"	500 lbs.
22-9882	CART-R10	34"-52"	32" and 32"	500 lbs.
22-9885	CART-R12	34"-52"	32" and 32	500 lbs.
(UL) Z w	AR LIMITED ARRANTY pproved	OT VAC		DURATOOL 32 Piece Security Handy pocket size se contains many of the commonly used to re tamper resistant scre in many of today's e



Super FastVac 500

It may be small, but it's mighty! The 4½ lb. ultra powerful Super FastVac is the ultimate hand vacuum. Features: •Can be hand-held or carried over the shoulder using the heavy-duty carrying strap with shoulder pad •Comes complete with eight standard cleaning attachments, plus a five piece set of mini vacuum attachments, and a special adjustable angle adaptor tool •Includes an extra-long 25' electrical cord •Micro-lined anti-bacterial dust bag which captures microscopic particles with 99.7% filtration efficiency •Can be used as a powerful, portable blower **Specifications:** •Motor speed: 33,000rpm •740W, 6.3A dual-stage electrical motor •82" of water lift ·Air movement: 102 cubic feet of air per minute ·Color: Midnight black

Order #	Description	Reg.	ONLY
22-8550	Super FastVac 500	\$88.99	\$79.99
22-8552	Replacement dust bags (3/pk)	4.29	3.99
22-8553	Replacement dust bags (6/pk)	6.39	5.99
22-8554	Cloth shake-out dust bag	7.39	6.99
22-8556	Activated charcoal filter	2.19	1.99
22-8558	Electrostatic filter	2.19	1.99

ty Bit Set

e bits emove ews found electronic products. Items like IBM PS/2 monitors, cable boxes, telephone

equipment and much more, commonly use these type of screws. Kit contains: 6mm, 8mm, and 8mm torq bits; 4, 6, 8 and 10mm spanner bits; #1, #2, #3 and #4 tri wing bits; 2, 2.5, 3, 4, 5 and 6mm security hex bits; $\frac{1}{2}$ %", $\frac{1}{2}$ ", $\frac{1}{2}$ ", and $\frac{1}{2}$ " security hex bits; T8, T10, T15, T20, T25, T27, T30, T35 and T40 security torx bits; 60mm magnetic bit extension all housed in a pocket sized carry case. Bits fit any standard 1/4" hex driver such as #22-1620 and most power screwdrivers.

Order # **MSRP** 22-1875 \$34.99

DURATOOL 30 Piece **Hex Key Set**

22-9668

•Includes 15 each of both short-arm metric and long-arm SAE sizes of the most common hex

sizes in a handy case •SAE: 0.028", 0.035", 0.05", 1/6", 1/4", 1/2", 1/4", 1 4.5, 5, 5.5, 6, 7, 8, and 10mm •Includes case

Order # MSRP Rea





Panasonic 3.6V Cordless Drill and Driver

This drill features an "auto shut-off" clutch that will extend battery and clutch life by immediately stopping rotation when torque setting is reached. The 22 stage clutch offers precise settings and a accuracy of ±5%. Offers 600rpm and 39 in. lbs. torque. Other features include a 15 minute charging system and 1/4" quick connect chuck.

Order #	Description	MSRP	ONLY
22-5505	Cordless drill	\$220.00	\$149.00
22-5515	Battery pack	-	34.99

DURATOOL

Cordless Screwdriver

·Ideal for DIY projects •Forward and reverse trigger switch •Uses ¼" hex bits •150rpm •11 bits •Uses four "AA" batteries

(not included)

Order # MSRP Reg. 22-10215 \$19.99

DURATOOL

18 Volt Cordless Drill Kit

·Ideal for light trade and hobbyist use •Variable speed •Forward and reverse switch •16+1 torque setting clutch •Built-in bit holder •Keyless chuck •No load speed 0~550rpm Kit includes: •18V drill •1.2Âh battery •Charger •Six drill bits •Six driver bits •Bit adapter ·Blow molded carry case

Order #	Description	MSRP	Reg.	SALE
22-10210	18V drill kit	\$79.99	\$39.99	\$29.99
22-10212	Replacement 18V battery	34.99	19.99	14.99

DURATOO

Hammer Drill

 Powerful drill/ hammer drill for drilling in wood, metal, and masonry •21 adjustable torque clutch . Variable speed with controllable top-speed dial •Multi-position side handle for better control •Depth control bar •Switchable from

hammer to standard drill for drilling in multiple surfaces •No load speed: 0~3000rpm

Order # MSRP Reg. \$39.99 22-10222



Movers Dollies

•Great for moving furniture, television, plants, and appliances •Four swivel casters for easy maneuvering. •Padded ends for protection

Order #	Size (L) x (W) x (H)	Max Capacity	Material	ONLY
22-9130	30" x 18" x 8"	1000 lbs.	High-impact plastic and stee	\$49.99
22-5120	30" x 1" x 5.6"	600 lbs.	Wood	19.99
22-5122	18" x 12" x 5.25"	600 lbs.	Wood	19.99





Enter source code from back cover in web shopping cart to receive sale prices.

Tools

DURATOOL

Duratool cases save your tools and your money.

Water and

air tight

Plastic Rolling Workshop

•A 32" portable, multi-purpose workshop that allows plenty of organization for tools and parts •Three detachable sections •63/41 deep toolbox includes parts tray and sawhorse groove •Removable center drawers include separated trays for storing fasteners, driver bits, and other small parts •6" rubber wheels . Telescopic handle for easy storage •Dimensions: 12" (D) x 19" (W) x 32" (H)

ONLY Order # MSRP \$49.99 22-9894 \$99.99



D URATOOL Metal Rolling Workshop

 A heavy-duty 26" rolling workshop for maximum storage and easy transportation of tools and materials •Extendable and removable pull handle •Attractive yellow metal exterior for years of durability •Removable upper toolbox for frequently used tools •3¾" deep pullout drawer •Side bungee cords for external storage •Large

tilt-out bin for power tools or cabling Saw horse groove in lid for cutting pipes or lumber •Soft rubber grips •Cord wrap on back of unit •Dimensions: 20" (W) x 10" (D) x 26" (H)

Order # 22-9896

MSRP

Rea.

SALE



Heavy-Duty Aluminum Tool/Equipment Case

Heavy-duty case is made of lightweight aluminum and designed to take rough field use. Includes one tool pallet, egg carton foam lid, and 2½" thick precut foam bottom. Ideal for carrying fragile instruments, test equipment with accessories and small hand tools. Attractive black finish holds up after years of use. Measures approximately 19" x 14" x 6".

Order # **MSRP** Reg. 22-8125 \$39.99



MCM Compression Multi-Tool

The compression multi-tool is designed to compress the

ferrules of all three MCM compression connectors; "F" BNC, RCA. Black oxide steel frame with interchangeable die sockets. Ratchet mechanism, with manual release, releases after a complete cycle ensuring a fully compressed ferrule. Integrated cutter for cutting coax cables to appropriate length.

Order # 22-3251

Rea. \$39.99











22-10465

22-10470

DURATOOL Weatherproof **Equipment Cases**

•Protect your expensive tools, equipment, and electronics with customizable cases that

will withstand any environment •Push button latches open and secure with ease (featured on models #22-10460, 22-10465, 22-10470) • Customizable cubed "pluck" foam insert •Water-tight, air-tight, and nearly

valve •Holes for padlocks •Removable shoulder carry strap •Made of ultra high-impact ABS plastic Inner Dimensions MSRP Order # SALE Rea. 22-10450 9%" x 7%" x 3%" \$39 95 \$21.99 \$19.99 22-10455 9%" x 7%" x 5½ 59.95 22-10460 151/8" x 101/16" x 51/8"

159.00

199.00

84 99

indestructible •Swivel handles •Stackable •Pressure purge



RapidSlide™ Adjustable Wrenches

161/4" x 111/16" x 63/4"

18%" x 14%" x 81/4"

·Slide mechanism in handles for fastest adjustment possible •DIY, industrial or professional use •Debris shield protects slide mechanism, and maintains a smooth operation •Forged steel •Chrome finish resists rust and corrosion •Polished head •SAE/Metric size indicator on jaw

Order #	Mfr. #	Description	Reg.	SALE
96-2225	AC8NKWMP (1" jaw capacity)	8" wrench	\$19.99	\$9.99
96-2226	AC10NKWMP	10" wrench	27.99	14.99



•Set includes: 1/4" 5/16", 3/8", 7/16", 1/2", 9/16" 5/8", 11/16" • Patented

ratchet feature turns bolt with just 5° handle swing vs. 30° •72 tooth ratcheting mechanism receives special heat treat process •Closed end works in places deep sockets will not reach •Tool exceeds ANSI torque loads for standard combination wrenches •Ratcheting closed end uses 12 points of contact, less stress to fastener •Mfr. #FRCH8



ONLY \$29.99

DURATOOL **Drop Trimmer** Cable Stripper

A single tool that cuts, strips, and trims coax cable •Single-step coax

● SAE

stripper with built-in stop for perfect lead length •Fixedblade cartridge for 18 and 24AWG center conductors (RG-58/59/6) •Dial-adjusted cable jacket slitter for multicoax cables •Impact resistant polymer

and ergonomic design Order #

MSRP \$19.95



22-10055

#22-10465

#22-10470

69.99

Proskit*

2-in-1 Wire Stripper and Cutter

•One simple tool completes most wiring needs •Hardened stainless steel with comfortable vinyl grips •Self-adjusting stripping jaws •Stripper capacity: 26AWG~14AWG •Cutting capacity: 1.2mm copper wire

Order # Reg. 22-10188 \$9.00

™ T® Stripper

Preferred by professionals for over 30 years. Originated by Ideal, these quality strippers feature looping holes, cushioned plastic grips, and precision, form-ground, knife type blades that give an accurate, easy strip every time. Black oxide finish resists corrosion; built-in wire cutter on all models; spring loaded for automatic operation.

		ldeal			
Order #	Description	Model #	(1-4)	(5-9)	(10-up)
28-2695	10~18AWG solid	T-5	\$12.99	\$12.25	\$11.75
28-2700	16~26AWG stranded	T-6	12.99	12.25	11.75
28-2705	8~16AWG stranded	T-8	12.99	12.25	11.75
28-2710	22~30AWG	T-7	12.99	12.25	11.75



Xcelite

Micro Series Shearcutter

·Very popular general purpose cutter •Equipped with flat spring •5" length

Order # 22-1050

Reg.



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

ITWDymon SCRUBS In-A-Bucket® **Hand Cleaner Towels**

The unbeatable cleaning power of SRUBS® Hand Cleaner Towels remians an industry leader. The patented citrus-based formula works with the tough blue towel to quickly loosen, dissolve, and absorb dirt, epoxies, tar, inks, paint and grease from your skin. This fantastic 10½" x 12½" wipe




is waterless and will not transfer soils back to your hands.

Order #	Description	Reg.	SALE
20-3898	10 towels in a foil pack	\$4.99	\$3.99
20-3899	30 towels in a bucket	12.99	-
20-3900	72 towels in a bucket	13.99	-
20-3901	Wall mount for	19.99	14.99
	30 or 72 count buckets		

ZIRCON MI A HIGHER FORM OF TOOLS Leak Alert™ Electronic Water Detector •Sounds a very loud (95dB)

alarm for up to 72 hours when it gets wet •Will save you \$\$\$ from water damage •Place Leak AlertTM anywhere there is a danger of flood or leaks near water heaters, sinks, dishwashers, fish tanks, or sump pumps •Ideal for your workshop, kitchen, lab, basement or



Order # Reg. 22-9362

lProsiKit° **Desk Top Magnifier** •Dual magnification lens (3 diopter and 12 diopter) produces a sharp close-up view •Adjustable joints for easy maneuverability •Includes protection cover •Light source: T4 12W circular fluorescent lamp (included) •Mfr. #MA-1003 Order

\$29.99

DURATOOL Heat Gun Kit •Heavy-duty heat gun for heat shrink tubing, paint removal, softening materials, and more •Two heating powers: Up to 1000°F at 16ft3/ min; and up to 750°F at 9ft3/min Includes: •Heat gun •Four nozzles •Scraper with

handle •Blow molded case Order # MSRP Reg.

\$59 99

DURATOOL Third-Hand Tool

22-10225

22-10830

with Magnifier ·Adjustable arms with clips for holding small pieces allowing your hands to be free for precision work •Adjustable joints for movement and placement in all directions •Heavy cast-iron base for stability .Distortion free magnifying glass for closer inspection

Order # MSRP Reg. 22-9730 \$14 99



Technician Aids

The best values on your everyday essentials.

donegan optical company, inc.



OptiSIGHT VISOR®

magnifying visor provides hands-free magnification for more accurate and efficient viewing. The visor tilts up for normal viewing, or down for magnification. OptiSIGHT®

brings work closer into focus, reducing eye strain and fatigue. The unique design of the head band allows people with long hair to take the visor on and off with ease. Features: •Precision optical grade acrylic prismatic lens •Included are three different interchangeable lens plates, that are simple to change (3x, 4x, 5x power) •Visor can be worn over prescription or safety glasses

•Visor design shields out unwanted glue •High strength plastic will not break •Color: Blue SALE

Order # 21-8540

Scotch

Electrical Tape Super 33+™

•Ultra high-quality electrical tape is the industry standard for virtually all electrical applications •Hot/cold weather resistant •Resists UV rays, abrasions, moisture, acids and corrosion

Order #	Size	Rolls per package	Reg.	SALE
108-3375	3/4" x 52'	1	\$4.19	\$3.79
108-140	3/4" x 66'	1	5.39	4.49
108-950	3/4" x 20'	1	2.09	1.69
SUPER33	3/4" x 52'	10	39.99	33.99

381 Vacuum Base

•The 381 Vacuum Base provides all of the "tilt, turn, and rotate" versatility of a 301 standard PanaVise with the convenience of added portability •This unit consists of the 380 vacuum base and the

Order #

303 standard head •A half turn of the mount lever attaches or releases the powerful suction pad and allows rapid set-ups in a variety of locations •61/8" high

ONLY

106-240

OCC™ 700 Series Safety Glasses

•Sporty, half frame •High impact lenses with 99% UV absorption •Soft, temple tips •Soft nosebridge •OCC logo on temple •Metallic gun metal gray frame and temples

Fig.	Order #	Mfr. #	Description	ONLY
Α	108-4230	078371-62183	Clear anti-fog lens	\$9.99
В	108-4235	078371-62184	Gray anti-fog lens	9.99
C	108-4240	078371-62185	Indoor/outdoor	9.99
			mirror lane	



Cloths •The safest way to clean dust, grime,

and marks on electronic equipment without harsh chemicals • Tight knitted interwoven design lifts and traps contaminants •Can be used with or without chemicals •Machine washable •Each cloth measures 12" x 14" •Pack of five premium cleaning cloths

Order # 21-9255

RROW **Thermoarin Cordless Glue Gun**

·Have the convenience of a hot glue gun without the hassle of a cord ·Specially designed nozzle prevents glue from dripping

 Double insulated

electronic heating system dispenses glue quickly and evenly Operates with or without a cord for up to ten minutes • Uses 1/2" standard glue sticks (includes three)

Order # 21-8708

Reg.



5 Pack

DURATOOL

Storage Cases with Removable Trays

•The most versatile answer to portable storage for small parts •Removable bins allow user to dump single bins for use rather than the entire organizer Gridded lid locks bins into place for mix-free

transportation •Virtually unbreakable clear polycarbonate hinged lid •Extra strong dual latches •Comfort grip handle


Fig	j. Order #	Sectio	ns Dimensions	MSRP	Reg.	SALE
Α	22-9918	15	8¼" x 13¾6" x 2¾6"	\$14.99	\$6.99	\$4.99
В	22-9920	22	16½" x 13¾6" x 2¾6"	20.99	13.99	9.99
C	22-9922	8	16½" x 13¾6" x 4½"	22.99	16.99	12.99

DURATOOL Compartment Boxes

•Perfect sized compartment boxes for holding and organizing small parts

•Transparent plastic for easy identification ·Hinged lid with

latches for secure holding of small parts Fig. Order # Sections Dimensions



MCMelectronics.com 1-800-543-4330





WES51 Weller Electronic Soldering Station

•Innovative heater and sensor combination gives you quick heat-up and rapid temperature recovery •Wireless temperature lockout to prevent operators from raising the temperature to levels higher than specified for the board or component •Temperature range of 350°F~850°F •Accuracy within 9°F •Designed for continuous production soldering •Tip temperature offset capability which provides the user with the capability of resetting station temperature readings to variations in tip sizes and styles •Station automatically powers down after 90 minutes of inactivity to prolong tip life and save power •ESD safe to protect sensitive components
•Improved plug on the PES51 iron and new receptacle on the WES51PU power unit for easier iron replacement Note: •PES51 iron works only with WES51 solder station, PES50 iron works only with WES50 solder station •Uses ET series tips •Soldering station comes complete with WES51PU power unit, PES51 soldering pencil with ETA tip, and PH50 stand and sponge

Order #	Mfr. #	Description	ONLY
96-1760	WES51	Complete soldering station	\$119.00
96-1762	PES51	Replacement soldering pencil w/ETA tip for WES51soldering st	38.99 ation
96-1350	PES50	Replacement soldering pencil w/ETA tip for WES50 soldering s	42.99 tation
96-1355	PH50	Replacement soldering stand and sponge	17.99



HAKKO FX-951 Soldering Station

stability: ±9°F •Temperature accuracy: ±27°F

•Superior heat transfer and thermal recovery •Lockout key card to prevent unauthorized or accidental temperature settings •Low temperature alarm •Auto shutoff after 30 minutes of non-use •Soldering iron (FM-2027) uses quick-change composite tips •Sleep mode functionality when used with the FH200-01 iron stand (included) •Anti-bacterial sleeve assembly •Iron cord length: 47" •Temperature range: $400^{\circ} \sim 840^{\circ} F$ •Temperature

Order #	Mfr. #	Description	ONLY
94-1000	FX951-66	FX-951 soldering station	\$249.00
94-990	FH200-01	Iron holder, w/ auto sleep	64.99
94-995	FH200-02	Iron holder, w/o auto sleep	54.99
94-1005	FM2027-01	Replacement iron w/o tip	89.99



TW Chemtronics Chem-Wik® Lite

•Desoldering wick •Finely woven copper braid treated with a pure nonactivated rosin flux

Soldering Equipment

MCM carries the bigaest names in soldering.



(5~40W) •40W pencil iron and ST3 interchangeable tip •Replaceable heating element •Cushioned foam grip •Safety guard

iron holder •On/off switch with "power-on" indicator light

WEETOO		SALE
Order # 21-3475	Reg. \$49.99	\$ 39 99
D	1411 04 00	

Replacement parts for WLC100

Order #	Mfr. #	Description	ONLY
96-1567	ST7	Conical tip	\$3.99
96-310	ST1	Screwdriver tip	3.99
96-320	ST5	Single flat tip	3.99
96-1199	HE40	Heater	14.99
96-1254	WCC104	Sponge	1.69



#21-9245

#21-9250

#21-9240



Pocket Solder Tubes

•Convenient sized solders packaged in a portable tube for repairs anywhere •Solder is fed freely from the easy to handle tube

Order #	Description	Width	Size	Alloy	ONLY
21-9240	Pocket pak	0.031"	.5 .0z	Sn60/Pb40	\$2.89
21-9245	Pocket pak silver	0.050"	.35 .oz	Sn62/ Pb36/Ag02	2.99
21-9250	Kwik draw	0.050"	1.3 .oz	Sn60/Pb40	3.19

CUL us DURATOOL Table Torch

•Adjustable flame control to 2,500°F Non-slip grip for hand held use

 Oxygen cut-off slide for candle-style flame •Self igniting push-button •Safety lock •Hands-free slide lock for continuous use with instant off •Great for soldering, welding, melting, fusing, and heating •20ml fuel capacity •Butane not included

Order # MSRP Rea. 21-9185 \$39.99 \$19.99






CHIPQUIK° **SMD Removal Kit**

Safely removes SMDs using low heat. Fast and easy to use. Heat can be applied with a soldering

iron, warm air preheater, or heat gun. The SMD is easily removed with tweezers or a pick-up tool. Kit includes: Low temperature desoldering alloy (136°F), syringe with no clean flux, and six alcohol pads. Product contents will

elliove 8-10 SIVIDS.		SALE
Order # 21-3450	Reg. \$15.99	\$1499





•The famous Kester "44" rosin core solders contain a high active noncorrosive flux

with excellent wetting action, and are specifically designed for electrical/ electronic applications

	Alloy	Spool				
Order #	Tin/Lead	Śize	(dia)	Gauge	Reg.	SALE
21-1845	63/37	1 lb.	.031"	21	\$24.99	\$21.99
21-1840	60/40	1 lb.	.031"	21	19.99	18.99
21-1830	60/40	1 lb.	.040"	19	22.99	19.99
21-1832	63/37	1 lb.	0.40"	19	25.99	21.99
21-1835	60/40	5 lb.	.040"	19	139.00	129.00
21-3195	60/40	1 lb.	.025"	23	24.99	19.99
21-3196	63/37	1 lb.	.025"	23	24.99	19.99

Solder Reel Stand •Keep your bench neat •Draw

out solder wire smoothly •Maximum of 1 kg (2.2 lbs.) rolled solder wire can be used •Dimensions: 86mm (W) x 14mm (H) x 78mm (D) •Shaft

diameter: 15mm

Order # Reg. 21-6800



•Permits soldering of even difficult metals such as brass or nickel •Can be removed with

cloth or solvent •Non-spill consistency •Non-flammable •Non-corrosive •2 oz. •Mfr. #RSF-R80-2 Reg.

Order # 200-385



Tip Cleaner/Tinner ·Keeps tips clean and longer lasting •Protects tips from oxidizing •Lead free

Order # 200-390





Liquid Solder-Flux Noncorrosive liquid solder

flux is ideal for electronic and communication work. Brush onto connection before soldering to aid solder flow. 2 oz. bottle with brush.

Order # Reg. 20-1100 \$14.99



Tip Cleaner

•Cleans tip quickly without reducing tip temperature ·Cleans better than conventional sponges •May also be used as portable soldering pencil holder Non-skid base

Order # 21-4355

Reg. \$10.49



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532 Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330

Email: quotes@MCMelectronics.com

TEMMA

Solder Fume Extractor

Electronic solders typically contain rosin-resin compounds and lead, which when heated may create noxious fumes. Prolonged exposure to these fumes is considered potentially harmful and may create health



problems including headaches, nausea and eye irritation. The Tenma Solder Fume Extractor greatly reduces this hazard by utilizing a highly efficient fan, and an activated carbon filter. Unit includes one filter, replacement filters available. Specifications: • Absorption capacity: 1m³/minute •Power requirements: •110VAC 60Hz, 23W •Filter dimensions: 5.1" (H) x 5.1" (W) x 0.4" (D) •Overall dimensions: 10.6" (H) x 8.7" (W) x 6.6" (D)

Order #	Description	MSRP	Reg.	SALE
21-7960	Smoke absorber	\$59.95	\$34.99	\$29.99
21-7961	Replacement filter	-	5.29	2.49
	(two-pack)			

Solder


Ideal for general purpose electronic repair and assembly use. Tin/lead formulation provides the lowest possible melting point. •Rosin flux core •Diameter: 1mm (0.04") •Melting point: 188°C (370°F) •60.0% tin, 40.0% lead • Available in 1 lb. and 6 oz. spools



Order #	Size	(1-9)	(10-24)	(25-up)
21-1040	1 lb.	\$12.99	\$11.95	\$10.50
21-1045	6 oz.	6.49	5.99	5.29

Lead-Free Solder

Ideal for general purpose electronic repair and assembly use. Tin/copper formulation meets current requirements for lead free solder use. •Rosin flux core •Diameter: 1mm (0.04")
•Melting point: 227° C



Order #	Size	(1-9)	(10-24)	(25-up)
21-1041	1 lb.	\$21.99	\$20.49	\$19.95
21-1046	6 oz.	10.99	10.25	9.95

Lead-Free Silver Solder

Ideal for general purpose electronic repair and assembly use. Silver formulation provides improved conductivity performance, lower melting point will continuing to meet requirements for lead free solder use. •Rosin flux core •Diameter: 1mm (0.04") •Melting point: 217° C (423° F) •96.5% tin, 3.0% silver, 0.5% copper

6 oz

·Available in 1 lb. and 6 oz. spools Order # Size (10-24)(25-up) (1-9)21-1042 1 lb \$34.99 \$32.50 \$30.95 21-1047

Looking for simple projects? Visit MCMelectronics.com/DIY

Tenma Soldering Equipment Look to Tenma for the lowest prices on quality soldering products.



Vacuum Desoldering Station

Low cost temperature controlled station is ideal for all levels of board level rework and repair. Closed loop control and digital display provide accurate nozzle temperature setting, while the efficient internal pump provides vacuum action. Lightweight ergonomic gun type handle features trigger pump activator, and stays cool during prolonged use. Detachable cord and vacuum tube are heat resistant and measure 45" in length. Rugged metal enclosure has convenient carry handle and iron holder may be attached to either side for left or right hand operation. Unit comes complete with replacement nozzle, cleaning pins, replacement filters and filter tubes. Additional replacement components and a variety of nozzles are available separately. **Specifications:** •Temperature range: 410°F~900°F •Heating element: 24VAC, 48W •Dimensions: 6" (H) x 8½" (W) x 6" (D) •Weight: 4.5 lbs. •Power requirements: 120VAC, 60Hz 50W

ler#	MSRP	Reg.	SALE
6340	\$399.00	\$ 299.00	\$24900



Ord

72-

Adjustable Solder Station

Rugged, low cost station is the ideal blend of durability and price. Adjustable metal iron holder may be attached to the left or right side of station, and integral tip cleaner includes a replaceable sponge. Features: •Rotary temperature setting •LED heating element status indication •Variety of replacement tips available, conical tip supplied (#21-7980) Specifications: •Temperature range: 320~896°F •Heating element: 110VAC, 50W •Iron length 7¾" •Overall dimensions $3\frac{3}{4}$ " (H) x $4\frac{1}{2}$ " (W) x $6\frac{3}{4}$ " (D)

Order # MSRP Reg. 21-7950 \$69.95



Adjustable Solder Station

Rugged soldering station is perfect for board level assembly and repair and is rugged enough for continuous duty and production use. Features: •Rotary temperature setting •Slim, high precision iron handle •Detachable/replaceable soldering iron •Heat resistant silicon jacketed iron and line cord •Detachable iron stand with integral tip cleaner, with included cleaning sponge ·Variety of replacement tips available, conical tip supplied (#21-7975) **Specifications:** •Temperature range: 308~840°F •Heating element: 24VAC, 48W •Iron length 7½" •Overall dimensions 3½" (H) x 4½" (W) x 6" (D)


Order #	MSRP	Reg.	SALE
21-7940	\$89.95	\$69.99	\$ 39 99



Adjustable Solder Station

No-nonsense, low cost station is specifically intended for the classroom, where durability, physical size, and budget are a concern. It is also perfect for occasional use in the home workshop or tech bench. •Temperature range: 100~800°F •Overall dimensions 3¾" (H) x 4½" (W) x 5¾" (D)

Order #	MSRP	ONLY
21-7945	\$59.95	\$13.99



Replacement Tips

Replacement tips for #72-6340 desoldering stations

purchased after 03/01/00 or when replacing heater element or desoldering gun listed above. These tips are 23mm in length

Fig.	Order #	Description	Reg.	SALE
Α	72-6863	0.8mm tip	\$3.99	\$3.49
В	72-6864	1.0mm tip	3.99	3.49
С	72-6865	1.2mm tip	3.99	3.49
D	72-6866	1.5mm tip	3.99	3.49
E	72-6867	2.0mm tip	3.99	3.49
F	72-6347	Nozzle cleaning pins (3-pack)	9.95	-

Customer Service: 1-877-626-3532



MCMelectronics.com 1-800-543-4330





TE@HSPRAY

Economy Duster

✓ Regular velocity ✓ Warning: Flammable

·Blasting power for quick dust removal

•Non-ozone depleting •Moisture free gas •Odorless •HFC-152a •Not to be used around open flames or sparks •12 cans per case •10 oz. can •Mfr. #1673-10S

Order #	(1-11)	(12-23)	(24-up)
20-4410	\$4.99	\$4.89	\$4.85



TW Chemtronics Freeze Spray

✓ Wide spray

Economical, general purpose freeze spray with a wide spray for cooling entire PC boards. Safe on plastics. Nonflammable. Ozone safe, CFC/HCFC free. 10 oz. can. 12 cans per case. Mfr. #ES1052.

Order #
20-3000

Reg. \$7.79

SALE	
\$ 5 99	

Industrial Size Screen Cleaner

·Professional quality screen cleaner is safe on LCD, plasma, touch, and CRT screens for a perfect finish . Easily removes fingerprints and grime •Highest quality, dripless formula is alcohol, ammonia, and streak free •12" x 12" specialized microfiber cloth allows you to clean with little effort •Economic 22 oz. spray bottle is perfect for technician centers, installations. hotels, and otherwise frequent use

Order #	(1-5)	(6-11)	(12-up)
200-410	\$8.99	\$8.49	\$8.09





•Made from 100% naturally-derived and sustainable ingredients Streak-free cleaning •Removes fingerprints and light oils from glass, stainless steel, chrome, mirrors, tile, plastic, ceramic and enamel •Non-flammable •Non-ammoniated, safe on sensitive surfaces

·Biodegradable ·Low VOC, zero GWP ·Non-ozone depleting •Available in a trigger sprayer or dual-textured wipes with scrubbing and wiping surfaces

Order #	Mfr. #	Description	ONLY
20-4640	1505-QT	One quart with trigger sprayer	\$6.99
20-4645	1505-100DSP	100 count pop-up wipes	9.49



SUREHOLD Super Glue

·Drip-proof, clog proof applicator tip provides a fine controlled flow •Patented cap design keeps glue from drying out •Industrial strength •Works great with metals, wood, glass, rubber, and plastics •10 gram applicator

Order # 20-4490

ONLY \$4.69

Chemicals

MCM offers you clean ways to save.





Isopropyl Alcohol

99% pure, anhydrous isopropyl alcohol for general purpose cleaning. Excellent for tape head cleaning, removal of fluxes, light oils, polar soils, and white mineral residue. Can be used as a thinner for most fluxes. Rapid evaporation, non-aggressive.

Order #	Mfr. #	Description	Reg.	SALE
20-2135	1610-P	16 oz. bottle	\$8.99	\$6.99
20-4482	1610-100DSP	100 wipes in a pop-up container	24.99	19.99
20-2251	1610-50pk	50 individually packaged wipes	22.99	19.99
20-4575	1608-100BX	100 wipes in reclosable tub	21.99	19.99



TW Chemtronics Flux-Off® Rosin

✓ Safe on plastics

Fast drying aerosol quickly and completely removes R, RMA, RA and synthetic flux. Superior wetting solvent cleans areas under components. Effective spot cleaner for removing flux, oil, ionic and non-ionic soils.

Noncorrosive, safe for most surfaces. Formulated for a wide range of material compatibility. No rinsing required. CFC/HCFC free, no ozone depleting compounds. Not for use on energized equipment. Engineered for fast repair and rework. Use on printed circuit boards and SMD pads.

Order #	Description	Mfr. #	Reg.	SALE
20-1690	10 oz. can	ES1035	\$18.49	\$15.99
20-1960	5 oz. with brush	ES835B	10.99	9.99



TW Chemtronics Electro-Wash® PR

✓ Safe on plastics ✓ Warning: Flammable

General purpose cleaner and degreaser removes grease, dirt, oil, carbon and oxidation. Fast drying formula leaves no residue. Contains no ozone depleting compounds. Cleans PC boards, plastic and metal housings, magnetic pick-ups, contacts and potentiometers. Not for use on energized equipment. 10 oz. can. 12 cans per case. Mfr. #ES1603.

Order # 20-2080

Reg. \$11.99

PYTHONGUE

SUREHOLD. Python Glue

·High-strength polyurethane adhesive used to bond tough projects including wood, ceramics, stone, and metal •Superior to other polyurethane glue for adhering metal to other surfaces and dries harder •Use with damp or dry surfaces •Sandable •Fully cures in 72 hours •2 oz. bottle •Mfr. #352

Order # 20-4555

Reg. \$5.99



Smoke **TECHSPRAY Alarm Tester**

·Offers a convenient way to test smoke detectors to ensure proper operation •Unique formulation consists of aerosol particles that simulate actual fire and smoke conditions •2.5 oz. can •Mfr. #1914-2.5S

Order # 20-3545

Reg. \$6.19



Goo Gone

GONE. Removes chewing gum, grease, tar, labels, tape residue, oil, blood, lipstick, mascara, shoe polish, crayon and bumper stickers from carpets, upholstery, clothing, vinyl, leather, and fiberglass.

Order #	Description	ONLY
20-4670	1 oz. bottle	\$2.99
20-4685	2 oz. bottle w/sticker peeling tool	7.49
20-4675	4 oz. bottle	3.99
20-3755	8 oz. bottle	5.99
20-3905	12 oz. spray gel	8.39
20-4680	14 oz. spray gel	7.49



DeoxIT® Contact Cleaner and Rejuvenator

·Improves the performance and reliability of all equipment and parts •Active ingredients chemically dissolve surface contamination (oxides and sulfites) without harm to plastics •Increases conductivity •Does not require solvents •No waste and no ozone depletion-safer for the environment •Seals and protects surfaces •Hundreds of uses on audio/video equipment, batteries, medical equipment, connectors, communication networks, and more •Includes arcing and

external RFI inhibitors •Temperature range: -30°~392°F •Nonflammable sprays: #200-230 and 200-236

Order #	Mfr. #	Size	Applicator	Solution	Reg.	SALE
200-040	D5S-6	5 oz.	Aerosol spray	5%	\$15.49	\$13.99
200-230	DN5S-6N	5.75 oz.	Aerosol spray	5%	22.99	19.99
200-236	DN5MS-15	0.5 oz.	Aerosol spray	5%	10.49	7.99
200-195	DP5S-6	5 oz.	Pump spray	25%	20.99	19.99
200-150	D100S-2	2 oz.	Pump spray	100%	16.99	15.99
200-050	D100P	0.2 oz.	Pen	100%	16.99	15.99
200-320	K-D1W-25	25 wipes	Presaturated wipe	100%	13.99	11.99
200-060	D100L-2DB	0.25 oz.	Vial with brush	100%	14.99	13.99
200-070	D100L-25C	0.845 oz.	Bottle with needle	100%	27.99	23.99

Note: Due to the chemical content, some products can only be shipped by ground service. Some chemicals are not for sale to customers in California



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532

Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330

Email: quotes@MCMelectronics.com

OEM Parts/Bulbs

PHILIPS

Rear Projection TV Lamps

Is your TV burnt out? Replace the DLP lamp and see the difference.

All Philips lamps are exact fit replacements for the OEM original part and have been extensively tested to ensure equivalent or superior performance. The lamps are quality manufactured using the latest discharge lamp manufacturing and process technology. Unsure of the

Order #	Mfr. #	ONLY
Hitachi		
32-23520	UX21511	\$129.00
32-23525	UX21513	129.00
32-25220	UX21517	129.00
32-25225	UX21518	129.00
JVC		
32-24145	TS-CL110UAA	129.00
Mitsubishi		
32-25230	915P020010	129.00
32-24150	915P026010	129.00
32-26415	915P028010	129.00
Panasonic		
32-23530	TY-LA1000	129.00
32-23535	TY-LA1500	129.00

Order #	Mfr. #	ONLY	Order #	Mfr. #	ONLY	Order #	Mfr. #
Hitachi			Philips			Sony	
32-23520	UX21511	\$129.00	32-26730	SP.L6502G001	\$129.00	32-24155	A1085447
32-23525	UX21513	129.00	32-26420	312243871310	129.00	32-23550	A1606034
32-25220	UX21517	129.00	RCA			32-23555	A1601753
32-25225	UX21518	129.00	32-25235	265103	129.00	32-26435	F-9308-75
JVC			32-23540	260962	129.00	32-26445	F-9308-86
32-24145	TS-CL110UAA	129.00	32-26430	270414	129.00	32-26440	F-9308-76
Mitsubishi			Samsung			Zenith/LG	
32-25230	915P020010	129.00	32-26425	BP96-00224A	129.00	32-25240	6912B220
32-24150	915P026010	129.00	32-23545	BP96-00224J	129.00	32-26450	6912B220
32-26415	915P028010	129.00	32-26735	BP96-00826A	129.00	32-25245	6912B220
Panasonic			32-26640	BP96-01472A	129.00	32-23560	6912V0000
32-23530	TY-LA1000	129.00				•	

388 1616161166	by I v IIIouci.	
Order #	Mfr. #	ONLY
Sony		
32-24155	A1085447A	\$129.00
32-23550	A1606034B	129.00
32-23555	A1601753A	129.00
32-26435	F-9308-750-0	129.00
32-26445	F-9308-860-0	129.00
32-26440	F-9308-760-0	129.00
Zenith/LG		
32-25240	6912B22002C	129.00
32-26450	6912B22007A	129.00
32-25245	6912B22007B	129.00
32-23560	6912V00006C	129.00



YOUR CHOICE \$12900

PHILIPS

Rear Projection TV Bulbs (without housing)

Reduce your out-of-warranty repair costs by replacing just the bulb and not the complete lamp assembly. These quality bulbs manufactured by Philips are intended for sale to professional television servicers only and feature a 90-day warranty. Bulbs do not include electrical cable or plug.

Order #	Mfr. #	Description	Equivalent Osram Bulb
32-25250	PHI/378	UHP 100W/120W 1.0 E23	-
32-25270	PHI/387	UHP 100W/120W 1.0 PH P22	P-VIP 100-120/1.0 P22h
32-25285	PHI/390	UHP 120-100W 1.0 PH5 E22	P-VIP 100-120/1.0 E22h
32-26585	PHI/379	UHP 100W/120W E19.38	-
32-26580	PHI/669	UHP 110W 1.0 P21	-

Fits Lamp Models RCA: 260962, 265103; Samsung: BP96-00224A,B,C,D,E,J;

LG/Zenith: 6912B22002C, 6912B22007A Hitachi: UX21516, UX21518, UX25951; Panasonic: TY-LA1000; Sony: A-1606-034-B, XL2100,F-9308-760-0, XL5100, F-9308-860-0, XL5200 Samsung: BP96-00677A, BP96-00826A, BP96-01073A, BP96-01394A, BP96-01403A; LG/Zenith: 6912B22007B

YOUR CHOICE

Sony: KDFE42A10 (KDF-E42A10), KDFE50A10 (KDF-E50A10) KDF46E2000 (KDF-46E2000), KDF50E2000 (KDF-50E2000), KDF55E2000, (KDF-55E2000), KDF42E2000 (KDF-42E2000)

JVC: TS-CL110VAA; JVC HD52 series; JVC HD55 series; JVC HD56 series;

JVC HD61 series; JVC HD70 series

ONLY \$99.99(ea.)

CCFL Lamp Perfect in a

garage, barn, or any

lighting is needed,

location where heavy

while allowing you to reduce

energy consumption by up to 75%.

•Medium screw base (E26) •Self

420W incandescent bulb •Color

•Typical life: 8,000 hours

ballasted •Light output equivalent to

temperature: 5000K •Lumens: 6900

Features: •105W power consumption

105W High Power



✓ CCFL screw in bulbs ✓ 60W, 75W and 100W equivalent bulbs

✓ Two temperature types (daylight and soft white)

•Energy efficient, saves up to 75% in electricity when compared to incandescent bulbs •Bulbs come in two temperatures: 2700K = soft white and 6500K = full daylight •100,000 hour life reduces maintenance costs

 Integrated electronic ballast, provides for easy installation •All bulbs come with a medium screw (E26) type base for easy replacement

Order #	Watt	Color	Replaces	Reg.	SALE
25-3115	13W	Soft white	60W	\$2.99	\$2.79
25-3125	13W	Daylight	60W	2.99	2.79
25-3130	20W	Soft white	75W	3.49	3.29
25-3140	20W	Daylight	75W	3.49	3.29
25-3145	23W	Soft white	100W	4.99	4.79
25-3145	23W	Soft White	10000	4.99	4.79





CCFL Floodlight Replacement Lamps

Reduce power consumption by up to 75% by switching from incandescent to CCFL bulbs. Features: •Medium screw base (E26) •Replacement for 60W incandescent bulb •Used in many can lights and exterior floodlights •Up to 8,000 hour life •Self ballasted

	Color	Power		
Order #	temperature	consumption	Lumens	ONLY
Indoor R30				
25-3565	2700K	15W	260	\$5.99
25-3570	6500K	15W	320	5.99
Outdoor PAR30				
25-3580	3000K	15W	750	8.99

#25-3590





Replacement LED MR16 Bulbs

These replacement MR16 LED bulbs only use 20% of the electricity used by traditional MR16

bulbs. Features: •Low heat •Up to 50,000 hour life Note: Not to be used with a dimmer

Order #	Color temperature	Wattage	ONLY
15 LED bulbs			
25-3591	6400K	1.1	\$9.99
25-3594	8000K	.8	11.95
20 LED bulbs			
25-3590	4300K	1.5	12.99
25-3593	8000K	1.5	15.95
Color Changing (re	d, green, blue) 18 LED bulb		
25-3592	-	1.8	9.99

High Power LED Interior Floodlight Lamp

•LED replacement PAR30 floodlight lamp used in many can light fixtures •Uses 75% less total power compared to equivalent halogen •Medium screw base (E26) •6000K color temperature •Up to 50,000 hour life •12W power consumption •320 lumens •Suitable for non dimming open fixture

ONLY Order # 25-3585 \$59.99





•Dimensions: 11" (H) x 4" (W) ONLY Order # 25-3575 \$29.99

> **MCMelectronics.com** 1-800-543-4330



SONY. BRAVIA S-Series HDTV

✓ 30000:1 contrast ratio ✓ BRAVIA Link compatible



Step up to Full HD 1080p resolution and stunning contrast without breaking the bank. The BRAVIA S Series LCD HDTVs feature Advanced Contrast Enhancer (ACE) for an impressive dynamic contrast ratio of 30,000:1 and BRAVIA Engine 2 digital video processor for superior resolution. Features: •Three HDMI inputs •Two component inputs: •One PC input (HD-15 pin) •BRAVIA Sync capable •VESA compatible •Mfr. #KDL46S5100

Order #	Size	ONLY
80-7335	32"	\$599.00
80-7345	46"	1079.00



SONY. BRAVIA L-Series HDTV

✓ 13000:1 contrast ratio ✓ BRAVIA Link Compatible



Get a flat screen without flattening your bank account. Delivering crisp, clear picture quality, the BRAVIA L series HDTVs provide vivid 720p resolution, a dynamic contrast ratio of 13,000:1 and ample HD connections. Features: •Three HDMI inputs •Two component inputs •One PC input (HD-15 pin) •BRAVIA Sync capable •VESA compatible •Mfr. #KDL26L5000

Order #	Size	ONLY
80-7325	26"	\$399.00
80-7330	32"	449.00



Benq XGA Quiet Series DLP Projector

✓ 1024 x 768 resolution

✓2W speaker ✓ 2500 lumens

This HDTV compatible projector is budget friendly and perfect for any home theater system. Features a re-designed color wheel that absorbs noise and vibrations, making this projector virtually silent with only 26dB of sound. Features: •Native XGA DLP by Texas Instruments with brilliant color technology •Filter free design •2500 ANSI lumens •2600:1 contrast ratio •±40° keystone adjustment •Up to 3000 hour lamp life •Up to 300" image **Inputs:** VGA, S-video, composite, 3.5mm audio •Mfr. #MP525

Order # 80-7320

ONLY \$599.00

Projectors/TVs

Need a new projector? MCM offers a wide variety of models and sizes to choose from.



Optoma DX609 DLP Multimedia **Projector**

✓ 1024 x 768 resolution ✓ 1W speaker

Optoma's DX609 is a versatile digital projector that delivers excellent performance at a terrific price. With native XGA resolution, 2200 lumens brightness, and a wide-range of connectivity options, this projector is a perfect solution for your home theater or at the office. Features: •Native XGA (1024 x 768) DLP by Texas Instruments with BrilliantColor technology •2200 lumens with 1200:1 contrast ratio •± 40° keystone correction •3000 hour lamp life •Only 4.4 lbs. Inputs: •DVI •VGA •S-video •RS-232 •USB

Order # DX609

Reg. \$499.00



HD20 1080P DLP Home **Theater Projector**

✓ 1080p

✓2 x HDMI

✓ 1700 lumens



The Optoma HD20 brings a new level of flexibility to your high-definition home theater/multi-media experience. With true 1080p resolution, the HD20 delivers excellent color saturation and subtle details for superior image quality. With its sleek design and weight of 6.4 lbs., the Optoma HD20 is perfect for sharing big-screen movies, sporting events and concerts, or for taking your video gaming to the next level by connecting the HD20 to your favorite game console. **Features:** •4000 hour lamp life •Bright at 1700 ANSI lumens and contrast ratio of 4000:1 •Up to 300" screen size for large group viewing •Backlit IR remote control •Features Texas Instruments 1080p DLP® chipset and BrilliantColorTM technology **Inputs:** •Two HDMI •Component •Composite video •VGA •+12V trigger

Order # HD₂0

ONLY \$1099.00



Beno

SVGA Quiet Series DLP Projector

✓800 x 600 resolution

✓ 26db eco mode ✓ 2200 lumens

This projector is a budget friendly solution for a business, school, or as an entry level home theater projector. Features a re-designed color wheel that absorbs noise and vibrations, making this projector virtually silent with only 26dB of sound. Features: •Native SVGA DLP by Texas Instruments with brilliant color technology •Filter free design •2200 ANSI lumens •2500:1 contrast ratio •Up to 4000 hour lamp life •Up to 300" image Inputs: VGA, S-video, composite •Mfr. #MP512

Order # 80-7315

ONLY \$499.00



COBY. Widescreen **HDTV LCD** Television with 720p Resolution

Coby's 15.4" LCD TV offers a premium viewing experience, featuring brilliant

picture, liquid-crystal display, and dual ATSC/NTSC tuners for great reception of digital signal (DTV-ready). With an HDMI digital connection and a 15 pin VGA interface, the TFTV1524 is perfect for use as a television or computer monitor. Integrated full-range stereo speakers, AV inputs and digital noise reduction also included Features: •15.4" TFT LCD color display •Dual ATSC/ NTSC tuners for digital and standard TV broadcast reception (DTV-ready) •HDMI digital connection for perfect AV signal transmission •HDCP compliance for HDCP content support •AV input jacks for use with media players, DVR/VCRs, video games, and more •15 pin VGA interface for use with computer systems •Full-range stereo speakers (10W) •Digital comb filter and noise reduction V-chip parental control, closed-caption, and electronic program guide support •Multi-language on-screen display •Wall-mountable design (VESA 75mm x 75mm). **Included** accessories: •AV cable •Remote control •AC power cord •Two "AAA" batteries •Limited quantities

Order # 58-13375

MSRP \$199.00

Special

ONLY \$159.00



COBY_® 22" Widescreen **HDTV LCD** Television with 720p Resolution

Coby's 22" LCD TV offers a premium viewing experience, featuring brilliant

picture, liquid-crystal display, and dual ATSC/NTSC tuners for great reception of digital signal (DTV-ready). With an HDMI digital connection and a 15 pin VGA interface, this television is perfect for use as a television or computer monitor. Integrated full-range stereo speakers, AV inputs and digital noise reduction also included. Features: •22" TFT LCD color display •Dual ATSC/NTSC tuners for digital and standard TV broadcast reception (DTV-ready) •HDMI digital connection for perfect AV signal transmission •HDCP compliance for HDCP content support •AV input jacks for use with media players, DVR/ VCRs, video games, and more •15 pin VGA interface for use with computer systems •Full-range stereo speakers (10W) Digital comb filter and noise reduction V-chip parental control, closed-caption, and electronic program guide support •Multi-language on-screen display •Wallmountable design (VESA 75mm x 75mm). **Included** accessories: •AV cable •Remote control •AC power cord •Two "AAA" batteries •Limited quantities

Order # 58-13380

MSRP \$299.00

ONLY \$229.00



Customer Service: 1-877-626-3532

MCMelectronics.com 1-800-543-4330



Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532

Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330

Email: quotes@MCMelectronics.com



or two shell system	1115	
Order #	Shelves	ONLY
50-9520	1	\$19.99
50-9525	2	24.99
Medium Cantil	NEW!	
	GVGI IVIUUIIL	9
✓ Up to 40" ✓ 100 lbs. weight lii	mit	
•For LCD televisi		7 31
monitors •Swivels mid-arm, and scre		
	tment of any viewing	
angle •Fits VESA	75 40 400 200	
•Single stud mour	nting •Extends from	սլ)
3.5"~22" from wa		- T
mounting hardwar	re •Black	
Order # 50-9530	Reg. \$99.99	\$ 79 99
NEW! Large Cantilever Mou For panels up to 130 lbs. weight lii	50"	
	mπ ons and monitors •Doubl	1
•For LCD televisi	ons and monitors •Doubl	le-arm cantilever

•For LCD televisions and monitors •Double-arm cantilever swivels at wall, mid-arm, and screen •Knob-free balanced tilt up to 15° for easy adjustment of any viewing angle •Universal mounting up to VESA 600 x 400 •Double-stud mounting for 16" on-center studs •Extends from 5.5"~16" from wall •Includes all mounting hardware and detachable

spirit level •Matte black with chrome rails Order # Reg.

50-9535

#50-7965 #50-7971 c(UL)us **Cantilever Arm Mount** #50-7981 A reliable, streamlined articulated retractable mount offering multiple user-friendly features for most flat panels. •Screen leveling adjustment •Tilts from -20°~+25° for better DMNI MBUNT viewing angles •Rotates for portrait or landscape orientation •Locking system •Single stud mounting Includes installation template and grade 5 hardware kit

Order # Mfr. #	TV Size	Capacity	VESA	Color	Reg.	SALE
50-7965 17ARM S		30 lbs.	75/100	Silver	\$73.99	\$69.99
50-7966 17ARM B		30 lbs.	75/100	Black	73.99	69.99
50-7970 37ARM S		80 lbs.	75/ 100/200	Silver	119.00	109.00

Order # Mfr. # TV Size Capacity VESA Color Rea. SALE **50-7971** 23"~37" 80 lbs. Black \$146.00 \$109.00 37ARM B 100/200 50-7980 32"~50" 125 lbs. Universal Silver \$259.00 \$229.00 48ARMUA S 50-7981 32"~50" 125 lbs. Universal Black 259.00 229.00

LCD Mounts

Look no further than MCM for all of your mounting needs.

NEW!

MCM

Projector Ceiling Mount

•Projector ceiling mount holds up to 17 lbs. •Can be changed to lengths of 200mm, 400mm or 600mm •Adjustable tilt/role angling for optimal viewing (±15°) •Rotates 360° •Black with a modern design •Includes all mounting hardware for easy installation

Order # 50-9575

#50-9580



MCM Ceiling LCD TV Mount

•This LCD mount frees up your living area •Tilts and swivels for optimum viewing •Easy-to-install

•Has adjustable tilt angle (-5° ~ +15°) •Rotates 360° •Vertical height adjustment up to 13" •Package also includes: Ceiling plate, extension column, big plate, left bracket, right bracket, anchor, spacer, bolts and washers ·Weight capacity up to 150 lbs.

Order #	TV size	ONLY
50-9580	32"~50" up to 150 lbs.	\$79.99
50-9585	22"~36" up to 150 lbs.	74.99

Medium Fixed Mount

✓ Up to 36'

✓ 130 lbs. weight limit

•For LCD televisions and monitors

•Universal mounting up to 20' spaced mounting holes •Low 1" mounting profile •Detachable spirit level assists in leveling •Double stud mounting •Includes

all mounting hardware •Black

Order # 50-9515 \$29.99



Small Cantilever Mount

✓ For panels 10"~24" ✓ Max weight: 30 lbs.

·Swivels at wall, mid-arm, and screen and tilts for easy adjustment of viewing angle •Detachable arm covers for cable management •VESA 75/100 compatible •31/4" to 16" mounting profile •Single stud mounting •Includes hardware •Black

Order # 50-9155

ONLY \$39.99



Large Flat Mount

✓ For panels 36"~55" ✓ Max weight: 165 lbs

•Universal mounting up to 28" wide mounting holes

•Low 1¼" mounting profile •Double stud mounting

•Includes all hardware •Black

Order # 50-9170

Large Tilt Mount

✓ For panels 36"~55" ✓ 165 lbs. weight limit

•For LCD monitors •Tilts for easy adjustment of viewing angle •Universal mounting up to 27" wide mounting holes •4" mounting profile •Double stud mounting •Includes all hardware •Black

Order # 50-9165

Req.

Small Fixed Mount

✓ For panels 10"~24" ✓ Max weight: 30 lbs.

•VESA 75/100 compatible

•Low 11/16" mounting profile

Single stud mounting

•Includes hardware •Black

Order # ONLY 50-9150 \$7.99

Medium Tilt Mount

✓ For panels 23"~36" ✓ Max weight: 165 lbs.

•Tilts up to 15° for improved viewing angle •Universal for

mounting holes spaced up to 19" wide •2½" mounting profile •For 16" or less stud spacing only . Double stud mounting

•Includes hardware •Black Order # Reg.



MCMelectronics.com 1-800-543-4330





- •Integrated 3' USB cable •High-gloss multi-colored finish
- •Transfer rate of up to 480Mbps

ONLY Order # 83-11766 \$5.99



Internal Flash Card Reader with USB 2.0 Port

•Mounts into 3.5" drive bay •Connects to internal USB header port on motherboard •Reads Compact Flash/Micro Drive, SD/SDHC/Mini SD/MMC, T-Flash/micro SD/ micro SDHC, Memory Stick/MS Duo, Memory Stick Micro (M2) •Glossy black finish •Windows 2000/XP/Vista compatible •Driver not required

Order # 83-11764 \$11.99





USB 2.0 Micro SD Memory Card Reader

This compact memory card reader is capable of reading micro SD memory cards. •Up to 480Mbps transfer rate •Dimensions: 1" x 3/4"

ONLY Order # \$4.99 83-11759



NEW!

Desktop USB **Extension**

•Extend a USB port •4' cable with a USB A male port

ONLY

\$3.99

Order # 83-11681

Computer Products

Flash memory readers are great to have when working with digital cameras.



•3' A/B USB cable included •LED indicator light

ONLY \$7.99

•Transfer rate of up to 480Mbps

Order # 83-11765



USB 2.0 Active Extension

- ·Extends the distance of a USB device up to 40/80'
- •The active repeater cable acts as a single port hub, which means that

multiple cables can be cascaded (up to five to increase the distance between your computer and USB devices) Features: •Connect to CPU or USB hub •Connect to USB device or 2nd active extension cable •Repeater cable length: 5M •Mfr. #AR2500-5M

Order #	(1-29)	(30-up)	
83-10031	\$15.99	\$15.09	



USB 2.0 Flash Card Reader

·Ideal for reading your digital camera cards directly •This reader supports almost all the memory cards available in the market •Additional support for Mini-SD, RS-MMC and MS DUO without the need of an adapter and also TransFlash cards Includes: •USB 2.0 card reader/writer •Software CD driver •USB 2.0 cable •Mfr. #RU2B61

Order # 83-11299 Reg.

SALE

USB Gender Changers USB AF to BM USB AM to BF USB AF to BF Order # Order # Order # Reg. 83-11352 \$2.99 83-11353 \$2.99 83-11354 \$2.99 USB AM to AM **USB AF to AF USB BM to BM USB BF to BF** Order # Reg. Order # Req. Order # Reg. Order # Rea.



inland Mini Bluetooth V2.0 Dongle

The Inland mini bluetooth USB adapter is designed to be fully compatible with the bluetooth standard V2.0. This presents a low-cost effective way for you to connect many bluetooth devices. Also dramatically enhances communications between partners or equipment at different locations. Specifications: •Bluetooth specification V2.0 •Adds bluetooth connectivity to PCs and laptops •Create a bluetooth PAN with mobile phones, PDAs or PCs for data transfer, networking and dial-up •Approvals FCC and CE System requirements: •Windows XP/Vista (no driver required)

Order # ONLY 83-11737 \$6.99



PACKARD **Flash Drives**

·Value flash drives with the great HP name •Compatible with Windows XP/2000 ·One year warranty

Order #	Size	Qty.	ONLY
83-11446	2Gb	1	\$8.99
83-11447	4Gb	1	12.99
83-11448	8Gb	1	20.99



OIDGEAR® Wireless USB Kit

The wireless USB hub and adapter kit enables you to connect any USB device wirelessly to your desktop or laptop PC. With wireless USB you get all the functionality of USB, without the cable clutter. Features: •Reduce cable clutter, move USB devices away from your laptop or PC to eliminate the hassle of cable organization and free up your desk space •Certified wireless USB, seamlessly work with other certified wireless USB products •Wireless freedom, works like a regular USB hub without the cable tangling while still maintaining the same USB 2.0 compatibility •Easy and secure, the kit provides everything you need to connect to USB devices wirelessly, no complicated network set-up •Ultra-fast, ideal for wirelessly streaming audio or video from USB storage devices across the room •Multiple PC connections, access your USB devices from up to eight wireless USB enabled PCs and manually switch to the desired PC •Mfr. #GUWH204KIT

Order # ONLY 83-11673 \$69.99



Seven Port USB 2.0 Hub

•Two front panel ports and five rear ports •Perfect for cable management •Self powered or optional AC adapter

Order # 83-11645

ONLY \$22.99



\$2.99

83-11357 \$2.99

MCMelectronics.com 1-800-543-4330

83-11358 \$2.99

Enter source code from back cover in web shopping cart to receive sale prices.

83-11359

\$2.99

Customer Service: 1-877-626-3532 Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330

Email: quotes@MCMelectronics.com

83-11356

Computer Products

Hard drive and memory upgrades are an economical way to improve your PC performance.

Special Purchase



eSATA to USB hard drive dock •Easy-to-use, just slide in your hard drive and turn the power on •Vista compatible Includes: •3'

USB cable AC adapter, and driver CD

Order # 83-11733

ONLY \$26.99

NEW!



Bidirectional IDE/SATA Adapter

Connect an IDE hard drive to your motherboard's SATA controller or connect a SATA hard drive to you IDE motherboard header with this RXD639 SATA to IDE convertor! Features: • Supports 3.5" IDE and SATA hard drives •Supports large and small four-pin power connectors Connectors: •One IDE connector

•Two SATA connectors •One four-pin power connector

Order #	(1-9)	(10-up)
83-11254	\$16.49	\$15.71





SATA interface •Maximum write speed: 22x DVD+/-R, 16x DVD-DL, 8x DVD+/-RW, 16x DVD-ROM, 32x CD-RW, 48x CD-ROM •Access time 160ms •2Mb buffer •Windows XP/2000 compatible, includes Nero 7 Essential software •Supports Lightscribe direct disk labeling to Lightscribe media •Also supports SecureDisc™ technology •Black front panel

Order #	Mfr. #	Interface	(1-9)	(10-up)
Retail				
83-11388	GSAH55LK	IDE	\$39.99	\$38.25



✓ Reads CDs



•Allows for playback of Blu-ray discs at up to 4x, DVDs at up to 8x, and CDs at up to 32x. Includes: •SATA cable •Silver bezel •CyberLink Power DVD System requirements: •Intel Pentium® 4, 3GHz or equivalent •1Gb RAM •Windows XP/Vista/7 compatible •SATA connection •Mfr. #IHOS10408 •See MCMelectronics.com for more information

Order # ONLY 83-11788 \$89.99

Note: Due to fluctuating computer market conditions, prices are subject to change without notice. Please call your MCM Account Representative or visit MCMelectronics.com to verify pricing.

50mm 12VDC Fan

•12VDC •.06A •Brushless ball bearing •4000rpm •13.4 CFM •28dB •1' positive and negative leads with tachometer wire •8.5mm (W) x 6.3mm (H) 3-pin connector •Note:

Connector may need to be removed for use

•Dimensions: 50mm x 50mm x 20mm •Mfr. #AFB0512LD

•Limited quantities

ONLY Order # MSRP \$1.99 275074 \$42.99

> Special Purchase

92mm 12VDC Fan

•12VDC •.07A •Brushless ball bearing •2100rpm •37 CFM •25dB •1' positive and negative

leads with tachometer wire •8.5mm (W) x 6.3mm (H) 3-pin connector .Note: Connector may

need to be removed for use •Dimensions: 92mm x 92mm x 25mm •Mfr. #AUB0912L •Limited quantities

Order #	MSRP	ONLY
261590	\$62.09	\$3.99

Case Fan

PC cooler for better performance •12VDC ball bearing fan

•3 pin connector with 4 pin standard power adapter included •33cfm •2500rpm •Noise level: 29dB •Includes four mounting screws •Dimensions: 31/2" x 31/2" x 1

Order #	(1-9)	(10-up)
83-8380	\$8.99	\$7.59



•RoHs compliant 12VDC fluid bearing

fans •Connector: 3 pin •Noise level: <16dB •Mounting screws included •All fans have 25mm depth

Order #	Mfr. #	Size	RPM	(1-9)	(10-up)
83-11327	EGF-8	80mm	1400	\$4.49	\$3.94
83-11328	EGF-9	92mm	1200	4.99	4.25
83-11329	EGF-12	120mm	800	6.99	-

SPARKLE POWER

ATX Power Supplies

·High-efficiency, low-noise power supplies for

ATX style case Features: •Output over-voltage and short-circuit protection •MTBF: Above 100,000 hours •Includes AC power cord and built-in switch Specifications: •Input voltage: 95~132/180~264VAC 47~63Hz •Output voltage: +3.3V, +5V, +12V, -5V, -12V, +5V •Dimensions: 5.9" x 3.4" x 5.5"

Order #	Wattage	Fan	(1-9)	(10-up)
83-8360	250	Sleeve	\$42.99	\$39.95
83-8361	300	Ball-bearing	40.99	38.95
83-8362	350	Ball-bearing	52.99	-
83-8363	400	Ball-bearing	59.99	-



•3½" form factor

			-		
Order #	Capacity	Interface	Buffer	RPM	ONLY
2.5" Noteb	ook Drives				
83-10943	80.0Gb	ATA-100	8Mb	5400	\$56.99
83-10945	120.0Gb	ATA-100	8Mb	5400	69.99
83-11315	160.0Gb	ATA-100	8Mb	5400	75.50
83-11747	320.0Gb	ATA-100	8Mb	5400	99.99
83-11310	80.0Gb	SATA	8Mb	5400	46.99
83-11311	120.0Gb	SATA	8Mb	5400	49.99
83-11312	160.0Gb	SATA	8Mb	5400	49.99
83-11313	250.0Gb	SATA	8Mb	5400	54.99
83-11746	320.0Gb	SATA	8Mb	5400	62.99
83-11748	320.0Gb	SATA	16Mb	7200	74.99
83-11749	500.0Gb	SATA	8Mb	5400	92.99
3.5" Deskt	op Drives				
83-10102	160.0Gb	SATA-100	8Mb	7200	44.99
83-11528	160.0Gb	ATA-100	8Mb	7200	49.99
83-9699	250.0Gb	ATA-100	8Mb	7200	64.99
83-10104	250.0Gb	SATA-100	8Mb	7200	49.99
83-10947	320.0Gb	ATA-100	8Mb	7200	64.99
83-10948	320.0Gb	SATA II	16Mb	7200	49.99
83-10950	500.0Gb	SATA II	16Mb	7200	59.99
83-11317	1.0Tb	SATA II	16Mb	7200	97.99
83-11696	1.5Tb	SATA	32Mb	7200	131.00
83-11697	2.0Tb	SATA	32Mb	7200	199.00



Memory Products

LIFETIME WARRANTY

•PNY Technologies is a global leader in the design, manufacturing, and distribution of memory upgrade products for desktops, notebooks, servers, workstations, printers, digital cameras, hand held PCs, and other customized memory applications •All products 100% tested •Free technical support directly from the manufacturer

161		
PNY #	Description	ONLY
IMM		
6432ZESEM4G-P	C	\$29.99
	256Mb PC100 SDRAM	
6464WHSEM8G1	7TWN	39.99
	512Mb PC133 SDRAM	
DR DIMM		
64X64D2700	512Mb PC2700	24.99
D1GBPC270PT	1Gb PC2700	49.99
D512MPC320PT	512Mb PC3200	26.99
D1GBPC320PT	1Gb PC3200	42.99
D22GBPC32OPT	2Gb PC3200 (two 1Gb)	79.99
DR2 DIMM		
D22GX4200PT	2GB PC4200 (two 1Gb)	59.99
D1GX430PT	1Gb PC4300	32.99
	single module	
D1GX530PT	1Gb PC5300	32.99
D2GX530PT	2Gb PC5300	59.99
D22GX530PT	2Gb PC5300 (two 1Gb)	59.99
D24GX530PT	4Gb PC5300 (two 2Gb)	129.00
D1GX640PT	1Gb PC6400	32.99
D22GX640PT	2Gb PC6400 (two 1Gb)	69.99
MD2048SD2-800	2Gb PC6400	64.99
MD4096KD2-800	4Gb PC6400 (two 2Gb)	129.00
SODIMM		
N512S133W	512Mb PC133 SODIMM	59.99
6464WNDYA	512Mb PC2700 SODIMM	1 22.99
N1GBD270PT	1Gb PC2700 SODIMM	49.99
N22GX530PT	2Gb PC5300 (two 1Gb)	69.99
N24GX530PT	4Gb PC5300 (two 2Gb)	129.00
DIMM		
N512X420PT	512Mb PC4200 SODIMN	
N1GX430PT	1Gb PC4300 SODIMM	32.99
N1GX530PT	1Gb PC5300 SODIMM	32.99
N2GX530PT	2Gb PC5300 SODIMM	59.99
	PNY # IMM 6432ZESEM4G-P6 6464WHSEM8G1* DR DIMM 64X64D2700 D1GBPC270PT D512MPC320PT D1GBPC320PT D22GBPC320PT D1GBPC320PT D1GX430PT D1GX530PT D2GX530PT D2GX530PT D2GX530PT D2GX530PT D2GX540PT MD2048SD2-800 MD4096KD2-800 SODIMM N512S133W 6464WNDYA N1GBD270PT N22GX530PT N24GX530PT D1MM N512X420PT N1GX430PT N1GX430PT N1GX430PT N1GX530PT	PNY # Description IMM







NEW!

#83-11688





Hannsig

#83-11686

Widescreen LCD Monitors and Television

Hannspree's LCD displays and televisions offer fantastic performance for today's applications. Whether upgrading your desktop or outfitting a classroom, Hannspree monitors are a great value.

Order # Mfr. #	Size	Max Resolution	Contrast Ratio	ONLY
High definition	on LCD	television		
83-11688	28"	1920 x 1200 (1080p)	3000:1	\$379.00
HT09				
16:10 LCD m	onitors	;		
83-11685	19"	1440 x 900	2400:1	\$131.00
HB-191DPB				
83-11686	22"	1680 x 1050	1000:1	169.00
HI-221DPR				



LG LG **LCD Monitors**

LG's LCD displays offer fantastic performance for today's applications. Whether upgrading your desktop or outfitting a classroom, LG monitors are a

great value. •Some monitors may be drop shipped from manufactuer due to weight •Model #83-11512 includes CVBS (BNC) video inputs, HDMI inputs and a 178° viewing angle

176 VICWIII	5 4112	,10.		
Order # Mfr. #	Size	Max Resolution	Contrast Ratio	ONLY
4:3 monitors	3			
83-11519 L1734SBN	17"	1280 x 1024	700:1	\$159.95
83-11516 L2000CP-BF	20"	1600 x 1200	800:1	499.00
16:10 monit	ors			
83-11517 W1934SBN	19"	1440 x 900	1000:1	189.00
83-11518 W1942TQBF	19"	1440 X 900	8000:1	205.00
83-11514 W2242P-BS	22"	1680 x 1050	8000:1	219.00
83-11512 M3201CBA	32"	1366 x 768	1600:1	799.00



USB Powered Desktop Speakers

Perfect for either a laptop or desktop computer. Specifications: •2" drivers •3W RMS, 5W max per speaker •Magnetically shielded •Black textured finish •Mfr. #EQ-11USB

ONLY Order # 83-11754 \$16.99

MCMelectronics.com

1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices.

Computer Products

Now is a great time to upgrade or replace your old computer monitor.

USB to **DVI** Video Adapter

 Extending your desktop has never been easier with the MCM USB 2.0 to DVI (DVI-I) adapter! •Install the included software, plug in the adapter, and you are on your way to dual monitor computing • Expand spreadsheets over two monitors, read e-mail on one monitor and view the without a second computer, or expand your graphics

attachment on the other, make multi-screen presentations workstation. Features: •Perfect for adding dual monitor capabilities to laptops and desktops •Compact design (1.8" x 4") •Detachable USB cable •Supported resolutions: 1600 x 1200 32bits, 1280 x 1024 32bits, 800 x 600 32bits •Connections: USB A male (to PC), DVI-I female (to monitor) System requirements: Computer with USB 2.0 ports, Windows 2000, or Windows XP Includes: USB 2.0 to DVI adapter, DVI-I-VGA(HD15) adapter, CD driver and manual

Order # 83-11647

Reg.



104 Key Keyboard

•Compact and slim design •104 keys •Light spill resistance •Ergonomic design, gently sloped shape encourages natural hand position System requirements: •Available USB port •Windows 98SE/ME/2000/XP •Mac OS 8.5-9x drivers available from A4Tech.com •Mfr. #IK-750

Order # 83-11050

Reg.



COURTEAR Compact Desktop Combo

•Compact slim-line keyboard and mouse design •Low profile action keys offers more comfort and ease of use
•13 multimedia hotkeys for controlling your media player, power management and internet access • Precise 800dpi optical sensor •No mechanical moving parts for easy maintenance and high reliability •Windows and Mac compatible •Three year warranty •Mfr. #GKM502

Order # 83-11436

Reg.

Optical Wheel Mouse

•Three buttons with wheel •Resolution: 800dpi •6' cable Win98*/98SE/2000/XP/Vista *Win98 only supported by

Order #	Version	(1-9)	(10-up)
83-11616	PS/2	\$5.99	\$5.49
83-11617	USB	6.99	5.75



Mini Travel Mouse

- •Three buttons with wheel •Resolution: 800dpi
- •21/21 retractable cable •Win98/98SE/2000/XP/Vista
- •Dimensions: 3½" (L) x 1¾" (W) x 1¼" (H)

Order #	(1-		,	(10-up)
83-11618	\$6.	99		\$5.75



2.4GHz Wireless Optical Mouse

- •Resolution: 800dpi •Two button with clickable scroll wheel •Mini USB receiver •Ergonomic design •Power saving mode •Working range
- 10~20 meters •Uses two "AAA" batteries (not included) •Dimensions 10.5 x 5.5 mm •Perfect for both desktop and travel uses

Order # 83-11619

ONLY \$14.99





HVR-950Q USB ATSC TV Tuner

•Watch hi-definition ATSC digital TV and clear QAM digital TV on your PC! Analog cable TV, too! •Single TV tuner for your PC •Watch ATSC and clear QAM digital TV or analog cable TV, in a window or full screen •Watch and record all digital TV formats, including the highest definition 1080i format •Includes TV scheduler, remote control and IR blaster to control satellite and cable TV set top boxes Features: •ATSC over-the-air digital TV tuner built-in •Supports all ATSC formats, up to the high definition 1080i format •Record ATSC digital TV to your PC's hard disk using high-quality MPEG-2 •125 channel cable ready TV tuner built-in •Composite/S-video and audio inputs, for cable or satellite set top boxes or VCRs •Record TV shows to your PC's hard disk using the built-in high-quality hardware MPEG-2 encoder

Order # 83-11563

Reg. \$89.99



Perfect for either a laptop or desktop computer, or as a stand alone system for your MP3 player. Features: •Headphone output •Volume control •Tone control •3.5mm audio înput Specifications: •2" drivers •4" subwoofer •Satellite SW RMS •Magnetically shielded •Black textured finish •Mfr. #EQ-111

Order # 83-11758

ONLY \$34.99



USB 2.0 A/B Cables

✓ High speed 480Mb cables ✓ Used for many USB connections



Order #	Color	Length	(1-9)	(10-up)
83-10676	Beige	3'	\$2.99	\$2.45
83-10677	Beige	6'	3.69	3.29
83-10678	Beige	10'	5.29	5.09
83-10679	Beige	15'	6.99	6.39
83-10680	Black	3'	2.99	2.67
83-10681	Black	6'	3.69	3.29
83-10682	Black	10'	5.99	5.77
83-10683	Black	15'	6.99	6.39

Mini USB A/B Cables

•USB A male to mini USB connector •Both mini 5 pin and mini 4 pin styles available •High



speed up to 480Mb cables •Used for many USB connections •Cable color is black

Order #	USB A to	Length	ONLY
83-10704	Mini 4 pin	6'	\$2.49
83-10705	Mini 5 pin	3'	2.99
83-10706	Mini 5 pin	6'	3.69

Nintendo Type 72 Pin Connector

72 pin connector used in popular Nintendo NES games. Connector failure is a

frequent source of repair problems in Nintendo games. Blinking or garbage found on screen is frequently a result of a bad connector. Our new version of this connector is redesigned to

ensure a quality replacement connector.						
Order #	(1-4)	(5-9)	(10-29)	(30-up)		
83-3785	\$10.99	\$10.59	\$8.89	\$8.19		

Computer Products

MCM is your one stop shop for network accessories.





DVI Video Adapters

•DVI adapters for every interface •DVI-latest digital video interconnect standard established by the DDWG (Digital Display Working Group) •Fully molded adapters with thumb screws and/or latches provide transition from DVI to both VGA (HD15) and DFP interfaces •Compact in size these adapters are very useful in dealing with difficult interconnection problems

Order #	Description	ONLY
83-9870	DVI-I dual female to DVI-D single male	\$3.50
83-9872	DVI-A male to HD15 female	2.99
83-9873	DVI-I dual female to HD15 male	2.49

Port Saver Adapters

Save costly repairs to your computer's video, serial and parallel connectors by using this port saver device as a disposable adapter. When the adapter wears out due to continually plugging and



Order #	Description	(1-9)	(10-up)
83-6320	DB-9, male/female	\$5.69	\$5.09
83-6325	DB-25, male/female	5.99	5.29
83-6330	HD-15, male/female	5.89	5.09






Super VGA Cables

These heavy-duty cables are designed to extend your existing video cable up to 100' with minimal signal loss. Use when installing switch boxes or extenders. Rating: UL2990. Double-shielded.

Order #	Description	(1-9)	(10-up)
83-7849	6' HD-15 male to female	\$12.99	\$12.25
83-7850	10' HD-15 male to female	14.99	14.25
83-7851	15' HD-15 male to female	16.99	16.25
83-7852	25' HD-15 male to female	18.99	18.25
83-7853	50' HD-15 male to female	24.99	24.25
83-7854	75' HD-15 male to female	32.99	32.25
83-7855	100' HD-15 male to female	49.99	49.25
83-7856	6' HD-15 male to male	12.99	12.25
83-7857	10' HD-15 male to male	14.99	14.25
83-7858	15' HD-15 male to male	16.99	16.25
83-7859	25' HD-15 male to male	18.99	18.28
83-7860	50' HD-15 male to male	26.49	25.70
83-7861	75' HD-15 male to male	34.49	33.45
83-7862	100' HD-15 male to male	53.49	52.38

Right Angle HD-15 Super VGA Cables

These heavy-duty cables are designed



Order #	Description	(1-9)	(10-up)
83-11255	10' male to female	\$14.99	\$14.25
83-11256	25' male to female	18.99	18.25
83-11257	50' male to female	24.99	24.25
83-11258	75' male to female	32.99	32.25
83-11259	100' male to female	49.99	49.25
83-11260	10' male to male	14.99	14.25
83-11261	25' male to male	18.99	18.25
83-11262	50' male to male	24.99	24.25
83-11263	75' male to male	32.99	32.25
83-11264	100' male to male	49.99	49.25





Null Modem Cables

These cables allow two DTE or DCE devices to communicate with no conflict in data transmission. The transmit and receive signals are crossed to ensure proper data flow. Each cable is designed with a rugged, over-molded construction that provides extra strain relief and a solid connection. Foil-shielded for protection against EMI/RFI interference caused by surrounding office equipment and florescent lights. Available in a wide variety of lengths and gender combinations.

Order #	Description	Reg.	SALE
83-8273	6' DB-25 M/F	\$4.99	\$2.99
83-8274	10' DB-25 M/F	6.99	4.99
83-8276	6' DB-25 M/M	4.99	2.99
83-8277	10' DB-25 M/M	6.99	4.99
83-8279	6' DB-25 F/F	4.99	2.99
83-8280	10' DB-25 F/F	6.99	4.99
83-8281	6' DB-9 M/F	4.99	2.99
83-8282	10' DB-9 M/F	13.49	4.99
83-8283	6' DB-9 F/F	4.99	2.99
83-8284	10' DB-9 F/F	7.49	4.99
83-8285	6' DB-9 female to DB-25 male	4.99	2.99
83-8286	10' DB-9 female to DB-25 male	6.99	4.99
83-8287	25' DB-9 female to DB-25 male	8.99	7.99
83-8288	6' DB-9 female to DB-25 female	4.99	2.99



Enhanced 350MHz Category 5e UTP Patch Cables

Offers data transmission rates of up to 155Mbps, a 50% improvement over standard Cat 5 cables. Supports today's 100Mbps fast ethernet standards. Specifications: •4 pair 24AWG unshielded wiring •RJ-45 connectors •Meets EIA/TIA 568A standards

				Molded Snagless Connectors						
	Gray	Blue	White	Yellow	Black	Red	Green	Orange		
Length	Order #	Order #	Order #	Order #	Order #	Order #	Order #	Order #	(1-9)	(10-up)
2'	831-1351	831-1352		831-1353	831-1354				\$0.99	\$0.97
3'	831-1355	831-1356	831-1357	831-1358	831-1359	831-1360	831-1361	831-1695	1.55	1.49
4'	831-1362	831-1363		831-1364	831-1365				1.55	1.49
5'	831-1366	831-1367	831-1368	831-1369	831-1370	831-1371	831-1372	831-1696	1.99	1.89
6'	831-1373	831-1374		831-1375					2.65	2.59
7'	831-1377	831-1378	831-1379	831-1380	831-1381	831-1382	831-1383	831-1697	2.65	2.59
10'	831-1392	831-1393	831-1394	831-1395	831-1396	831-1397	831-1398		3.29	3.25
14'	831-1403	831-1404	831-1405	831-1406	831-1407	831-1408	831-1409	831-1699	4.59	4.49
15'	831-1410	831-1411		831-1412	831-1413				4.59	4.49
20'	831-1414	831-1415		831-1416	831-1417				4.99	4.89
25'	831-1418	831-1419	831-1420	831-1421	831-1422	831-1423	831-1424	831-1700	5.99	5.89
50'	831-1425	831-1426	831-1701	831-1427	831-1702	831-1703	831-1704		9.99	9.89
100'	831-1428	831-1705		831-1706	831-1707	831-1708	831-1709		17.99	17.59

Category 6 UTP Patch Cables

Cat 6 UTP patch cables offer data transmission rates of up to 155Mbps, a 35% improvement over standard Cat 5e cables. Supports today's 100Mbps fast ethernet standards and tomorrow's 1000Mbs needs. **Specifications:** •4 pair 24AWG unshielded wiring •RJ-45 connectors •Meets EIA/TIA 568A standards

Molded Spanless Connectors

morada dilagidos delinidatoro								
Length	Blue Order #	Black Order #	Gray Order #	Red Order #	Yellow Order #	Green Order #	White Order #	ONLY
3'	831-2082	831-2083	831-2084	831-2085	831-2086	831-2087	831-2088	\$2.79
5'	831-2089	831-2090	831-2091	831-2092	831-2093	831-2094	831-2095	3.99
7'	831-2096	831-2097	831-2098	831-2099	831-2100	831-2101	831-2102	4.29
10'	831-2103	831-2104	831-2105	831-2106	831-2107	831-2108	831-2109	5.29
14'	831-2110	831-2111	831-2112	831-2113	831-2114	831-2115	831-2116	6.99
25'	831-2117	831-2118	831-2119	831-2120	831-2121	831-2122	831-2123	11.99

Power Products

Green surge strips save money by shutting off unused appliances that normally leak energy.



✓ RJ-11 or RJ-45 protection Featuring five "Power Save" outlets that only provide power when the "Master" device is on, this surge protector can help reduce your electricity bill and protect the environment. Specifications: •EMI/RFI noise filtration •Five power save outlets •One master outlet •Two always on outlets •2160 joules •EMI/RFI noise filtration •LED status indicators (grounded, protected, master outlet status, power save outlet status, always on outlet status) •RJ-11/45 surge protection •Dual 2.4GHz coax protection •6' power cord Includes: •6' Cat 5 cable •6' RJ-11 telephone cable

Order # 28-11108

MSRP \$49.95 \$24.99



Single Outlet Surge Suppressor

✓ 114 joules

Protect electronic equipment from harmful voltage surges with this easy to use surge suppressor. Surge LED indicates surge

protection is functioning. **Specifications:** •Response time: Less than 5nSec •Energy: 114 joules •Peak current: 4,500A •Rated at 15A, 120VAC, 60Hz •UL listed

Order #	(1-4)	(5-up)
28-4395	\$4.79	\$4.19





✓ 2160 joules

✓ Smart outlets ✓ Coax protection

✓ RJ-11 or RJ-45 protection

Featuring two "Power Save" outlets that only provide power when the "Master" device is on, this wall mounted surge protector can help reduce your electricity bill and protect the

environment. **Specifications:** •Two power save outlets •One master outlet •One always on outlet •2160 joules •EMI/RFI noise filtration •LED status indicators (grounded, protected, master

outlet status, power save outlet status, always on outlet status) •RJ-11/45 surge protection •2.4GHz coax protection Includes: •6' RG-59 coaxial cable •6' Cat 5 cable •6' RJ-11 telephone cable

Order # 28-11107

MSRP

ONLY \$17.99



Six Outlet Surge Protector

✓270 joules

•Full three line surge protection •EMI/RFI filter

•Integrated circuit breaker switch •LED indicator

shows working surge protector circuit •AC 125VAC/15A •330V clamping voltage •ABS fire retardant plastic case

•6' heavy-duty cord

Order # 28-5515

Reg.

շ(Սլ



Stellar@_{Labs}™ **Flat Panel Extension Cord** with Rotating Plug ·Convert standard

AC power cord to a slim right-angled plug •Perfect when installing a flat

panel TV on a wall or placing a desk or piece of furniture close to a wall •360° rotating plug provides angular flexibility •14AWG cable •UL listed •15A, 125V, 1875W

Order #	Length	ONLY
28-11104	6"	\$4.99
28-11105	12"	6.99



critical part of home theater installations. You can see and hear the difference: Sharper, crisper video; deeper,

fuller audio; and longer component life spans. Features: •Two transformer spaced outlet surge protector •All metal housing for handling strongest surges •Remote AC/DC control jack allow on/off control from another device •All outlets are protected by 5100 joules of surge with EMI/ RFI noise filtering •10' and 18" detachable cords provided with right angle plug for home theater applications •\$100,000 Ultimate Lifetime Insurance (USA and Canada only) and lifetime warranty covers connected components against surge damage...for life! •Mfr. #HT2210ISOCTR

Order # 28-10800

MSRP

Reg.



•Prevent potential damage to equipment •LED indicates whether center pin positive, negative, or AC •3V~15VAC/DC •Accepts 2.1mm and 1.3mm DC plugs, and 3.5mm mono plug

Order # 28-11119

Tips shown actual size




Universal AC/DC Adapter

Output: 3V. 4.5V. 6V. 7.5V. 9V. 12VDC •Amps: 500mA •Six interchangeable tips •Reversible tip polarity •6' cord length

Order # 28-1265

Reg.





Features: •AC/DC power and charging functionality •Nine tips for 15, 16, 19, 20 and 24V devices •DC version includes airplane plug •Power ratings: #28-10655 input 100~240VAC, 60Hz/50Hz, #28-10660 input: 11.8~16VDC

Adapters

•Output: 15V~24VDC, selectable via tips up to 70W

Order #	Adapts	Reg.	SALE
28-10655	AC/DC	\$52.99	\$29.99
28-10660	DC/DC	47.99	29.99



ONLY Order # 28-11118 \$4.99





Universal, Digital Camera, MCM AC Power Adapter

•For use with many digital cameras Features:

•Foldable plug for easy storage •Tips for most devices **Power ratings:** •Input: 100~240VAC, 60Hz/50Hz •Output: 3.3V~8.4V DC, selectable up to 2500mA

·Includes six interchangeable tips

Order # (1-9)(10-up) 28-10650 \$17.99 \$15.39



Amps Tip Description Polarity (1-9) (10-up) Order # 28-11123 3.5mm x 1.35mm Positive \$6.99 \$6.25 28-11124 2.5mm x 5.5mm Positive 6.99



MCMelectronics.com 1-800-543-4330

Enter source code from back cover in web shopping cart to receive sale prices. Customer Service: 1-877-626-3532 Product Questions Email: tech@MCMelectronics.com Quote Team: 1-800-543-4330 Email: quotes@MCMelectronics.com



STAMINA™ Platinum SONY, Alkaline Batteries

You'll never have to worry about running out of juice just when you want it the most. Sony's STAMINATM platinum alkaline batteries offer you maximum performance compared to normal alkaline batteries.

Order #	Size	Qty	ONLY
AM1PTB2A	"D"	2	\$1.99
AM2PTB4A	"C"	4	3.70
AM3PTB4A	"AA"	4	1.99
AM3PTB8A	"AA"	8	3.58
AM3PTB12A	"AA"	12	5.21
AM4PTB4A	"AAA"	4	1.99
AM4PTB8A	"AAA"	8	3.58
6AM6PTB1A	9V	1	2.00



Cycle Energy Chargers SONY. and Rechargeable Batteries

Sony cycle energy rechargeable batteries are ideal for mid-drain hardware devices used frequently over long periods of time, and have an extremely low discharge rate. All cycle energy batteries are pre-charged for immediate use. The #BCG34HRE4K charger also uses a refresh technology that eliminates the "memory effect" left over by a battery that has been charged without first being fully discharged.

Fig.	Order #	Description	Capacity	ONLY
Charg	jers			
Α	BCG34HS2K	Compact charger with two "AA" batteries	- !S	\$15.49
В	BCG34HLD4K	Power charger with four "AA" batterio	- es	21.49
С	BCG34HRE4K	Quick refresh charger with four "AA" batterio		26.99
Batteri	es			
-	NHAAB2K	Two pack "AA"	2000mAh	7.17
-	NHAAB4K	Four pack "AA"	2000mAh	15.49
-	NHAAAB2K	Two pack "AAA"	800mAh	7.17
-	NHAAAB4K	Four pack "AAA"	800mAh	12.49

Batteries

Stock up on batteries for those emergencies that come up.

"EnergyOn" Nickel-Metal **Hydride Batteries**



•Use the newest technology in rechargeable Ni-MH batteries •EnergyOn batteries are fully charged upon arrival and ready for use •With up to 70% of capacity remaining after one year, these batteries are perfect for travel •Ni-MH rechargeable batteries are also an environmentally friendlier alternative to Ni-Cd batteries and standard "AA" and "AAA" batteries

Order #	Description	mAh	MSRP	Reg.	SALE
29-4285	"AA" single	2000	\$5.99	\$2.99	\$2.69
29-4290	"AAA" single	750	4.99	1.99	1.69



Bulk Packaged "AA" and **Maxell** "AAA" Alkaline Batteries

Manufactured to the highest standards in the industry, Maxell's alkaline batteries provide unrivaled value. Save money by buying in bulk, and never worry about running out of batteries again.

Order #	Size	Qty.	ONLY
297-0005	"AA"	20	\$6.49
297-0010	"AA"	48	11.99
297-0015	"AAA"	20	7.49
297-0020	"AAA"	36	10.49

Rechargeable Nickel-Metal **Hydride Batteries**

Nickel-Metal Hydride (Ni-MH) rechargeable batteries are one of the most advanced rechargeable battery systems commercially available and offer several advantages over today's

ordinary nickel-cadmium (Ni-Cd) rechargeable batteries, including up to 40% longer service life. Ni-MH rechargeable batteries are also an environmentally friendlier alternative to Ni-Cd batteries.

Order #	Description	mAh	MSRP	Reg.	SALE
29-4275	"AA" single	2300	\$4.99	\$1.99	\$1.69
29-4280	"AAA" single	900	4.99	1.59	1.39



Sealed Lead Acid Batteries

CSB batteries are used for UPS, emergency lighting, security and any floating application. Maximum charging current is nominal capacity times 0.3. All dimensions are in inches. Connection: A=.187" disconnect, B=.250" disconnect, C= bolt and nut.

Order # Mfr. #	Capacity	Dimensions (L) x (W) x (H)	Contact	ONLY
6 Volt				
29-3085				
GP645	4.5Ah	2.76 x 1.89 x 4.02	Α	\$11.99
29-3090				
GP672	7.0Ah	5.94 x 1.34 x 3.70	A	14.99
29-3100				
GP6120F2	12.0Ah	5.94 x 1.97 x 3.70	В	18.99
12 Volt				
29-3110				
GP1222	2.2Ah	7.01 x 1.34 x 2.36	Α	24.99
29-1335				
GP1245	4.5Ah	3.5 x 2.75 x 4.0	A	28.99
29-3120	7.041	F 0 F 0 F 0 7 0 7 0	_	04.00
GP1270F2	7.0Ah	5.95 x 2.56 x 3.70	В	31.99
29-3125	44.041	F 0.4 0.00 0.70		
GP12110F2	11.0Ah	5.94 x 3.98 x 3.70	В	37.99
29-3130	47.045	7 40 0 00 0 57	^	F7.00
GP12170	17.0Ah	7.13 x 2.99 x 6.57	С	57.99
29-3135	00 046	C E 4 · · C 00 · · 4 00	0	70.00
GP12260	26.0Ah	6.54 x 6.89 x 4.92	С	79.99



Panasonic

Bulk Packaged Alkaline Batteries

Save money by purchasing batteries in bulk. Panasonic batteries provide the highest usage life in primary batteries and have a five-year storage life.

Order #	Description	(1-4)	(5-9)	(10-up)
292-315	"AA" cell 24/pk	\$12.49	\$11.89	\$10.69
292-320	"AAA" cell 48/pk	24.99	23.99	23.25

Panasonic Alkaline Batteries

Panasonic alkaline batteries provide the highest usage life in primary batteries, the best performance at low temperatures, and still maintain a five-year storage life. They work best in personal stereos, cameras, radio control toys and other personal appliances.

Order #	Size	Qty.	(1-4)	(5-9)	(10-up)
292-005	"D"	2	\$3.29	\$2.99	\$2.89
292-010	"C"	2	2.99	2.89	2.79
292-015	"AA"	2	0.99	-	-
292-020	"AA"	4	1.99	-	-
292-025	"AAA"	2	1.99	-	-
292-030	"AAA"	4	2.49	2.26	2.09
292-035	9V	1	3.29	3.19	2.99

Nickel Metal Hydride Batteries

Rechargeable NiMH batteries are environmentally friendly and last up to twice as long as NiCd batteries. NiMH batteries do not suffer from "memory" and can be charged and used just like NiCd batteries.

Order #	Description	Capacity	Reg.	SALE
29-3250	"C" (2 pk)	2200mAh	\$9.19	\$5.99
Solder tab				
29-3275	"AA" (1 pk)	1300mAh	6.39	4.99
29-3280	"2/3AF" (1 pk)	1000mAh	4.98	3.99
29-3295	"2/3AF" (1 pk)	1000mAh	6.49	4.99







MCM Electronics A Premier Farnell Company 650 Congress Park Drive, Centerville, Ohio 45459

Prices effective until May 1, 2010.

SPRING BEST SELLERS

POWER

©Feburary 2010, MCM Electronics Printed in U.S.A.

"Postmaster, please deliver promptly-Dated Material."

IMPORTANT:

For correct sale prices, use this source code when ordering by phone or web.



If Recipient Unavailable **ROUTE TO:**

☐ Installation Manager

☐ Technician ☐ Purchasing/Product Manager ☐ Installer ☐ Owner/General Manager ☐ MIS/IT

U.S. POSTAGE PAID MCM ELECTRONICS

PRSRT STD



MCMelectronics.com ▶ 1-800-543-4330







Stellar Labs

MININ.



Benchtop True RMS Multimeter with USB

- ✓ 6,000 count LCD display
- ✓ True RMS measurement
- ✓ USB interface and data logging software
- ✓ AC and battery operation

•See page 29

Order # 72-1015

MSRP \$249.00

Reg. \$188.00

SALE \$**]29**00

TEST **EQUIPMENT**

DEFENDER™

Rapport II Multi-**Function CCTV Tester** with Flip-Up 3.5" **Color LCD Monitor**

•See page 9

Order # 82-11561

MSRP \$749.00 Rea.

SALE 9900



Blue Category 5e 350MHz UL CMR 500' Cable

•See page 5

Order # 24-10515

MSRP \$59.95

ONLY \$37.99





ACCESSORIES 6' USB 2.0 A/B Cable

✓ High speed 480Mb cables ✓ Used for many USB connections

•See page 45

Order # ONLY \$3.69 83-10681

Four Port USB 2.0 Hub

•See page 42

COMPUTER

Order # 83-11766



Look for us on:











Please recycle or pass to a friend when finished